

-NEW STAIR

14-6"

100020

EL. 195

FORE PENOVED

EXESTING HOUSE EL.195

STAPVATO CHALLER NOT LEGO THAN 30" INCHES CLEAR WIDTH AT ALL POINTS ABOVE THE FERMITTED HANDRAIL HEIGHT AND RELOW THE REQUIRED HEADROOM HEIGHT THE CLEAR WIDTH OF STANKWATO AT AND RELOW THE HANDRAIL HEIGHT THE CLEAR WIDTH OF STANKWATO AT AND RELOW THE HANDRAIL HEIGHT THE CLEAR WIDTH OF STANKWATO AT AND RELOW THE HANDRAIL HEIGHT IN CLUDING TREADS AND LANDINGS CHALL HOT BE LEGO THAN 31/2 INCHES WHERE A HANDRAIL IS INSTALLED


GARAGE PLAN

101-611

3 190/1

EXISTING GARAGE EL. 200

A2




6486.F.

11-8

-AXA OLAB OH 6 PATE - PERGEOTECHHICAL REPORTWISTONE STEP

1-0-7 3-2 2-6


APARTMENT LEVEL





ROOF PLAN 1/4"=1'-0"

ROFFIAN

A4








A.B.E. CALCULATIONS/DUGRAM (HEASURED FROM SITEPLAN)
NOT TO GCALE


Aa (190×16)+Bb (190×10)+Cc (190×12)+Dd (195×16)+Ee (200×40)+Ff (200×10)+Gg (205×22)+Hb (205×26)+ Ii(205×16)+ Jj (205×10)+ Kk (195×54)+L1 (195×28)

all 0+bl 0+dl 0+dl 2+d (16)+e (40)+f (10)+g (22)+e (26)+f (16)+j (10)+k (54)+l (28)

51,300 = 197.30 AVERAGE BUILDING FLEV. A.D.E

/9







FOUNDATION PLAN NOTES

HOUZ SIS" DIAMETER BOLL, SET-3G EMPED 5" MIN. INTO EXISTING FROTTHA.

2. ALL AHCHORS TO BE INSTALLED AS PEOLIFED BY MAHUFACTURER. MINIMUM (2) 2× STUDS UNLESS OTHERWISE NOTED ON PLANS.





ROOF FRAMING PLAN

POOP FRAMING PLAN NOTES:

TI PART CHEATHING CHALL BE 15/32" APA FATED CHEATHING WITH A PAHEL INDEX OF 24/0.


NAIL TO FRAMING W/ 84 COMMON NAILS AT 6" O.C. AT EXHELE 1265 AND 12" O.C. IN FIELD U.N.O. ON PLANS.

2. ALL HEAPERS AND REAMS SHALLER (2) 2×8 MIN, UNLESS NOTED OTHER WISE, REFER TO NOTE 3 FOR

DOPPORT PEQUIFEMENTS

- 5 SIL COLUMNO SHALL BE COUPLE STUD MINIMUM, U. H. D., WITH THE REAM OF HEADER EFAGING FULLY OH THE COLUMN. INDIVIDUAL STUDS SHALL BE HAILED TOGETHER FER THE CENTRAL STRUCTURAL HOTES.

THE COUPIN. INDIVIDUAL STUDS STALL PE NATURE TO TOO THERE FEE THE ALTER ALS FOUND THAT FOR ELLIPSE OF 24/0 (OFFENTED STRAND BOOKED OF EQUIVALENT THICKNESS, EXPOSIBLE PATTHO, AND PAVELINGEY MAY BE USED IN LIEU OF PLYWOOD AT CONTRACTORS OF 10H.



65

### **GENERAL STRUCTURAL NOTES**

(The following apply unless shown otherwise on the plans)

#### CRITERIA

ALL MATERIALS WORKMANSHIP, DESIGN, AND CONSTRUCTION SHALL CONFORM TO THE DRAWINGS, SPECIFICATIONS, AND THE 2018 INTERNATIONAL BUILDING CODE (IBC) INCLUDING WASHINGTON STATE MODIFICATIONS.

### **DESIGN LOADING CRITERIA**

SNOW LOAD FLOOR LIVE LOAD (RESIDENTIAL) FLOOR LIVE LOAD (RESIDENTIAL BALCONIES AND DECKS) GUARDRAILS/BALCONY RAILS (RESIDENTIAL)

WIND (MAIN WIND FORCE RESISTING SYSTEM)

GROUND SNOW LOAD, Pg = 25 PSF

60 PSF 200 LBS.

BASIC WIND SPEED = 97 MPH

ALLOWABLE STRESS DESIGN WIND SPEED = 75 MPH

IMPORTANCE FACTOR, Iw= 1.0 RISK CATEGORY = II

TOPOGRAPHIC FACTOR, Kzt = 1.6 EXPOSURE CATEGORY = B

INTERNAL PRESSURE COEFFICIENT, (GCpi)= 0.18/-0.18

WIND BASE SHEAR = 9.4 KIPS, 9.0 KIPS

EARTHQUAKE (EQUIVALENT LATERAL FORCE PROCEDURE)

 $S_s = 1.448$  $S_{ds} = 1.158$  $S_1 = 0.503$  $S_{d1} = 0.503$ 

IMPORTANCE FACTOR, Ie= 1.0 SITE CLASS D

SEISMIC DESIGN CATEGORY= D

RISK CATEGORY = II

R = 6.5 FOR WOOD STRUCTURAL PANEL SHEAR WALLS

OVER STRENGTH FACTOR,  $\Omega_0 = 3.0$ 

DEFLECTION AMPLIFICATION FACTOR, Cd = 4.0

**REDUNDANCY FACTOR = 1.0** 

SEISMIC RESPONSE COEFFICIENT, C<sub>s</sub> = 0.178

SEISMIC BASE SHEAR = 6.8 KIPS 1.0 INCHES/HOUR

RAIN INTENSITY

- STRUCTURAL DRAWINGS SHALL BE USED IN CONJUNCTION WITH ARCHITECTURAL DRAWINGS FOR BIDDING AND CONSTRUCTION. CONTRACTOR SHALL VERIFY DIMENSIONS AND CONDITIONS FOR COMPATIBILITY AND SHALL NOTIFY ARCHITECT OF ANY DISCREPANCIES PRIOR TO CONSTRUCTION. ALL DIMENSIONS SHOWN ON THE STRUCTURAL DRAWINGS ARE INTENDED FOR REFERENCE ONLY. REFER TO ARCHITECTURAL DRAWINGS FOR ALL DIMENSIONS.
- CONTRACTOR SHALL VERIFY ALL EXISTING DIMENSIONS, MEMBER SIZES, AND CONDITIONS PRIOR TO COMMENCING ANY WORK. ALL DIMENSIONS OF EXISTING CONSTRUCTION SHOWN ON THE STRUCTURAL DRAWINGS ARE INTENDED AS GUIDELINES ONLY AND MUST BE VERIFIED.
- CONTRACTOR SHALL PROVIDE TEMPORARY BRACING FOR THE STRUCTURE AND STRUCTURAL COMPONENTS UNTIL ALL FINAL CONNECTIONS HAVE BEEN COMPLETED IN ACCORDANCE WITH THE PLANS.
- CONTRACTOR SHALL BE RESPONSIBLE FOR ALL SAFETY PRECAUTIONS AND THE METHODS, TECHNIQUES, SEQUENCES, OR PROCEDURES REQUIRED TO PERFORM THE WORK. THE STRUCTURAL ENGINEER HAS NO OVERALL SUPERVISORY AUTHORITY OR ACTUAL AND/OR DIRECT RESPONSIBILITY FOR THE SPECIFIC WORKING CONDITIONS AT THE SITE AND/OR FOR ANY HAZARDS RESULTING FROM THE ACTIONS OF ANY TRADE CONTRACTOR. THE STRUCTURAL ENGINEER HAS NO DUTY TO INSPECT, SUPERVISE, NOTE, CORRECT, OR REPORT ANY HEALTH OR SAFETY DEFICIENCIES OF THE OWNER, CONTRACTORS, OR OTHER ENTITIES OR PERSONS AT THE PROJECT SITE.
- CONTRACTOR-INITIATED CHANGES SHALL BE SUBMITTED IN WRITING TO THE ARCHITECT AND STRUCTURAL ENGINEER FOR APPROVAL PRIOR TO FABRICATION OR CONSTRUCTION. CHANGES SHOWN ON SHOP DRAWINGS ONLY WILL NOT SATISFY THIS REQUIREMENT.
- DRAWINGS INDICATE GENERAL AND TYPICAL DETAILS OF CONSTRUCTION. WHERE CONDITIONS ARE NOT SPECIFICALLY INDICATED, BUT ARE OF SIMILAR CHARACTER TO DETAILS SHOWN, SIMILAR DETAILS OF CONSTRUCTION SHALL BE USED, SUBJECT TO REVIEW AND APPROVAL BY THE ARCHITECT AND THE STRUCTURAL ENGINEER.
- ALL STRUCTURAL SYSTEMS WHICH ARE TO BE COMPOSED OF COMPONENTS TO BE FIELD ERECTED SHALL BE SUPERVISED BY THE SUPPLIER DURING MANUFACTURING, DELIVERY, HANDLING, STORAGE, AND ERECTION IN ACCORDANCE WITH INSTRUCTIONS PREPARED BY THE SUPPLIER.
- MECHANICAL / ELECTRICAL / PLUMBING: CONTRACTOR SHALL SUBMIT DRAWINGS SHOWING THE LOCATION, LOADS, AND ANCHORAGE OF ALL MECHANICAL, ELECTRICAL, PLUMBING, AND SPRINKLER ATTACHMENTS IN EXCESS OF 50 POUNDS TO

STRUCTURAL ENGINEER FOR REVIEW PRIOR TO INSTALLATION. ALL DETAILS NECESSARY FOR ATTACHING THESE SYSTEMS TO THE BASE BUILDING STRUCTURE, INCLUDING THE DESIGN AND DETAILING OF THE DESIGNATED SEISMIC LOAD RESISTING SYSTEM AS REQUIRED BY SECTION 1705.12.4 OF THE INTERNATIONAL BUILDING CODE, ARE THE RESPONSIBILITY OF THE SUPPLIER OF THAT EQUIPMENT AND MUST BE STAMPED BY A PROFESSIONAL ENGINEER LICENSED IN THE STATE OF WASHINGTON.

STATEMENT SPECIAL INSPECTIONS: THE FOLLOWING CONSTRUCTION TYPES ARE TO BE REVIEWED BY A SPECIAL INSPECTOR DESIGNATED BY THE OWNER OR ARCHITECT. THE SPECIAL INSPECTOR SHALL BE A QUALIFIED PERSON WHO SHALL DEMONSTRATE COMPETENCE, TO THE SATISFACTION OF THE BUILDING OFFICIAL, FOR INSPECTION OF THE PARTICULAR TYPE OF CONSTRUCTION OR OPERATION REQUIRING SPECIAL INSPECTION. SPECIAL INSPECTION SHALL CONFORM TO SECTION 1704 OF THE 2018 INTERNATIONAL BUILDING CODE. SPECIAL INSPECTION AGENCY SHALL BE RESPONSIBLE FOR KEEPING RECORDS OF SPECIAL INSPECTIONS AND TESTS. THE ARCHITECT, STRUCTURAL ENGINEER, AND BUILDING DEPARTMENT SHALL BE FURNISHED WITH COPIES OF ALL INSPECTION REPORTS AND TEST RESULTS.

POST INSTALLED ANCHORS: PERIODIC SPECIAL INSPECTION IN ACCORDANCE WITH THE PRODUCTS APPROVED ICC-ES REPORT.

THE CONTRACTOR RESPONSIBLE FOR THE CONSTRUCTION OF A MAIN WIND OR SEISMIC FORCE RESISTING SYSTEM, DESIGNATED WIND OR SEISMIC SYSTEM, OR SEISMIC FORCE RESISTING COMPONENT SHALL SUBMIT A WRITTEN STATEMENT OF RESPONSIBILITY TO THE BUILDING OFFICIAL AND OWNER PRIOR TO COMMENCEMENT OF WORK AS REQUIRED BY SECTION 1704.4 OF THE INTERNATIONAL BUILDING CODE.

# **GEOTECHNICAL**

FOUNDATION NOTES: ALLOWABLE BEARING PRESSURE AND COEFFICIENT OF FRICTION HAVE BEEN ASSUMED PER IBC TABLE 1806.2. LATERAL EARTH PRESSURES HAVE BEEN ASSUMED PER IBC TABLE 1610.1. IT HAS BEEN ASSUMED THAT EXISTING SOILS ARE A COMBINATION OF SAND, SILTY SAND, AND POORLY GRADED SAND-SILT/SAND GRAVEL MIXES. IF SOILS ARE FOUND TO BE OTHER THAN ASSUMED, NOTIFY THE STRUCTURAL ENGINEER FOR POSSIBLE FOUNDATION REDESIGN.

FOOTINGS SHALL BEAR ON FIRM, UNDISTURBED EARTH AT LEAST 18" BELOW ADJACENT FINISHED GRADE, UNLESS OTHERWISE NOTED, FOOTINGS SHALL BE CENTERED BELOW COLUMNS OR WALLS ABOVE.

BACKFILL BEHIND ALL RETAINING WALLS WITH FREE DRAINING, GRANULAR FILL AND PROVIDE FOR SUBSURFACE DRAINAGE.

ALLOWABLE SOIL PRESSURE LATERAL EARTH PRESSURE (RESTRAINED/UNRESTRAINED) LATERAL EARTH PRESSURE (SEISMIC) PASSIVE EARTH PRESSURE (INCLUDES FACTOR OF SAFETY = 1.5) COEFFICIENT OF FRICTION (INCLUDES FACTOR OF SAFETY = 1.5)

60 PCF/45 PCF **8H (ULTIMATE LOAD)** 150 PCF

0.25

2,000 PSF

### RENOVATION

- <u>DEMOLITION</u>: CONTRACTOR SHALL VERIFY ALL EXISTING CONDITIONS BEFORE COMMENCING ANY DEMOLITION. SHORING SHALL BE INSTALLED TO SUPPORT EXISTING CONSTRUCTION AS REQUIRED, AND IN A MANNER SUITABLE TO THE WORK SEQUENCES. EXISTING REINFORCING SHALL BE SAVED WHERE AND AS NOTED ON THE PLANS. SAW CUTTING, IF AND WHERE USED, SHALL NOT CUT EXISTING REINFORCING THAT IS TO BE SAVED. DEMOLITION DEBRIS SHALL NOT BE ALLOWED TO DAMAGE OR OVERLOAD THE EXISTING STRUCTURE. LIMIT CONSTRUCTION LOADING (INCLUDING DEMOLITION DEBRIS) ON EXISTING FLOOR SYSTEMS TO 40 PSF.
  - ALL NEW OPENINGS THROUGH EXISTING WALLS, SLABS AND BEAMS SHALL BE ACCOMPLISHED BY SAW CUTTING
  - WHEREVER POSSIBLE. OVERCUTTING AT CORNERS SHALL NOT BE PERMITTED. CONTRACTOR SHALL VERIFY ALL EXISTING CONDITIONS AND LOCATION OF MEMBERS PRIOR TO CUTTING ANY OPENINGS.
  - SMALL ROUND OPENINGS SHALL BE ACCOMPLISHED BY CORE DRILLING, IF POSSIBLE.
  - WHERE NEW REINFORCING TERMINATES AT EXISTING CONCRETE, THREADED BARS INTO THREADED EXPANSION INSERTS IN EXISTING CONCRETE SHALL BE PROVIDED TO MATCH HORIZONTAL REINFORCING, UNLESS OTHERWISE NOTED ON
- CONTRACTOR SHALL CHECK FOR DRY ROT AT ALL EXTERIOR WALLS, EXISTING TOILET ROOM FLOORS AND WALLS, AREAS SHOWING WATER STAINS, AND ALL WOOD MEMBERS IN BASEMENT AND CRAWL SPACES. ALL ROT SHALL BE REMOVED AND DAMAGED MEMBERS SHALL BE REPLACED OR REPAIRED AS DIRECTED BY THE STRUCTURAL ENGINEER.
- CONTRACTOR SHALL VERIFY ALL EXISTING DIMENSIONS, MEMBER SIZES, AND CONDITIONS PRIOR TO COMMENCING ANY WORK. ALL DIMENSIONS OF EXISTING CONSTRUCTION SHOWN ON THE DRAWINGS ARE INTENDED AS GUIDELINES ONLY AND MUST BE VERIFIED. THE CONTRACTOR SHALL BRING ALL CONFLICTS AND DISCREPANCIES TO THE ATTENTION OF THE ARCHITECT AND STRUCTURAL ENGINEER.

## CONCRETE

CONCRETE SHALL BE MIXED, PROPORTIONED, CONVEYED, AND PLACED IN ACCORDANCE WITH ACI 318-14 AND ACI 301-16. CONCRETE SHALL ATTAIN A 28-DAY STRENGTH (fc) OF 3500 PSI BASED ON EXPOSURE CLASS F1, SHALL CONTAIN NO LESS THAN 5-1/2 SACKS OF CEMENT, HAVE A MAXIMUM WATER/CEMENT RATIO OF 0.45, MAXIMUM AGGREGATE OF 3/4-INCH, AND A SLUMP OF 5 INCHES OR LESS. CONCRETE HAS BEEN DESIGNED BASED ON A CONCRETE STRENGTH (fc) OF 2500 PSI PER INTERNATIONAL BUILDING CODE SECTION 1705.3 EXCEPTION 2.3 TO AVOID SPECIAL INSPECTIONS AND MATERIAL TESTING.

ALL CONCRETE WITH SURFACES EXPOSED TO STANDING WATER SHALL BE AIR-ENTRAINED WITH AN AIR-ENTRAINING AGENT CONFORMING TO ASTM C260, C494M, AND C618. UNLESS OTHERWISE NOTED THE TOTAL AIR CONTENT SHALL BE 5%. AIR

CONTENT SHALL BE SAMPLED IN ACCORDANCE WITH ASTM C172 AND AIR CONTENT MEASURED IN ACCORDANCE WITH ASTM C231

REINFORCING STEEL SHALL CONFORM TO ASTM A615 (INCLUDING SUPPLEMENTS S1), GRADE 60, Fy = 60,000 PSI.

WELDED WIRE FABRIC SHALL CONFORM TO ASTM A-185

DETAILING OF REINFORCING STEEL (INCLUDING HOOKS AND BENDS) SHALL BE IN ACCORDANCE WITH ACI SP-66-04 AND ACI 318-14 CHAPTER 25. LAP ALL REINFORCEMENTS AS FOLLOWS:

MINIMUM LAP LENGTH MINIMUM HOOK EMBEDMENT BAR SIZE 6-INCHES 24-INCHES 8-INCHES 31-INCHES 11-INCHES 39-INCHES

PROVIDE CORNER BARS AT ALL WALL AND FOOTING INTERSECTIONS. LAP ADJACENT MATS OF WELDED WIRE FABRIC A MINIMUN OF 8" AT SIDES AND ENDS.

NO BARS PARTIALLY EMBEDDED IN HARDENED CONCRETE SHALL BE FIELD BENT UNLESS SPECIFICALLY SO DETAILED OR APPROVED BY THE STRUCTURAL ENGINEER. FIELD BENDING OF GRADE 60 REINFORCEMENT SHALL NOT BE ALLOWED.

CONCRETE PROTECTION (COVER) FOR REINFORCING STEEL SHALL BE AS FOLLOWS:

FOOTINGS AND OTHER UNFORMED SURFACES CAST AGAINST AND PERMANENTLY EXPOSED TO EARTH **ALL OTHER CASES** 

3" 1-1/2"

- SLABS-ON-GRADE: UNLESS NOTED OTHERWISE SHALL BE 4" CONCRETE, REINFORCED WITH 6X6 W1.4XW1.4 WELDED WIRE FABRIC CENTERED IN SLAB. UNLESS OTHERWISE DIRECTED BY SOILS REPORT PROVIDE MINIMUM 10 MIL VAPOR BARRIER OVER 4" OF COMPACTED SAND OR GRAVEL.
- CAST-IN-PLACE CONCRETE: SEE ARCHITECTURAL DRAWINGS FOR EXACT LOCATIONS AND DIMENSIONS OF DOOR AND WINDOW OPENINGS IN ALL CONCRETE WALLS. SEE MECHANICAL DRAWINGS FOR SIZE AND LOCATION OF MISCELLANEOUS MECHANICAL OPENINGS THROUGH CONCRETE WALLS. SEE ARCHITECTURAL DRAWINGS FOR ALL GROOVES, NOTCHES, CHAMFERS, FEATURE STRIPS, COLOR, TEXTURE, AND OTHER FINISH DETAILS AT ALL EXPOSED CONCRETE SURFACES. TOLERANCES FOR ALL STRUCTURAL CONCRETE AND REINFORCEMENT SHALL BE IN ACCORDANCE WITH ACI 117-10 AND ACI 117.1R-14.
- NON-SHRINK GROUT SHALL BE FURNISHED BY AN APPROVED MANUFACTURER AND SHALL BE MIXED AND PLACED IN STRICT ACCORDANCE WITH THE MANUFACTURER'S PUBLISHED RECOMMENDATIONS. GROUT STRENGTH SHALL BE AT LEAST EQUAL TO

### **POST INSTALLED ANCHORS**

24. POST-INSTALLED ANCHORS SHALL ONLY BE USED WHERE SPECIFIED ON THE CONSTRUCTION DOCUMENTS. THE CONTRACTOR SHALL OBTAIN APPROVAL FROM THE ENGINEER-OF-RECORD PRIOR TO INSTALLING POST-INSTALLED ANCHORS IN PLACE OF MISSING OR MISPLACED CAST-IN-PLACE ANCHORS. CARE SHALL BE TAKEN IN PLACING POST-INSTALLED ANCHORS TO AVOID CONFLICTS WITH EXISTING REINFORCEMENT. HOLES SHALL BE DRILLED AND CLEANED IN ACCORDANCE WITH THE MANUFACTURER'S WRITTEN INSTRUCTIONS AND ICC-ES REPORT. SUBSTITUTION REQUESTS, FOR PRODUCTS OTHER THAN THOSE SPECIFIED BELOW, SHALL BE SUBMITTED BY THE CONTRACTOR TO THE ENGINEER-OF-RECORD ALONG WITH CALCULATIONS THAT ARE PREPARED & SEALED BY A PROFESSIONAL ENGINEER REGISTERED IN THE STATE OF WASHINGTON. THE CALCULATIONS SHALL DEMONSTRATE THAT THE SUBSTITUTED PRODUCT IS CAPABLE OF ACHIEVING EQUIVALENT PERFORMANCE VALUES (MINIMUM) OF THE SPECIFIED PRODUCT USING THE APPROPRIATE DESIGN PROCEDURE AND/OR STANDARD(S) AS REQUIRED BY THE INTERNATIONAL BUILDING CODE. SUBSTITUTIONS SHALL HAVE CURRENT ICC-ES APPROVAL.

### A. CONCRETE ANCHORS

- 1. MECHANICAL ANCHORS FOR USE IN CRACKED AND UNCRACKED CONCRETE SHALL HAVE BEEN TESTED AND QUALIFIED FOR USE IN ACCORDANCE WITH ACI 355.2 AND ICC-ES AC193. PRE-APPROVED MECHANICAL ANCHORS INCLUDE:
  - a. SIMPSON STRONG-TIE "STRONG-BOLT 2" (ICC-ES ESR-3037)
  - b. SIMPSON STRONG-TIE "TITEN-HD" (ICC-ES ESR-2713)
  - c. HILTI "KWIK BOLT TZ" (ICC-ES ESR-1917)
- 2. ADHESIVE ANCHORS FOR USE IN CRACKED AND UNCRACKED CONCRETE SHALL HAVE BEEN TESTED AND QUALIFIED FOR USE IN ACCORDANCE WITH ICC-ES AC308. PRE-APPROVED ADHESIVE ANCHORS INCLUDE:
  - a. SIMPSON STRONG-TIE "SET-XP" (ICC-ES ESR-2508)
  - b. SIMPSON STRONG-TIE "SET-3G" (ICC-ES ESR-4057)
  - c. SIMPSON STRONG-TIE "AT-XP" (IAPMO UES ER-263)
  - d. HILTI "HIT-RE 500-V3" (ICC-ES ESR-3814)
  - e. HILTI "HIT-HY 200" (ICC-ES ESR-3187)

### WOOD

25. FRAMING LUMBER SHALL BE KILN DRIED OR MC-19, AND GRADED AND MARKED IN CONFORMANCE WITH WCLIB STANDARD GRADING RULES FOR WEST COAST LUMBER NO. 17, LATEST EDITION. FURNISH TO THE FOLLOWING MINIMUM STANDARDS.

JOISTS:
(2X, 3X, AND 4X MEMBERS)
BEAM AND STRINGERS:
(6 X AND LARGER MEMBERS)
POSTS AND TIMBERS:
(6 X AND LARGER MEMBERS)
STUDS PLATES & MISCELLANEOUS LIGHT FRAMING
(FINGER JOINTED STUDS MAY NOT BE USED
UNLESS WITH APPROVAL FROM STRUCTURAL
ENGINEER)

HEM-FIR NO. 2 MINIMUM BASE VALUE,  $F_b$  = 850 PSI DOUGLAS FIR LARCH NO. 1 MINIMUM BASIC DESIGN STRESS,  $F_b$  = 1,350 PSI DOUGLAS FIR LARCH NO. 1 MINIMUM BASIC DESIGN STRESS,  $F_b$  = 1,200 PSI,  $F_c$  = 1,000 PSI DOUGLAS FIR LARCH OR HEM-FIR NO. 2,

2X AND 3X TONGUE AND GROOVE DECKING

MINIMUM BASIC DESIGN STRESS  $F_b$  = 850 PSI,  $F_C$  = 1,300 PSI HEM-FIR COMMERCIAL DEX,  $F_b$  = 1,350 PSI

PARALLEL STRAND LUMBER (PSL): EACH PIECE SHALL BEAR A STAMP OR STAMPS NOTING THE NAME AND PLANT NUMBER OF THE MANUFACTURER, THE GRADE, PRODUCT DESIGNATION OR TYPE, THE PRODUCTION DATE, SPECIES OR SPECIES GROUP DESIGNATION, AND THE QUALITY CONTROL AGENCY. MEMBERS SHALL BE GLUED WITH A WATERPROOF ADHESIVE MEETING THE REQUIREMENTS OF ASTM D2559 WITH ALL GRAIN PARALLEL WITH THE LENGTH OF THE MEMBER. STRUCTURAL CAPACITIES SHALL BE ESTABLISHED IN ACCORDANCE WITH ASTM D5456 AND PRODUCT SHALL HAVE AN APPROVED ICC-ES EVALUATION REPORT. MEMBERS SHALL BE TRANSPORTED AND STORED PER MANUFACTURERS RECOMMENDATIONS AND SHALL NOT BE EXPOSED TO PROLONGED MOISTURE. MINIMUM REQUIRED DESIGN PROPERTIES: F₀ = 2900 PSI, E = 2000,000 PSI, Fv = 290 PSI.

DESIGN SHOWN ON PLANS IS BASED ON LUMBER MANUFACTURED BY THE WEYERHAEUSER. ALTERNATE MANUFACTURERS MAY BE USED SUBJECT TO REVIEW AND APPROVAL BY THE ARCHITECT AND STRUCTURAL ENGINEER. ALTERNATE JOIST HANGERS AND OTHER HARDWARE MAY BE SUBSTITUTED FOR ITEMS SHOWN PROVIDED THEY HAVE ICC-ES APPROVAL FOR EQUAL OR GREATER LOAD CAPACITIES. ALL JOIST HANGERS AND OTHER HARDWARE SHALL BE COMPATIBLE IN SIZE WITH MEMBERS PROVIDED.

27. LAMINATED VENEER LUMBER (LVL): EACH PIECE SHALL BEAR A STAMP OR STAMPS NOTING THE NAME AND PLANT NUMBER OF THE MANUFACTURER, THE GRADE, PRODUCT DESIGNATION OR TYPE, THE PRODUCTION DATE, SPECIES OR SPECIES GROUP DESIGNATION, AND THE QUALITY CONTROL AGENCY. MEMBERS SHALL BE GLUED WITH A WATERPROOF ADHESIVE MEETING THE REQUIREMENTS OF ASTM D2559 WITH ALL GRAIN PARALLEL WITH THE LENGTH OF THE MEMBER. STRUCTURAL CAPACITIES SHALL BE ESTABLISHED IN ACCORDANCE WITH ASTM D5456 AND PRODUCT SHALL HAVE AN APPROVED ICC-ES EVALUATION REPORT. MEMBERS SHALL BE TRANSPORTED AND STORED PER MANUFACTURERS RECOMMENDATIONS AND SHALL NOT BE EXPOSED TO PROLONGED MOISTURE. MINIMUM REQUIRED DESIGN PROPERTIES: Fb = 2600 PSI, Fv = 285 PSI, E = 2,000,000 PSI.

DESIGN SHOWN ON PLANS IS BASED ON LUMBER MANUFACTURED BY WEYERHAEUSER. ALTERNATE MANUFACTURERS MAY BE USED SUBJECT TO REVIEW AND APPROVAL BY THE ARCHITECT AND STRUCTURAL ENGINEER, ALTERNATE JOIST HANGERS AND OTHER HARDWARE MAY BE SUBSTITUTED FOR ITEMS SHOWN PROVIDED THEY HAVE ICC-ES APPROVAL FOR EQUAL OR GREATER LOAD CAPACITIES. ALL JOIST HANGERS AND OTHER HARDWARE SHALL BE COMPATIBLE IN SIZE WITH MEMBERS PROVIDED.

28. LAMINATED STRAND LUMBER (LSL): EACH PIECE SHALL BEAR A STAMP OR STAMPS NOTING THE NAME AND PLANT NUMBER OF THE MANUFACTURER, THE GRADE, PRODUCT DESIGNATION OR TYPE, THE PRODUCTION DATE, SPECIES OR SPECIES GROUP DESIGNATION, AND THE QUALITY CONTROL AGENCY. MEMBERS SHALL BE GLUED WITH A WATERPROOF ADHESIVE MEETING THE REQUIREMENTS OF ASTM D2559 WITH ALL GRAIN PARALLEL WITH THE LENGTH OF THE MEMBER. STRUCTURAL CAPACITIES SHALL BE ESTABLISHED IN ACCORDANCE WITH ASTM D5456 AND PRODUCT SHALL HAVE AN APPROVED ICC-ES EVALUATION REPORT. MEMBERS SHALL BE TRANSPORTED AND STORED PER MANUFACTURERS RECOMMENDATIONS AND SHALL NOT BE EXPOSED TO PROLONGED MOISTURE. MINIMUM REQUIRED DESIGN PROPERTIES: Fb = 2325 PSI, Fv = 310 PSI, E = 1,550,000 PSI,

LSL RIM JOISTS SHALL CONFORM TO ANSI/APA PRR 410 AND SHALL BE MARKED IN ACCORDANCE WITH THE STANDARD.

DESIGN SHOWN ON PLANS IS BASED ON LUMBER MANUFACTURED BY WEYERHAEUSER. ALTERNATE MANUFACTURERS MAY BE USED SUBJECT TO REVIEW AND APPROVAL BY THE ARCHITECT AND STRUCTURAL ENGINEER, ALTERNATE JOIST HANGERS AND OTHER HARDWARE MAY BE SUBSTITUTED FOR ITEMS SHOWN PROVIDED THEY HAVE ICC-ES APPROVAL FOR EQUAL OR GREATER LOAD CAPACITIES. ALL JOIST HANGERS AND OTHER HARDWARE SHALL BE COMPATIBLE IN SIZE WITH MEMBERS PROVIDED.

- 29. PREFABRICATED PLYWOOD WEB JOIST DESIGN SHOWN ON PLANS IS BASED ON JOIST MANUFACTURED BY THE WEYERHAEUSER. ALTERNATE PLYWOOD WEB JOIST MANUFACTURERS MAY BE USED SUBJECT TO REVIEW AND APPROVAL BY THE ARCHITECT AND STRUCTURAL ENGINEER. ALTERNATE JOIST HANGERS AND OTHER HARDWARE MAY BE SUBSTITUTED FOR ITEMS SHOWN PROVIDED THEY HAVE ICC-ES APPROVAL FOR EQUAL OR GREATER LOAD CAPACITIES. ALL JOIST HANGERS AND OTHER HARDWARE SHALL BE COMPATIBLE IN SIZE WITH PLYWOOD WEB JOIST PROVIDED.
- PLYWOOD SHEATHING SHALL BE GRADE C-D, EXTERIOR GLUE OR STRUCTURAL II, EXTERIOR GLUE IN CONFORMANCE WITH DOC PS 1-09 OR PS 2-18 AND AMERICAN PLYWOOD ASSOCIATION PERFORMANCE STANDARD PRP-108. ORIENTED STRAND BOARD OF EQUIVALENT THICKNESS, EXPOSURE RATING AND PANEL INDEX MAY BE USED IN LIEU OF PLYWOOD. SEE PLANS FOR THICKNESS, PANEL IDENTIFICATION INDEX AND NAILING REQUIREMENTS. EACH PANEL SHALL BE IDENTIFIED FOR GRADE AND GLUE TYPE BY THE TRADEMARKS OF AN APPROVED TESTING AND GRADING AGENCY.

ALTERNATE PLYWOOD WEB JOIST MANUFACTURERS MAY BE USED SUBJECT TO REVIEW AND APPROVAL BY THE ARCHITECT AND STRUCTURAL ENGINEER. ALTERNATE JOIST HANGERS AND OTHER HARDWARE MAY BE SUBSTITUTED FOR ITEMS SHOWN PROVIDED THEY HAVE ICC-ES APPROVAL FOR EQUAL OR GREATER LOAD CAPACITIES. ALL JOIST HANGERS AND OTHER HARDWARE SHALL BE COMPATIBLE IN SIZE WITH PLYWOOD WEB JOIST PROVIDED.

- PLYWOOD SHEATHING SHALL BE GRADE C-D, EXTERIOR GLUE OR STRUCTURAL II, EXTERIOR GLUE IN CONFORMANCE WITH DOC PS 1-09 OR PS 2-18 AND AMERICAN PLYWOOD ASSOCIATION PERFORMANCE STANDARD PRP-108. ORIENTED STRAND BOARD OF EQUIVALENT THICKNESS, EXPOSURE RATING AND PANEL INDEX MAY BE USED IN LIEU OF PLYWOOD. SEE PLANS FOR THICKNESS, PANEL IDENTIFICATION INDEX AND NAILING REQUIREMENTS. EACH PANEL SHALL BE IDENTIFIED FOR GRADE AND GLUE TYPE BY THE TRADEMARKS OF AN APPROVED TESTING AND GRADING AGENCY.
- 31. <u>ALL WOOD PLATES</u> IN DIRECT CONTACT WITH CONCRETE OR MASONRY SHALL BE PRESSURE-TREATED WITH AN APPROVED PRESERVATIVE, PROVIDE 2 LAYERS OF ASPHALT IMPREGNATED BUILDING PAPER BETWEEN UNTREATED LEDGERS, BLOCKING, ETC. AND CONCRETE OR MASONRY.

PRESSURE TREATED LUMBER SHALL COMPLY WITH THE AMERICAN WOOD PROTECTION ASSOCIATION (AWPA) STANDARD U1, COMMODITY SPECIFICATION A AS INDICATED BELOW OR HAVE EQUIVALENT ICC-ES APPROVAL.

| PROPOSED USE                 |                                     | AWPA US | SE CATEGORY |
|------------------------------|-------------------------------------|---------|-------------|
| RESIDENTIAL DECKS            | DECKING                             |         | 3B          |
|                              | JOISTS ABOVE GROUND                 |         | 3B          |
|                              | JOISTS IN CONTACT WITH GROUND       |         | 4A          |
|                              | POSTS                               |         | 4A          |
|                              | RAILING                             |         | 3B          |
| and the second of the second | LEDGERS                             |         | 3B          |
| SAWN LUMBER                  | ABOVE GROUND                        | * *     | 3B          |
|                              | GROUND CONTACT                      |         | 4A          |
| PLYWOOD                      | DAMP ABOVE GROUND                   |         | 2           |
|                              | EXTERIOR ABOVE GROUND               |         | 3B          |
|                              | GROUND CONTACT                      |         | 4A          |
| POLES                        | ROUND                               |         | 4B          |
|                              | SAWN                                |         | 3B          |
| FENCING                      | PICKETS, SLATS, AND TRIM            |         | 3B          |
|                              | SAWN POSTS                          |         | 4A          |
|                              | ROUND POSTS                         |         | 4A          |
|                              | RAILS                               |         | 3B          |
| SILL PLATES                  | IN CONTACT WITH CONCRETE OR MASONRY |         | 2           |
| INTERIOR LEDGERS             | IN CONTACT WITH CONCRETE OR MASONRY |         | 2           |
|                              |                                     |         |             |

ALL TREATED LUMBER SHALL BEAR THE QUALITY MARK OF AN ACCREDITED INSPECTION AGENCY. THE QUALITY MARK SHALL INCLUDE:

- A. IDENTIFICATION OF TREATING MANUFACTURER
- B. TYPE OF PRESERVATIVE USED
- C. MINIMUM PRESERVATIVE RETENTION (PCF)
- D. END USE FOR WHICH THE PRODUCT IS TREATED
- E. IDENTITY OF THE ACCREDITED INSPECTION AGENCY F. STANDARD TO WHICH THE PRODUCT IS TREATED
- 32. TIMBER CONNECTORS CALLED OUT BY LETTERS AND NUMBERS SHALL BE "STRONG-TIE" BY SIMPSON COMPANY, AS SPECIFIED IN THEIR CATALOG NUMBER C-C-2021. EQUIVALENT DEVICES BY OTHER MANUFACTURERS MAY BE SUBSTITUTED, PROVIDED THEY HAVE ICC-ES APPROVAL FOR EQUAL OR GREATER LOAD CAPACITIES. PROVIDE NUMBER AND SIZE OF FASTENERS AS SPECIFIED BY MANUFACTURER TO ACHIEVE THE MAXIMUM PUBLISHED ALLOWABLE LOAD. ALL CONNECTORS SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS. WHERE CONNECTOR STRAPS CONNECT TWO MEMBERS, PLACE ONE-HALF OF THE NAILS OR BOLTS IN EACH MEMBER. SHIMS, WHERE REQUIRED, SHALL BE SEASONED AND DRIED AND THE SAME GRADE (MINIMUM) AS MEMBERS CONNECTED.

ALL BOLTS IN WOOD MEMBERS SHALL CONFORM TO ASTM A307. PROVIDE WASHERS UNDER THE HEADS AND NUTS OF ALL BOLTS AND LAG SCREWS BEARING ON WOOD. ALL LAG SCREWS SHALL BE INSTALLED IN PRE-DRILLED HOLES.

UNLESS NOTED OTHERWISE ALL SAWN LUMBER JOISTS SHALL BE CONNECTED TO FLUSH BEAMS WITH "LUS" SERIES JOIST HANGERS AND ALL PREFABRICATED PLYWOOD WEB JOISTS SHALL BE CONNECTED TO FLUSH BEAMS WITH "IUS" SERIES JOIST HANGERS.

ALL CONNECTIONS/FASTENERS IN CONTACT WITH PRESERVATIVE-TREATED OR FIRE-RETARDANT-TREATED WOOD, SHALL BE OF HOT DIPPED ZINC-COATED GALVANIZED STEEL OR STAINLESS STEEL. HOT DIPPED GALVANIZED FASTENERS SHOULD CONFORM TO ASTM STANDARD 153, AND HOT DIPPED GALVANIZED CONNECTORS SHOULD CONFORM TO ASTM STANDARD A653 (CLASS G-185). STAINLESS STEEL FASTENERS AND CONNECTORS SHOULD BE TYPE 304 OR 316. NOTE: ELECTROPLATED GALVANIZED FASTENERS AND CONNECTORS ARE NOT TO BE USED WITH PRESSURE TREATED WOOD. SIMPSON PRODUCT FINISHES CORRESPONDING TO THE ABOVE REQUIREMENTS ARE ZMAX (HOT DIPPED GALVANIZED) AND SST300 (STAINLESS STEEL). STAINLESS STEEL HARDWARE AND FASTENERS SHALL NOT BE COMBINED WITH UNTREATED OR GALVANIZED MATERIAL.

# 33. WOOD FASTENERS:

A. <u>NAIL SIZES</u> SPECIFIED ON DRAWINGS ARE BASED ON THE FOLLOWING SPECIFICATIONS:

| SIZE | LENGTH    | DIAMETER |
|------|-----------|----------|
| 6d   | 2"        | 0.113"   |
| 8d   | 2-1/2"    | 0.131"   |
| 10d  | <b>3"</b> | 0.148"   |
| 12d  | 3-1/4"    | 0.148"   |
| 16d  | 3-1/2"    | 0.162"   |

DESIGN IS BASED ON COMMON STEEL WIRE NAILS MEETING THE REQUIREMENTS OF ASTM F1667. USE OF ALTERNATE FASTENERS MUST BE SUBMITTED FOR REVIEW AND APPROVAL BY THE STRUCTURAL ENGINEER PRIOR TO THE START OF CONSTRUCTION.

- B. <u>NAILS</u> PLYWOOD (APA RATED SHEATHING) FASTENERS TO FRAMING SHALL BE DRIVEN FLUSH TO FACE OF SHEATHING WITH NO COUNTERSINKING PERMITTED.
- 34. WOOD FRAMING NOTES THE FOLLOWING APPLY UNLESS OTHERWISE SHOWN ON THE PLANS:
  - A. ALL WOOD FRAMING DETAILS NOT SHOWN OTHERWISE SHALL BE CONSTRUCTED TO THE MINIMUM STANDARDS OF THE INTERNATIONAL BUILDING CODE. MINIMUM NAILING, UNLESS OTHERWISE NOTED, SHALL CONFORM TO TABLE 2304.10.1 OF THE INTERNATIONAL BUILDING CODE. UNLESS NOTED OTHERWISE, ALL NAILS SHALL BE AS SPECIFIED ABOVE.

OTRUCTURAL NOTES

57

WALL FRAMING: ALL STUD WALLS SHOWN AND NOT OTHERWISE NOTED SHALL BE 2X6 AT 16" O.C. TWO STUDS MINIMUM SHALL BE PROVIDED AT THE END OF ALL WALLS AND AT EACH SIDE OF ALL OPENINGS. TWO 2 x 8 HEADERS SHALL BE PROVIDED OVER ALL OPENINGS NOT OTHERWISE NOTED AND SHALL BEAR FULLY ON A MINIMUM OF TWO STUDS. SOLID BLOCKING FOR WOOD COLUMNS SHALL BE PROVIDED THROUGH FLOORS TO SUPPORTS BELOW. PROVIDE SOLID BLOCKING BETWEEN STUDS AT MID-HEIGHT OF ALL STUD WALLS OVER 10' IN HEIGHT.

STUDS MAY BE NOTCHED, CUT, OR PENETRATED WITH ROUND BORED HOLES AS FOLLOWS:

 STUD SIZE
 MAXIMUM NOTCH / CUT
 MAXIMUM BORED HOLE

 2X4
 7/8"
 1-3/8"

 2X6
 1-3/8"
 2-1/8"

BORED HOLES SHALL NOT BE LOCATED WITH 5/8" FROM THE EDGE OF THE STUD OR AT THE SAME LOCATION AS A NOTCH OR CUT.

WALLS SHALL HAVE A SINGLE BOTTOM PLATE AND A DOUBLE TOP PLATE. END NAIL TOP PLATE TO EACH STUD WITH TWO 16d NAILS, AND TOENAIL OR END NAIL EACH STUD TO BOTTOM PLATE WITH TWO 16d NAILS. FACE NAIL DOUBLE TOP PLATE WITH 16d AT 12" O.C. AND LAP MINIMUM 4'-0" AT JOINTS AND PROVIDE EIGHT 16d NAILS AT 4" O.C. EACH SIDE OF JOINT.


ALL STUD WALLS SHALL HAVE THEIR LOWER WOOD PLATES ATTACHED TO WOOD FRAMING BELOW WITH 16d NAILS AT 12" O.C. STAGGERED OR BOLTED TO CONCRETE WITH 5/8" DIAMETER ANCHOR BOLTS (WITH 7" MINIMUM EMBEDMENT) @ 4'-0" O.C. UNLESS INDICATED OTHERWISE. PROVIDE 3"x3" x1/4" HOT-DIPPED GALVANIZED PLATE WASHERS AT ALL ANCHOR BOLTS. INDIVIDUAL MEMBERS OF BUILT-UP POSTS SHALL BE NAILED TO EACH OTHER WITH 16d NAILS @ 12" O.C. STAGGERED. REFER TO THE PLANS AND SHEAR WALL SCHEDULE FOR REQUIRED SHEATHING AND NAILING. WHEN NOT OTHERWISE NOTED, PROVIDE GYPSUM WALLBOARD ON INTERIOR SURFACES NAILED TO ALL STUDS, TOP AND BOTTOM PLATES AND BLOCKING WITH NAILS AT 7" O.C. USE 5d COOLER NAILS FOR 1/2" GWB AND 6d COOLER NAILS FOR 5/8" GWB. PROVIDE 15/32" APA RATED SHEATHING (SPAN RATING 24/0) ON EXTERIOR SURFACES NAILED AT ALL PANEL EDGES (BLOCK UNSUPPORTED EDGES), TOP AND BOTTOM PLATES WITH 8d NAILS @ 6" O.C. AND TO ALL INTERMEDIATE STUDS AND BLOCKING WITH NAILS @ 12" O.C. ALLOW 1/8" SPACING AT ALL PANEL EDGES AND ENDS.


FLOOR AND ROOF FRAMING: PROVIDE DOUBLE JOISTS UNDER ALL PARALLEL PARTITIONS THAT EXTEND OVER MORE THAN HALF THE JOIST LENGTH AND AROUND ALL OPENINGS IN FLOORS OR ROOFS UNLESS OTHERWISE NOTED. PROVIDE SOLID BLOCKING AT ALL BEARING POINTS.


NOTCHES AT THE END OF JOISTS AND RAFTERS SHALL NOT EXCEED 1/4 THE DEPTH OF THE MEMBER. NOTCHES IN THE TOP OR BOTTOM SHALL NOT EXCEED 1/6 THE DEPTH OF THE MEMBER AND SHALL NOT BE LOCATED WITHIN THE MIDDLE 1/3 OF THE SPAN. THE DIAMETER OF ROUND HOLES BORED IN JOISTS AND RAFTERS SHALL NOT EXCEED 1/3 OF THE DEPTH OF THE MEMBER AND SHALL NOT BE LOCATED WITHIN 2" FROM THE TOP OR BOTTOM EDGE.

TOENAIL JOISTS TO SUPPORTS WITH TWO 16d NAILS. ATTACH TIMBER JOISTS TO FLUSH HEADERS OR BEAMS WITH SIMPSON METAL JOIST HANGERS IN ACCORDANCE WITH NOTES ABOVE. NAIL ALL MULTI-JOIST BEAMS TOGETHER WITH TWO ROWS OF 16d @ 12" O.C. ATTACH RAFTERS AND ROOF TRUSSES AT BEARING LINES WITH H2.5 @ 24" O.C. UNLESS OTHER METAL CONNECTIONS ARE INDICATED.

UNLESS OTHERWISE NOTED ON THE PLANS, APA RATED ROOF AND FLOOR SHEATHING SHALL BE LAID UP WITH STRENGTH AXIS PERPENDICULAR TO SUPPORTS AND ATTACHED WITH 10d NAILS @ 6" O.C. TO FRAMED PANEL EDGES AND OVER STUD WALLS AS SHOWN ON PLANS AND @ 12" O.C. TO INTERMEDIATE SUPPORTS. PROVIDE APPROVED PLYWOOD EDGE CLIPS CENTERED BETWEEN JOISTS/TRUSSES AT UNBLOCKED ROOF SHEATHING EDGES. ALL FLOOR SHEATHING EDGES SHALL HAVE APPROVED TONGUE-AND-GROOVE JOINTS OR SHALL BE SUPPORTED WITH SOLID BLOCKING. ALLOW 1/8" SPACING AT ALL PANEL EDGES AND ENDS OF ALL ROOF AND FLOOR SHEATHING. TOENAIL BLOCKING TO SUPPORTS WITH 16d NAILS @ 12" O.C. UNLESS OTHERWISE NOTED. AT BLOCKED FLOOR AND ROOF DIAPHRAGMS PROVIDE FLAT 2X BLOCKING AT ALL UNFRAMED PANEL EDGES AND FASTEN SHEATHING TO FRAMING/BLOCKING AS SPECIFIED.







SHEARWALL SCHEDULE

|      |                      |        |                               |   | Bott               | om Plate Attac                        | chment                                     | Capacity           |
|------|----------------------|--------|-------------------------------|---|--------------------|---------------------------------------|--|--------------------|
| Mark | Sheathing            | Bick'g | Panel<br>Nailing <sup>1</sup> | Attachment<br>to top plate <sup>3</sup> | Rim<br>Joist Req'd | Nailing to <sup>4</sup><br>wood below | A. Bolts to <sup>5</sup><br>concrete below | (plf)<br>(Seismic) |
|      |                      |        |                               |   |                    |                                       |  |                    |
| SW 1 | 15/32" APA Sheathing | Yes    | 8d @ 6"oc                     | CLIP @ 24"oc                            | 2x or 1¾" LSL      | 16d @ 6"oc                            | 5/8" @ 48"oc                               | 240                |
| SW 2 | 15/32" APA Sheathing | Yes    | 8d @ 4"oc2                    | CLIP @ 20"oc                            | 2x or 1¾" LSL      | 16d @ 4¾"oc                           | 5/8" @ 48"oc                               | 355                |

Nails shall be 8d box. Nailing applies to all panel edges (block all unsupported panel edges), top & bottom plates and blocking. Nail to intermediate framing members w/ 8d @ 12"oc. (Note: where stud spacing is 24"oc, nail to intermediate framing members with 8d@6"oc.)

ADDROY FOR DAND BERKYHAN 5222 MBST MERCER JAY PERCER ISLAND, MA 1271 TOLL OANT 80 200-821-812-0


STRUCTURAL NOTES +


<sup>&</sup>lt;sup>2</sup> Framing at adjoining panel edges shall be 3-inch nominal or wider and nails shall be staggered.

<sup>&</sup>lt;sup>3</sup> Clip shall be either A35, LTP4.


<sup>&</sup>lt;sup>4</sup> Nails shall be 16d box (0.135Øx3½") or 10d common (0.148Øx3½") Screws shall be Simpson SDS25412 (1/4"Øx4½"min).

<sup>&</sup>lt;sup>5</sup> Provide 3"x3"x0.229" plate washer at all anchor bolts. Anchor bolts shall be positioned such that plate edge of plate washer is with 1/2" of the edge of the bottom plate.
(Plate washers may be diagonally slotted with a width of up to 13/16" and a length not to exceed 1¾")






Typical Top Plate Splice - Side View




| DEPTH               | TJI |       |       | ) ROUND | HOLE SI | ZE    |                | -                      |         |                |       | SQUARE | OR REC | ΓANGULAR | HOLE SI | ZE    |       |              |              |
|---------------------|-----|-------|-------|---------|---------|-------|----------------|------------------------|---------|----------------|-------|--------|--------|----------|---------|-------|-------|--------------|--------------|
|                     |     | 2"    | 3"    | 4"      | 5"      | 61/2" | 7"             | 8 <sup>7</sup> /8"     | 11"     | 13"            | 2"    | 3"     | 4"     | 5"       | 61/2"   | 7"    | 87/8" | 11"          | 13"          |
|                     | 110 | 1'-0" | 1'-6" | 2'-0"   | 3'-0"   | 5'-0" | -              | _                      | _       | -              | 1'-0" | 1'-6"  | 2'-6"  | 3'-6"    | 4'-6"   | -     | _     | -            | _            |
| 91/2"               | 210 | 1'-0" | 1'-6" | 2'-6"   | 3'-0"   | 5'-6" | -              | _                      | _       | -              | 1'-0" | 2'-0"  | 2'-6"  | 4'-0"    | 5'-0"   | _     | _     | -            | _            |
|                     | 230 | 1'-6" | 2'-0" | 2'-6"   | 3'-6"   | 5'-6" | _              |                        | _       | <u></u> -      | 1'-0" | 2'-0"  | 3'-0"  | 4'-6"    | 5'-0"   | _     | _     |              | -            |
|                     | 110 | 1'-0" | 1'-0" | 1'-6"   | 2'-0"   | 2'-6" | 3'-0"          | 5'-6"                  | <u></u> |                | 1'-0" | 1'-6"  | 2'-0"  | 2'-6"    | 4'-6"   | 5'-0" | 6'-0" | <del>-</del> | -            |
|                     | 210 | 1'-0" | 1'-6" | 2'-0"   | 2'-0"   | 3'-0" | 3'-6"          | 6'-0"                  | _       | <del>-</del>   | 1'-0" | 1'-6"  | 2'-6"  | 3'-0"    | 5'-0"   | 5'-6" | 6'-6" | _            |              |
| 11 <sup>7</sup> /8" | 230 | 1'-0" | 1'-6" | 2'-0"   | 2'-6"   | 3'-0" | 3'-6"          | 6'-6"                  | -       | <del>-</del> , | 1'-0" | 2'-0"  | 2'-6"  | 3'-6"    | 5'-6"   | 5'-6" | 7'-0" | -            | · <b>-</b> / |
|                     | 360 | 1'-6" | 2'-0" | 3'-0"   | 3'-6"   | 4'-6" | 5'-0"          | 7'-0"                  | _       | -              | 1'-6" | 2'-6"  | 3'-6"  | 4'-6"    | 6'-6"   | 6'-6" | 7'-6" |              | _            |
|                     | 560 | 1'-6" | 2'-6" | 3'-0"   | 4'-0"   | 5'-6" | 6 <b>'</b> -0" | 8 <b>'</b> -0 <b>"</b> | _       |                | 2'-6" | 3'-6"  | 4'-6"  | 5'-6"    | 7'-0"   | 7'-6" | 8'-0" | <u>-</u>     | -            |




910

NOTES+DETAILS

STRUCTURAL








TABLE B

SUPPORT NEAREST INTERMEDIATE OR CANTILEVER HOLE TO INSIDE FACE MINIMUM DISTANCE FROM EDGE OF

| DEPTH  | <b>.</b> |       | O                 | ROUND | O ROUND HOLE SIZE | Щ           |       |        |     |     |        | SQUARE      | OR RECT | ANGULAR | SQUARE OR RECTANGULAR HOLE SIZE | ZE   | -      |     |     |
|--|----------|-------|-------------------|-------|-------------------|-------------|-------|--------|-----|-----|--------|-------------|---------|---------|---------------------------------|--|--------|-----|-----|
| <u> </u>   | <b>3</b> | 2"    | "£                | 4     | 2,                | 61/2"       | 7"    | .8//8  | 11" | 13" | 2"     | 3"          | 4"      | 2,      | 61/2"                           | 7"   | 8//8   | *-  | 13" |
| <del>                                     </del> | 110      | 2,-0, | 2,-6"             | 3'-6" | 4,-6              | 1,-6        | 1     | ı      | 1   | 1   | 1,-6,  | 2,-6"       | 3,-6"   | 2,-6"   | <b>"</b> 9– <b>,</b> 9          |  | ı      | 1   | ı   |
| 91/2"  | 210      | 2,-0" | 2,-6"             | 3,-6" | 2,-0,             | 8,-0,       | 1     | 1      | 1   | ı   | 2,-0,, | 2'-0" 3'-0" | 4,-0,   | .99     | 2,-6                            | 1  | ı      | 1   | ı   |
| I  | 230      | 2,-6" | 3'-0"             | 4,-0, | 5'-6"             | 8,-6"       | . 1   | ı      | I   | 1   | 2,-0,  | 3'-6"       | 4,-6"   | 6'-6"   | 7,-6"                           | 1  | ı      | . 1 | _   |
|  | 110      | 1,0   | 1,-0" 1,-6" 2'-6" | 1,-6" | 2,-6"             | 4,-0,,      | 4'-6" | 8,6"   | 1   | 1   | 1,-0,  | 1,-0" 1,-6" | 2,-6"   |         | 4'-0" 7'-0"                     | 7,-0"  | .9-,6  | I   | _   |
|  | 210      | 1,-0, | 1,-0,             | 2'-0" | 3'-0"             | 4,-6"       | 2,-0, | 9,-0,  |     | •   | 1,-0,, | 2,-0,       | 3,-0"   | 4'-6"   | 8'-0"                           | 8'-0" 10'-0"                                 | 10,-0" | I   | -   |
| 117/8"   | 230      | 1,-0, | 2,-0,             | 2,-6" | 3,-6"             | 2,-0,       | 2,-6" | 10,-0* | 1   | 1   | 1,-0,, | 2,-6"       | 3,-6"   | 2,-0"   | 8,-6"                           | .0-,6  | 10,-01 | 1   | l   |
|  | 360      | 2,-0, | 3,-0,             | 4,-0, |                   | 5'-6" 7'-0" | 7,-6" | 11'-0" | 1   | 1   | 2,-0,  | 2'-0" 3'-6" |         | 7,-0,,  | 5,-0" 7'-0" 9'-6"               | 9'-6"   11'-0"                               | 11'-0" | ı   | 1   |
|  | 260      | 1,-0, | 3,-0"             | 4,-6" | 2,-6"             | 8,-0,       | 8,6   | 12,-0, | 1   | 1   | 3,-0"  | 4,-6"       | .0-,9   | 8′-0"   | 10,-6"                          | 3'-0" 4'-6" 6'-0" 8'-0" 10'-6" 11'-0" 12'-0" | 12,-0" | 1   | 1   |

HOLES MAY BE LOCATED VERTICALLY ANYWHERE WITHIN THE WEB. LEAVE 1/8" OF WEB (MINIMUM) AT TOP AND BOTTOM OF HOLE.

KNOCKOUTS ARE LOCATED IN WEB AT APPROXIMATELY 12" ON-CENTER, THEY DO NOT AFFECT HOLE PLACEMENT.

6/20