



			_		
CITY OF MERCER ISLAND	INSPECTION REQUESTS:	PROJECT ALERTS:		QUIRED CONSTRUCTION INSPECTIONS:	
CITT OF WIENCER ISLAND	online:	Construction of the project shall be from <i>approved plans only</i> . No deviation from the approved project plans is allowed without prior		the applicant's responsibility to contact DSG to schedule ALL inspections appropriate for the project. Request inspections online at	
DEVELOPMENT SERVICES GROUP		approval from the City of Mercer Island. Approved plans must be kept on site and maintained in good condition.		v.MyBuildingPermit.com or by calling the Inspection Hotline at (206) 275-7730. Allow at least 24 hours (48 hours for Reinforcing steel)	
9611 SE 36TH STREET MERCER ISLAND, WA 98040	MyBuildingPermit.com	Refer to "Conditions of Permit Approval" provided at permit issuance for required construction rules and regulations, including:		Ivance of desired inspection. Be specific as to type of inspection.	
PHONE: 206.275.7605 www.mercergov.org	voicemail:	• Site Considerations • ROW restrictions • Additional Fire Code Requirements		spector shall initial and date appropriate inspection only if approved. Note: Items marked with an "*" require a separate permit. It is the	
ABRCER		• Hours of Work • Drainage Requirements • Planning Requirements	ap ap	oplicants responsibility to apply for and obtain all City of Mercer Island permits.	
MAPA	(206) 275-7730	Construction Vehicle Parking Restrictions · Sewer Requirements · Noise Abatement Certification		ISPECTIONS: (Listed in order of typical sequencing)	
		Acess Road Requirements Water Service Requirements Tree Requirements Tree Requirements		pector Date Approved	
A DATING SOL		Refer to "Preconstruction Meeting Checklist" provided at the preconstruction meeting for development related requirements.	-	Pre-construction Meeting to Review Conditions of Permit Approval.	
NOTE: ALL RECORDS AND DRAWINGS ARE SUBJECT TO PUE	BLIC DISCLOSURE AS REQUIRED BY RCW 42.56	 Temporary site address with minimum 6" high numbers visible from the street must be installed. Erosion control measures must be as shown on approved project drawings. All erosion control is to be in place and inspected 	<u> </u> <u>ш</u> –	* Tree protection	
CONTACT INFORMATION:		prior to the start of any site work.	_	* Sewer disconnect and cap. If applicable, separate side-sewer permit required	
Applicant is to complete the following information.		A City of Mercer Island Business License is required for all subcontractors. Call (206) 275-7783 for more information.	2 -	* Right-of-way use or work / easement, material delivery, etc. If applicable,	
Applicant Contact information <i>prior</i> to permit issuance:	Applicant Contact information <i>post</i> permit issuance:			separate ROW permit required	
		TREE PROTECTION REQUIREMENTS:	_	Land clearing, grading and demolition	
Name:	Name:	Tree protection as shown on approved drawings shall be installed at tree dripline prior to start of any site work and		Temporary power	
d t		must remain in place throughout the project.		Pilings / Shoring / Shotcrete. If applicable, provide survey letter	
Address:	Address:	No trees shall be cut without a City of Mercer Island tree permit.		(property line); Geotechnical Engineer / Special Inspector	
		Replacement trees must be a minimum of six feet tall at installation. They must be planted and approved prior to final inspection.		reports of inspections (pile and shoring installation, etc.)	
Phone:	Phone:	For this project, trees are authorized to be removed and replaced with trees.		Footings, setbacks, UFER ground. If applicable, provide survey letter	
		This project appears to be within a protected eagle nest area. Contact Federal Fish and Wildlife at (360) 534-9304 or visit their		(building height and setbacks); Special Inspector reports of inspections	appe
Email:	Email:	website at http://www.fws.gov/pacific/eagle		(soil bearing capacity, compaction, earthwork, pile installation, etc.)	
		FIRE PROTECTION REQUIREMENTS:	-	Foundation walls / concrete columns Roof and footing drains	d an
2 REQUIRED SPECIAL INSPECTIONS / STRUCTU	RAL OBSERVATIONS:	Separate Permits are required for ALL fire protection systems. For more information, see http://www.mercergov.org/Page.asp?NavID=2614	-	Foundation damproofing	ne dui
It is the Engineer of Record's responsibility to specify all required Spe	ecial Inspections or Structural Observation (check items below).	Fire Sprinkler		* Storm drainage, including (but not limited to):	
The owner is responsible for hiring an approved private Special Inspector for the checked inspections noted below. All Special		NFPA 13D		Connections to storm • Connections to storm • Area drains	erf
Inspectors (except Geotechnical) must be WABO certified.		Plus Monitored Sprinkler		main in ROW • Conveyance piping / cleanouts	p p
O When Special Inspection or Structural Observation is required, the rep		NFPA 13R Water Flow Alarm		Detention systems Storm drain in ROW	l af
Inspection. Note: Inspection by the City Inspector is required in addit		NFPA 13 Other:		Infiltration systems Control structures / manholes	a lec
below. Do not cover or conceal any work prior to the City inspection.		Approved Fire Code Alternatives:		Catch basins including Pump systems	ISSU
		☐ FCA1 □ FCA3		oil-water separator tees • Retaining wall drainage	App C
STRUCTURAL OBSERVATION BY ENGINEER OF RECORD (EOR):				* Water Service	
Engineer of Record: Compar		□ FCA2 □ FCA4		Water Supply	
General Conformance to Construction Documents	Other:			Water as-built drawings	
SOILS / GEOTECHNICAL:		WATER SUPPLY REQUIREMENTS:		* Side sewer installation, including (but not limited to):	
Special Inspector: Compar	ny:Phone:			Connections to side Back-flow valves	
Erosion control measures	Subsurface drainage placement	 Fire sprinkler design calculations must be provided prior to determining water supply system requirements. Water Supply system upgrade required 		 sewer main • Grinder pump systems • Connections to existing • Sewer manholes 	
Shoring installation and monitoring	Verify fill material and compaction	City Installation.		side sewer	
 Observe and monitor excavation 	Rockery installation	Applicant Installation.		Driveway / Access road	
Verification of soil bearing	Pile placement (auger cast/driven pile)	Required Service Line Size: Required Supply Line Size: Required Meter Size:		Underslab electrical / mechanical / plumbing	
Other:	Other:	(water main to meter) (water main to house)		Underslab insulation / vapor barrier / reinforcing	
		Abandonment of existing service and meter required at main.		Underfloor framing	
REINFORCED CONCRETE:		Pressure reducing valve required if pressure exceeds 80 psi.	<u>ט</u> _	Nailing-Roof sheathing. If applicable, provide Special Inspection	
Special Inspector: Compared Comp	ny:Phone:	Reduced pressure backflow assembly (RPBA) required for all lots with waterfront or non-city water supply (private wells		letter for lateral wood inspection.	
Concrete strength	Retaining wall construction	or lake irrigation).		Nailing-Exterior wall and Shearwall. If applicable, provide Special	
Reinforcing steel and concrete placement	Prestressed / Precast construction	Additional water supply requirements:		Inspection letter for lateral wood inspection.	
Shotcrete placement	_ Other:	DRAINAGE REQUIREMENTS:		Rough hydronic installation	_
Other:	Other:		- El -	Rough electric installation	-
STRUCTURAL STEEL: (AISC 360, Chapter N)		Image: Construction system required. Image: Construction system required. Image: Construction system required. Image: Construction system required.	-	* Rough fire alarm (wiring inspection) Rough plumbing installation (DWV, water)	
Special Inspector: Compar	iny: Phone:	 On site infiltration system required. As-built Utility drawings required. Connection to public storm drainage conveyance system req'd. 	-	Rough mechanical	
Fabrication and shop welds	Moment Frame construction	Full Size drawings required. Other:		Gas Piping	
Structural steel erection, field welds and bolting	Other:		- ŭ -	* Rough fire sprinkler / hydrostatic and flow (bucket) test	
Other:	Other:	SIDE SEWER REQUIREMENTS:	┛ ╘║ _	Framing and glazing. If applicable, provide Special Inspection letter for	
		Side sewer requires a backflow preventer when connecting to the lake line or when the elevation of the lowest plumbing fixture is		lateral wood inspection, welding epoxy anchors, etc.	
STRUCTURAL MASONRY:		lower than the elevation of the upstream manhole rim or when side sewer is shared with one or more properties.		Masonry construction (fireplace / walls / veneer / etc.)	
Special Inspector: Compared Comp	ny:Phone:	Video tape of existing sewer required (see standard details)	_	Insulation installation	
Mortar strength	Glass unit masonry installation	New connection. Connect to existing. Disconnect permit required. Reconnect permit required.	_	Stucco (paper and lath)	
Masonry unit strength	Wall panel and veneer installation	Other:		Shower pan (or tub)	_
Other:	Other:	Note: When side sewer is to be connected to the lake line you will need to schedule three (3) days in advance with the City of		Miscellaneous	-
Other:	Other:	Mercer Island Maintenance Department at (206) 275-7800.		Code Alternative CA1:	-
WOOD:		APPROVED CODE ALTERNATIVES:		Code Alternative CA2.	-
Special Inspector /		Code alternatives must be Inspected. Refer to the Inspection Checklist			
Engineer of Record: Comparison	ny:Phone:	CA1: CA2:		Final Inspection: Tree Restoration	г 📔 👘 🗌
Lateral resisting system construction	High strength diaphragm construction			Final Inspection: Fire protection, including (but not limited to):	F
Other:	Other:			Sprinkler Sprinkler Fuel Tank Installation	
				Access Road Fire Extinguishing System	
OTHER SPECIAL INSPECTIONS:	Dharaa	SURVEY REQUIREMENTS (The following survey information must be submitted when checked):		Fire Code Alternatives (see below) Fire Alarm System	
Special Inspector: Compare		Surveyor shall verify points chosen for height calculations and point verification shall be submitted at the time of City foundation	-	FCA1: FCA3:	
Epoxy grout installations	Stucco installation	Inspection. A property survey may be required to verify setbacks and in some cases buildings must be surveyed onto the lot. The City	-		
 Expansion anchor installations Other post installed anchors 	Infiltration System Exterior Insulation Finish System (EIFS) installation	reserves the right to request an impervious area survey at any time prior to issuance of Certificate of Occupancy.	-	backflow devices for:	
Alternative construction methods:	Other:	Surveyor: Phone:	7	Waterfront property Well water on property	
Alternative construction materials:	Other:	Building height survey		• Fire / lawn sprinkler • Boiler	
		Building setback survey		Final Inspection: Site and utility: includes landscape, utilities and ROW. Site	
DEFERRED SUBMITTALS:		Impervious surface survey		restoration complete and as-built drawings ready for submittal.	
	awings for submittal to the City for review and approval prior to item	Other:		Final Inspection: Building, including electrical / mechanical / plumbing. If	
fabrication / construction.		MAXIMUM 40 PERCENT ALTERATION INSPECTION: MICC 19.01.050(D)(1)(b)(i)		applicable, provide closeout (summary) letters from Engineer, Special	
Connector plate wood trusses	Post tension layout	A Building Inspection prior to demolition is required for all legally nonconforming single family dwelling to ensure no more than		Inspectors, Geotechnical Engineer, and exterior wall cladding inspectors (EIFS).	
Metal joist / metal trusses	Exterior cladding	40 percent of the dwelling's exterior walls are structurally altered. Contact the Building Inspector at (206) 275-7730.	90	DAY TEMPORARY CERTIFICATE OF OCCUPANCY (TCO):	
	U Window wall / curtain wall construction	Civil / Drainage LUP / Setback requirements	Appl	icant option. Additional fees will be required and must be approved prior to occupancy. TCO requires tree plantings be completed.	
 Precast concrete elements Other: 	Other: Other:	GEOTECHNICAL INFORMATION:			
		Land clearing, grading, filling and foundation work within geologic hazard areas is NOT PERMITTED between October 1 and April 1			
ENERGY CODE COMPLIANCE INFORMATION:		without an approved Seasonal Development Limitation Waiver.	Ann	proved Start Date End Date	
Indicate where the following information is located in the drawing set. Alternatively, incorporate or include the Residential Energy Code		Geotechnical Report provided. All construction must comply with the recommendations of the Geotechnical Report. A copy of	App		AL AL
Prescriptive Compliance (RECPC) Form into the drawing set.		report and other geotechnical information must be kept on site at all times.	U (AD	DITIONAL REQUIRED CITY INSPECTIONS:	
Sheet:				the appropriate contact to arrange the inspection.	
		Geotechnical Engineer Phone	► Red	quired Inspection(s): Contact: Phone: Scheduling:	
Building envelope: wsec Table 402.1.1	Air Leakage Testing. IRC Section R402.4.1.2 WA Amendments	SEASONAL DEVELOPMENT LIMITATION RESTRICTION:			
(include U-factors, insulation and moisture control)	Provide air leakage test report verifying air leakage rate	Applies (Geologic Hazard area). Grading not permitted between October 1 through April 1.			≥ ž
Whole house ventilation: IRC section M1507 WA Amended	does not to exceed 5 air changes per hour.	Waiver approved. Grading and excavation permitted subject to all conditions noted in Seasonal Development	E		
	Duct Leakage Testing. WSEC R403.2.2	Limitation Waiver Permit.			- ㅎ = -
Energy Credit Information: wsec Table 406.2 (include specific written requirements)	Postconstruction Test. WSEC R403.2.2.1	Permit number Approved by Date		PACT FEES: PLAN REVIEW APPROVALS:	
 (include specific, written requirements) RECPC Form Information: 	Rough-in Test. wsec R403.2.2.3	Permit number Approved by Date	6 If ap		
(if incorporated within drawing set)		Ŭ		Impact fees apply and are due prior to Final Inspection or on	
http://www.mercergov.org/files/2012ResidentialEnergyCalcForm.pdf					Per
ō				, whichever occurs first.	
μ		μ		Date Building Planning Engineering Tree Fire	
FILE NAME: DSG CVR 2016 24x36.PDF				REVISED: December 1st, 20	15