

## Window, Skylight and Door Schedule

### Project Information

Baze-Inoguchi Residence
2723 72nd Ave SE
Mercer Island, WA 98040

### Contact Information

Matt Mawer
425.417.7817

	Ref.	U-factor	Width		Height		Area	UA
			Qt.	Feet	Inch	Feet		
Exempt Swinging Door (24 sq. ft. max.)							0.0	0.00
Exempt Glazed Fenestration (15 sq. ft. max.)							0.0	0.00

### Vertical Fenestration (Windows and doors)

Component Description	Ref.	U-factor	Width		Height		Area	UA	
			Qt.	Feet	Inch	Feet			Inch
PICTURE	B2	0.28	1	6	6	2	0	13.0	3.64
PICTURE	B3	0.28	1	3	3	2	0	6.5	1.82
OX	B4	0.28	1	6	0	4	9	28.5	7.98
PICTURE	M1	0.28	1	3	3	2	0	6.5	1.82
BOTTOM AWNING	M2	0.28	0	7	6	5	6	0.0	0.00
BOTTOM AWNING	M3	0.28	1	3	3	4	0	13.0	3.64
OX	M4	0.28	1	6	0	5	6	33.0	9.24
XO	M5	0.28	1	6	0	5	6	33.0	9.24
PICTURE	M6	0.28	1	6	6	6	0	39.0	10.92
PICTURE	M7	0.28	1	3	3	6	0	19.5	5.46
OX	M8	0.28	1	6	0	4	6	27.0	7.56
XO	M9	0.28	1	3	6	1	4	4.7	1.31
OX	M10	0.28	1	3	6	1	4	4.7	1.31
PICTURE	U1	0.28	1	3	3	2	0	6.5	1.82
AWNING	U2	0.28	1	3	3	2	0	6.5	1.82
AWNING	U3	0.28	1	3	3	2	0	6.5	1.82
AWNING	U4	0.28	1	3	3	2	0	6.5	1.82
BOTTOM AWNING	U5	0.28	1	3	3	4	0	13.0	3.64
BOTTOM AWNING	U6	0.28	1	3	3	4	0	13.0	3.64
BOTTOM AWNING	U7	0.28	1	6	6	4	0	26.0	7.28
BOTTOM AWNING	U8	0.28	1	3	3	4	0	13.0	3.64
BOTTOM AWNING	U9	0.28	1	3	3	4	0	13.0	3.64
BOTTOM AWNING	U10	0.28	1	3	3	4	0	13.0	3.64
PICTURE	U11	0.28	1	6	6	2	0	13.0	3.64
PICTURE	U12	0.28	1	3	3	2	0	6.5	1.82
OX	U13	0.28	1	6	0	2	0	12.0	3.36
OX	U14	0.28	1	6	0	4	6	27.0	7.56
XO	U15	0.28	1	6	0	4	6	27.0	7.56
STORE DOOR	D2	0.20	1	2	8	8	0	21.3	4.27
SLIDING GLASS DOOR	D3	0.20	1	9	9	8	0	78.0	15.60
SLIDING GLASS DOOR	D4	0.20	1	9	9	8	0	78.0	15.60
SLIDING GLASS DOOR	D6	0.20	1	6	6	7	0	45.5	9.10
SLIDING GLASS DOOR	D7	0.20	1	6	6	8	0	52.0	10.40
BOTTOM AWNING	M11	0.28	1	6	0	6	6	39.0	10.92
BOTTOM AWNING	M12	0.28	1	3	3	6	6	21.1	5.92

BOTTOM AWNING	M13	0.28
BOTTOM AWNING	M14	0.28

1	3	3	6	6
1	6	0	6	6

21.1	5.92
39.0	10.92
0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00

Sum of Vertical Fenestration Area and UA  
Vertical Fenestration Area Weighted U = UA/Area

825.9	209.27
	0.25

**Overhead Glazing (Skylights)**

Component Description	Ref.	U-factor

Qt.	Width		Height	
	Feet	Inch	Feet	Inch

Area	UA
0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00

Sum of Overhead Glazing Area and UA  
Overhead Glazing Area Weighted U = UA/Area

0.0	0.00
	0.00

**Total Sum of Fenestration Area and UA (for heating system sizing calculations)**

825.9	209.27
-------	--------