

## Window, Skylight and Door Schedule

### Project Information

TEKIELA REVOCABLE INTER VIV
6520 82nd Ave SE
Mercer Island, WA 98040

### Contact Information

Joey Pasquinelli, McClellan   Tellone
joey@mctarch.com
206-728-0480

	Ref.	U-factor	Width		Height		Area	UA
			Qt.	Feet	Inch	Feet		
Exempt Swinging Door (24 sq. ft. max.)							0.0	0.00
Exempt Glazed Fenestration (15 sq. ft. max.)							0.0	0.00

### Vertical Fenestration (Windows and doors)

Component Description	Ref.	U-factor	Width		Height		Area	UA	
			Qt.	Feet	Inch	Feet			Inch
W101	WSEC	0.28	1	1	3	8	0	10.0	2.80
W102	WSEC	0.28	1	1	3	8	0	10.0	2.80
W103	WSEC	0.28	1	3	4	8	0	26.7	7.47
W104	WSEC	0.28	1	5	1	5	0	25.4	7.12
W105	WSEC	0.28	1	5	1	2	2	11.0	3.08
W106	WSEC	0.28	1	8	0	2	2	17.3	4.85
W107	WSEC	0.28	1	9	9	2	2	21.1	5.92
W108	WSEC	0.28	1	4	0	5	0	20.0	5.60
W109	WSEC	0.28	1	2	0	5	0	10.0	2.80
W110	WSEC	0.28	1	5	8	1	11	10.9	3.04
W111	WSEC	0.28	1	8	1	1	9	14.1	3.96
W112	WSEC	0.28	1	2	0	4	0	8.0	2.24
W113	WSEC	0.28	1	2	0	1	6	3.0	0.84
W114	WSEC	0.28	1	2	0	4	0	8.0	2.24
W115	WSEC	0.28	1	5	0	1	8	8.3	2.33
W116	WSEC	0.28	1	3	0	5	0	15.0	4.20
W117	WSEC	0.28	1	8	0	5	0	40.0	11.20
W118	WSEC	0.28	1	8	0	5	0	40.0	11.20
W119	WSEC	0.28	1	11	3	8	0	90.0	25.20
W120	WSEC	0.28	1	11	3	8	0	90.0	25.20
W121	WSEC	0.28	1	5	6	5	6	30.3	8.47
W122	WSEC	0.28	1	7	0	8	11	62.4	17.48
W123	WSEC	0.28	1	2	6	3	5	8.5	2.39
W124	WSEC	0.28	1	2	6	2	1.3	5.3	1.47
W125	WSEC	0.28	1	5	1	3	5	17.4	4.86
W126	WSEC	0.28	1	7	1	2	1.3	14.9	4.18
W127	WSEC	0.28	1	9	7.5	1	11	18.2	5.10
W201 / W204	WSEC	0.28	2	3	4	3	4	22.2	6.22
W202 / W203	WSEC	0.28	2	15	4.5	3	4	102.5	28.70
W205 / W206	WSEC	0.28	2	11	3.3	2	0.8	46.6	13.05
W207	WSEC	0.28	1	14	5	2	0.8	29.8	8.34
W208	WSEC	0.28	1	3	5.5	2	0.8	7.1	2.00
ED101	WSEC	0.28	1	3	0	4	0	12.0	3.36
ED102	WSEC	0.28	1	18	0	8	0	144.0	40.32
ED103	WSEC	0.28	1	4	0	8	0	32.0	8.96

ED104	WSEC	0.28
ED105/ED106	WSEC	0.28
ED107	WSEC	0.28
ED108	WSEC	0.28
ED109	WSEC	0.28

1	3	<sup>0</sup>	8	<sup>0</sup>
2	15	<sup>4.5</sup>	8	<sup>0</sup>
1	8	<sup>0</sup>	7	<sup>0</sup>
1	3	<sup>0</sup>	8	<sup>0</sup>
1	3	<sup>0</sup>	8	<sup>0</sup>

24.0	6.72
246.0	68.88
56.0	15.68
24.0	6.72
24.0	6.72
0.0	0.00
0.0	0.00

*Sum of Vertical Fenestration Area and UA  
Vertical Fenestration Area Weighted U = UA/Area*

1406.1	393.72
	0.28

**Overhead Glazing (Skylights)**

Component Description	Ref.	U-factor

Qt.	Width		Height	
	Feet	<sup>Inch</sup>	Feet	<sup>Inch</sup>

Area	UA
0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00

*Sum of Overhead Glazing Area and UA  
Overhead Glazing Area Weighted U = UA/Area*

0.0	0.00
	0.00

**Total Sum of Fenestration Area and UA (for heating system sizing calculations)**

1406.1	393.72
--------	--------