

## Window, Skylight and Door Schedule

### Project Information

Rawson Remodel
8413 SE 82nd St
Mercer Island, WA 98040

### Contact Information

Brad Sturman - Sturman Architects
9 103rd Ave NE Suite 203
Bellevue, WA 98004

	Ref.	U-factor	Width		Height		Area	UA
			Qt.	Feet	Inch	Feet		
Exempt Swinging Door (24 sq. ft. max.)							0.0	0.00
Exempt Glazed Fenestration (15 sq. ft. max.)							0.0	0.00

### Vertical Fenestration (Windows and doors)

Component Description	Ref.	U-factor	Width		Height		Area	UA	
			Qt.	Feet	Inch	Feet			Inch
Sliding Door	106	0.28	1	12	<sup>0</sup>	6	<sup>8</sup>	80.0	22.40
French Door	112	0.28	1	2	<sup>10</sup>	6	<sup>8</sup>	18.9	5.29
4 Panel Multi-Slide	206	0.28	1	16	<sup>0</sup>	8	<sup>0</sup>	128.0	35.84
Multi-Slide	207	0.28	1	8	<sup>6</sup>	6	<sup>8</sup>	56.7	15.87
								0.0	0.00
Picture	A	0.28	1	4	<sup>0</sup>	5	<sup>0</sup>	20.0	5.60
Sidelight	B	0.28	1	2	<sup>0</sup>	7	<sup>0</sup>	14.0	3.92
Picture	C	0.28	1	7	<sup>0</sup>	5	<sup>0</sup>	35.0	9.80
Casement	D	0.28	2	4	<sup>0</sup>	3	<sup>0</sup>	24.0	6.72
Picture	E	0.28	2	3	<sup>6</sup>	4	<sup>0</sup>	28.0	7.84
Picture	F	0.28	2	5	<sup>0</sup>	5	<sup>0</sup>	50.0	14.00
Fixed	G	0.28	2	2	<sup>0</sup>	4	<sup>0</sup>	16.0	4.48
Picture	H	0.28	1	4	<sup>0</sup>	4	<sup>0</sup>	16.0	4.48
Casement	I	0.28	3	2	<sup>0</sup>	3	<sup>4</sup>	20.0	5.60
Picture	J	0.28	1	3	<sup>0</sup>	3	<sup>4</sup>	10.0	2.80
Fixed	K	0.28	3	3	<sup>0</sup>	4	<sup>0</sup>	36.0	10.08
Picture	L	0.28	4	2	<sup>6</sup>	5	<sup>0</sup>	50.0	14.00
Picture	M	0.28	2	4	<sup>0</sup>	1	<sup>6</sup>	12.0	3.36
Transom	N	0.28	2	4	<sup>0</sup>	2	<sup>0</sup>	16.0	4.48
Picture	O	0.28	3	2	<sup>0</sup>	4	<sup>0</sup>	24.0	6.72
Picture	P	0.28	2	2	<sup>6</sup>	4	<sup>0</sup>	20.0	5.60
Picture	Q	0.28	4	2	<sup>0</sup>	1	<sup>6</sup>	12.0	3.36
Awning	S	0.28	1	4	<sup>0</sup>	1	<sup>6</sup>	6.0	1.68
Casement	T	0.28	7	3	<sup>0</sup>	4	<sup>0</sup>	84.0	23.52
Fixed	U	0.28	1	2	<sup>0</sup>	3	<sup>6</sup>	7.0	1.96
Casement	V	0.28	1	2	<sup>0</sup>	3	<sup>6</sup>	7.0	1.96
Casement	W	0.28	1	2	<sup>0</sup>	4	<sup>0</sup>	8.0	2.24
Awning	X	0.28	1	3	<sup>0</sup>	1	<sup>6</sup>	4.5	1.26
Casement	Y	0.28	3	3	<sup>0</sup>	4	<sup>0</sup>	36.0	10.08
Picture	Z	0.28	4	4	<sup>0</sup>	6	<sup>0</sup>	96.0	26.88
Casement	AA	0.28	4	2	<sup>0</sup>	3	<sup>6</sup>	28.0	7.84
Picture	BB	0.28	2	3	<sup>0</sup>	3	<sup>6</sup>	21.0	5.88
								0.0	0.00
								0.0	0.00
								0.0	0.00



0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00

*Sum of Vertical Fenestration Area and UA*  
*Vertical Fenestration Area Weighted U = UA/Area*

984.1	275.54
	0.28

**Overhead Glazing (Skylights)**

Component Description	Ref.	U-factor
Skylight	R	0.50

Qt.	Width		Height	
	Feet	Inch	Feet	Inch
1	4	0	4	0

Area	UA
16.0	8.00
0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00

*Sum of Overhead Glazing Area and UA*  
*Overhead Glazing Area Weighted U = UA/Area*

16.0	8.00
	0.50

**Total Sum of Fenestration Area and UA (for heating system sizing calculations)**

1000.1	283.54
--------	--------