

HUNSAKER PARCEL A

THAT PORTION OF LOT 4 AND THE NORTHWESTERLY HALF OF LOT 5, BLOCK C, REPLAT OF ISLAND PARK, ACCORDING TO THE PLAT THEREOF, RECORDED IN VOLUME 13 OF PLATS, PAGE 58, IN KING COUNTY, WASHINGTON, DESCRIBED AS FOLLOWS:

BEGINNING AT THE MOST NORTHERLY CORNER OF SAID LOT 4;
THENCE SOUTH 42'09'00" EAST, ALONG THE NORHTEASTERLY LINE THEREOF A DISTANCE OF
100.00 FEET TO THE MOST EASTERLY CORNER THEREOF;
THENCE SOUTH 47'51'00" WEST ALONG THE SOUTHEASTERLY LINE THEREOF A DISTANCE OF 189.44 FEET;
THENCE SOUTH 79'38'39" WEST A DISTANCE OF 47.45 FEET;
THENCE SOUTH 47'51'00" WEST A DISTANCE OF 9.00 FEET;
THENCE NORTH 58"10'27"W A DISTANCE OF 52.02 FEET TO A POINT 25.00 FEET
SOUTHEASTERLY, AS MEASURED AT RIGHT ANGLE, AND PARALLEL WITH THE NORHTWESTERLY LINE
OF SAID LOT 4;
THENCE S 4751'00" WEST PARALLEL WITH SAID NORHTWESTERLY LINE TO THE SHORELINE
OF LAKE WASHINGTON;
THENCE NORTHERLY ALONG SAID SHORE LINE TO AN INTERSECTION WITH THE SOUTHWESTERLY
EXTENSION OF THE NORHTWESTERLY LINE OF SAID LOT 4;
THENCE NORTH 47'51'00" EAST A DISTANCE OF 437 FEET, MORE OR LESS, TO THE POINT OF

TOGETHER WITH SECOND CLASS TIDELANDS ADJOINING.

HUNSAKER PARCEL B

BEGINNING:

THAT PORTION OF LOT 4 AND THE NORTHWESTERLY HALF OF LOT 5, BLOCK C, REPLAT OF ISLAND PARK, ACCORDING TO THE PLAT THEREOF, RECORDED IN VOLUME 13 OF PLATS, PAGE 58, IN KING COUNTY, WASHINGTON, LYING SOUTHERLY OF THE FOLLOWING DESCRIBED LINE:
BEGINNING AT THE MOST EASTERLY CORNER OF SAID LOT 4;
THENCE SOUTH 47*51'00" WEST ALONG THE SOUTHEASTERLY LINE THEREOF A DISTANCE OF 189.44 FEET:
THENCE SOUTH 79*38'39" WEST A DISTANCE OF 47.45 FEET;
THENCE SOUTH 47*51'00" WEST A DISTANCE OF 9.00 FEET;
THENCE NORTH 58*10'27" WEST A DISTANCE OF 52.02 FEET TO A POINT 25.00 FEET SOUTHEASTERLY, AS MEASURED AT RIGHT ANGLES, FROM THE NORTHWESTERLY LINE

THENCE NORTH 58"10'27" WEST A DISTANCE OF 52.02 FEET TO A POINT 25.00 FEET SOUTHEASTERLY, AS MEASURED AT RIGHT ANGLES, FROM THE NORTHWESTERLY LINE THEREOF; THENCE SOUTH 47"51'00" WEST PARALLEL TO SAID NORTHWESTERLY LINE TO THE SHORELINE OF LAKE WASHINGTON AND THE TERMINUS OF SAID LINE;

TOGETHER WITH SECOND CLASS TIDELANDS ADJOINING.

SHARED ACCESS & UTILITY TRACT "B"

THAT PORTION OF LOT 4 AND THE NORTHWESTERLY HALF OF LOT 5, BLOCK C, REPLAT OF ISLAND PARK, ACCORDING TO THE PLAT THEREOF, RECORDED IN VOLUME 13 OF PLATS, PAGE 58, IN KING COUNTY, WASHINGTON, DESCRIBED AS FOLLOWS:

COMMENCING AT THE MOST NORTHERLY CORNER OF SAID LOT 4;

THENCE S 40°57'14"E, ALONG THE NORTHEASTERLY LINE OF 4 AND LOT 5, A DISTANCE OF 140.00 FEET TO THE TRUE POINT OF BEGINNING;

THENCE S 49°02'46"W 157.94 FEET TO A POINT OF CURVE TO THE RIGHT, HAVING A RADIUS OF 85.00 FEET; THENCE SOUTHWESTERLY, ALONG SAID CURVE, THROUGH A CENTRAL ANGLE OF 75'44'51", AN ARC DISTANCE OF 112.37 FEET;

THENCE N 55"12'23"W 25.24 FEET TO A POINT OF CURVE TO THE LEFT, HAVING A RADIUS OF 55.00 FEET; THENCE WESTERLY, SOUTHEASTERLY ALONG SAID CURVE, THROUGH A CENTRAL ANGLE OF 165'43'09", AN ARC DISTANCE OF 159.08 FEET;

THENCE S 40°55'31"E 5.02 FEET; THENCE N 49°04'29"F 20.00 FFET

THENCE N 49°04'29"E 20.00 FEET;
THENCE N 40°55'31"W 5.02 FEET TO A POINT OF CURVE TO THE RIGHT, HAVING A RADIUS OF 35.00 FEET;
THENCE NORTHWESTERLY, NORTHERLY AND NORTHEASTERLY ALONG SAID CURVE, THROUGH A CENTRAL ANGLE OF 165°43'08", AN ARC DISTANCE OF 101.23 FEET;

THENCE S 55"12'23"E 25.24 FEET TO A POINT OF CURVE TO THE LEFT, HAVING A RADIUS OF 105.00 FEET; THENCE SOUTHEASTERLY AND NORTHEASTERLY, ALONG SAID CURVE, THROUGH A CENTRAL ANGLE OF 50"32'19". AND ARC DISTANCE OF 92.62 FEET TO THE SOUTHEASTERLY LINE OF SAID NORTHWESTERLY HALF OF SAID LOT 5; THENCE, ON A NON-TANGENT BEARING, N 49"02'46"E, ALONG SAID SOUTHEASTERLY LINE, A DISTANCE OF 202.67 FEET TO THE NORTHFASTERLY LINE OF SAID LOT 5:

202.67 FEET TO THE NORTHEASTERLY LINE OF SAID LOT 5;
THENCE N 40°57'14"W, ALONG SAID NORTHEASTERLY LINE, A DISTANCE OF 10.00 FEET TO THE POINT OF BEGINNING.

NEW LEGAL DESCRIPTIONS:

NEW LOT 1:

THAT PORTION OF LOT 4 AND THE NORTHWESTERLY HALF OF LOT 5, BLOCK C, REPLAT OF ISLAND PARK, ACCORDING TO THE PLAT THEREOF, RECORDED IN VOLUME 13 OF PLATS, PAGE 58, IN KING COUNTY, WASHINGTON, DESCRIBED AS FOLLOWS:

BEGINNING AT THE MOST NORTHERLY CORNER OF SAID LOT 4;
THENCE S 49°02'46" W, ALONG THE NORTHWEST LINE OF SAID LOT 4, A DISTANCE OF 130.56 FEET;
THENCE S 40°57'14" E 140.00 FEET;
THENCE N 49°02'46" E, PARALLEL WITH THE NORTHWESTERLY LINE OF SAID LOT 4, A DISTANCE OF 130.56 FEET
TO THE NORTHEASTERLY LINE OF SAID LOT 5;
THE POINT OF BEGINNING:

THENCE N 40'57'14" W, ALONG THE NORTHEASTERLY LINE OF LOTS 5 AND 4, A DISTANCE OF 140.00 FEET TO THE POINT OF BEGINNING.

NEW LOT 2

THAT PORTION OF LOT 4 AND THE NORTHWESTERLY HALF OF LOT 5, BLOCK C, REPLAT OF ISLAND PARK, ACCORDING TO THE PLAT THEREOF, RECORDED IN VOLUME 13 OF PLATS, PAGE 58, IN KING COUNTY, WASHINGTON, DESCRIBED AS FOLLOWS:

COMMENCING AT THE MOST NORTHERLY CORNER OF SAID LOT 4;
THENCE S 49°02'46" W, ALONG THE NORTHWEST LINE OF SAID LOT 4, A DISTANCE OF 130.56 FEET
TO THE TRUE POINT OF BEGINNING;
THENCE CONTINUING S 49°02'46" W, ALONG THE NORTHWEST LINE OF SAID LOT 4, A DISTANCE OF 156.42 FEET;
THENCE S 40°57'14" E 11.53 FEET
TO A POINT ON A CURVE, CONCAVE TO THE SOUTH, HAVING A RADIUS OF 55.00 FEET,
AND THROUGH WHICH POINT A RADIAL LINE BEARS N 27°25'19"W;
THENCE EASTERLY, ALONG SAID CURVE, THROUGH A CENTRAL ANGLE OF 62°12'55",
AN ARC DISTANCE OF 59.72 FEET;
THENCE S 55°12'23" E 25.24 FEET TO A POINT OF CURVE TO THE LEFT, HAVING A RADIUS OF 85.00 FEET;

AN ARC DISTANCE OF 112.37 FEET;
THENCE N 49'02'46" E 27.38 FEET TO A POINT WHICH BEARS S 40'57'14"E FROM THE POINT OF BEGINNING;
THENCE N 40'57'14" W 140.00 FEET TO THE POINT OF BEGINNING.

NEW LOT 3

THAT PORTION OF LOT 4 AND THE NORTHWESTERLY HALF OF LOT 5, BLOCK C, REPLAT OF ISLAND PARK, ACCORDING TO THE PLAT THEREOF, RECORDED IN VOLUME 13 OF PLATS, PAGE 58, IN KING COUNTY, WASHINGTON, DESCRIBED AS FOLLOWS:

THENCE NORTHEASTERLY, ALONG SAID CURVE, THROUGH A CENTRAL ANGLE OF 75'44'51".

COMMENCING AT THE MOST NORTHERLY CORNER OF SAID LOT 4; THENCE S 49'02'46" W ALONG THE NORTHWEST LINE OF SAID LOT 4, A DISTANCE OF 286.98 FEET TO THE TRUE POINT OF BEGINNING: THENCE S 40'57'14" E 11.53 TO A POINT ON A CURVE CONCAVE TO THE EAST. HAVING A RADIUS OF 55.00 FEET, AND THROUGH WHICH POINT A RADIAL LINE BEARS N 27'25'19" W THENCE SOUTHERLY, ALONG SAID CURVE, THROUGH A CENTRAL ANGLE OF 103°30'13". AN ARC DISTANCE OF 99.36 FEET; THENCE S 40°55'31" E 5.02 FEET; THENCE N 49'04'29" E 20.00 FEET; THENCE N 40'55'31" W, 5.02 FEET TO A POINT OF CURVE TO THE RIGHT, HAVING A RADIUS OF 35.00 FEET. THENCE ALONG SAID CURVE, THROUGH A CENTRAL ANGLE OF 165'43'08", AN ARC DISTANCE OF 101.23 FEET; THENCE S 5512'23" E 25.24 FEET TO A POINT OF A CURVE TO THE LEFT, HAVING A RADIUS OF 105.00 FEET; THENCE ALONG SAID CURVE, THROUGH A CENTRAL ANGLE OF 50'32'19", AN ARC DISTANCE OF 92.62 FEET THE SOUTHEASTERLY LINE OF THE NORTHWESTERLY HALF OF SAID LOT 5. THENCE, ON A NON-TANGENT BEARING, S 49°02'46" W, ALONG SAID SOUTHEASTERLY LINE, A DISTANCE OF 131.89 FEET; THENCE N 40'55'31" W, 50.00 FEET; THENCE S 49°02'46" W. PARALLEL WITH THE NORTHWESTERLY LINE OF SAID LOT 4, A DISTANCE OF 117 FEET, MORE OR LESS, TO THE SHORELINE OF LAKE WASHINGTON; THENCE NORTHWESTERLY, ALONG THE SHORELINE OF LAKE WASHINGTON, TO THE NORTHWESTERLY LINE OF SAID LOT 4; THENCE N 49°02'46" E, ALONG SAID NORTHWESTERLY LINE, A DISTANCE OF 152 FEET, MORE OR LESS, TO THE TRUE POINT OF BEGINNING.

SHARED WATER FRONT TRACT "A"

THAT PORTION OF LOT 4 AND THE NORTHWESTERLY HALF OF LOT 5, BLOCK C, REPLAT OF ISLAND PARK, ACCORDING TO THE PLAT THEREOF, RECORDED IN VOLUME 13 OF PLATS, PAGE 58, IN KING COUNTY, WASHINGTON, DESCRIBED AS FOLLOWS:

COMMENCING AT THE MOST NORTHERLY CORNER OF SAID LOT 4;
THENCE S 40°57'14"E, ALONG THE NORTHEASTERLY LINE OF 4 AND LOT 5, A DISTANCE OF 150.00 FEET TO THE MOST NORTHERLY CORNER OF THE NORTHWESTERLY HALF OF SAID LOT 5;
THENCE S 49°02'46"W, ALONG THE SOUTHEASTERLY LINE OF SAID NORTHWESTERLY HALF OF SAID LOT 5, A DISTANCE OF 334.89 FEET TO THE TRUE POINT OF BEGINNING;
THENCE N 40°55'31"W 50.00 FEET;
THENCE S 49°02'46"W 116 FEET, MORE OR LESS TO THE SHORELINE OF LAKE WASHINGTON;
THENCE SOUTHEASTERLY, ALONG SAID SHORELINE TO A POINT WHICH BEARS S 49°02'46"W FROM THE POINT OF BEGINNING;
THENCE N 49°02'46"E 116 FEET, MORE OR LESS, TO THE POINT OF BEGINNING.

TOGETHER WITH SECOND CLASS TIDELANDS ADJOINING.

RECORDING No.

229/081

SHORT SUBDIVISION NO. SUB05-006


PORTION OF:

N.E. 1/4, N.W. 1/4, SEC. 13, TWP. 24 N., RGE. 4 E., W.M.

GENERAL NOTES:

- 1. VEHICULAR ACCESS FROM LOTS 2 AND 3 SHALL BE FROM THE PRIVATE ACCESS EASEMENT ONLY UNLESS OTHERWISE AUTHORIZED BY THE CITY ENGINEER.
- 2. MAINTENANCE AND REPAIR OF JOINT USE SIDE SEWERS (SEWER LINES FROM THE CITY SEWER MAIN), SHARED ROADS, ACCESS EASEMENTS, STORM DRAINAGE AND STORM DETENTION FACILITIES SHALL BE THE RESPONSIBILITY OF THE OWNERS OF EACH LOT SERVED (WITH THE EXCEPTION THAT OWNERS OF ANY LOT WHICH IS LOWER IN ELEVATION SHALL NOT BE RESPONSIBLE FOR THAT PORTION OF A PRIVATE SIDE SEWER ABOVE THEIR CONNECTION.) IN THE EVENT THAT MAINTENANCE AND REPAIR OF ANY FACILITIES ENUMERATED ABOVE ARE NOT PERFORMED TO THE SATISFACTION OF THE CITY ENGINEER, AFTER A TIMELY DEMAND HAS BEEN MADE FOR SUCH ACTION, THE CITY OR ITS AGENT SHALL HAVE THE RIGHT TO ENTER UPON THE PREMISES AND PERFORM THE NECESSARY MAINTENANCE AND REPAIR TO PROTECT THE SAFETY AND GENERAL WELFARE OF THE PUBLIC AND SHALL HAVE THE RIGHT TO CHARGE THE OWNER OF EACH LOT AN EQUAL SHARE OF THE TOTAL MAINTENANCE AND REPAIR COSTS. THE CITY OR THE OWNER OF ANY LOT WITHIN THIS SHORT PLAT SHALL HAVE THE RIGHT TO BRING ACTION IN SUPERIOR COURT TO REQUIRE ANY MAINTENANCE OR REPAIR AND TO RECOVER THE COSTS INCURRED IN MAKING OF EFFECTING REPAIRS TO IMPROVEMENTS.
- 3. THE MONITORING, CLEANING, MAINTENANCE AND REPAIR OF STORM DRAINS AND STORM DETENTION SYSTEMS IN ACCORDANCE WITH CITY ORDINANCE NO. 95C—118 IS REQUIRED FOR ALL LOT OWNERS WITHIN THIS PLAT TO CONTROL STORMWATER RUNOFF AND CONTROL EROSION AND FLOODING DOWNSTREAM. ALL COSTS RELATED TO STORMWATER RUNOFF CONTROL SHALL BE BORNE BY THE OWNERS OF EACH LOT IN EQUAL SHARE. THIS OBLIGATION SHALL BE RECORDED SEPARATELY WITH EACH INDIVIDUAL LOT SALE AND SHALL TRAVEL WITH THE LAND.
- 4. ALL STAGING FOR CONSTRUCTION SHALL OCCUR ON SITE AND SHALL NOT BE LOCATED IN THE PUBLIC RIGHT-OF-WAY.
- 5. NO PERMANENT LANDSCAPING, STRUCTURES, OR FENCES SHALL BE PLACED ON OR WITHIN PUBLIC UTILITY OR STORM DRAINAGE EASEMENTS WITHOUT THE WRITTEN APPROVAL OF THE CITY ENGINEER. IF IN THE OPINION OF THE CITY ENGINEER, UTILITIES OR STORM DRAINAGE FACILITIES REQUIRE MAINTENANCE, REPAIR OR REPLACEMENT, THE CITY OR ITS AGENT SHALL HAVE THE RIGHT
- TO ENTER THOSE LOTS ADJOINING THE FACILITY FOR THE PURPOSE OF MAINTAINING, REPAIRING, RELOCATING OR REPLACING SAID FACILITIES. LOT OWNERS SHALL BE RESPONSIBLE FOR THE RESTORATION OF ANY PRIVATE IMPROVEMENTS OR LANDSCAPING WITH SAID EASEMENTS.
- 6. INSTALLATION OF LANDSCAPING AND/OR STRUCTURES INCLUDING TREES, SHRUBS ROCKS, BERMS, WALLS, GATES, AND OTHER IMPROVEMENTS ARE NOT ALLOWED WITHIN THE PUBLIC RIGHT-OF-WAY WITHOUT AN APPROVED ENCROACHMENT AGREEMENT FROM THE CITY PRIOR TO THE WORK OCCURRING.
- 7. IN ORDER TO COMPLY WITH THE CITY OF MERCER ISLAND CRITICAL AREA ORDINANCE (MMCC 19.07.060), THE GRANTOR HEREBY DECLARES THAT THE AREA DESIGNATED AS CSHA IS SUBJECT TO THE FOLLOWING RESTRICTIONS:
 - 1. THE CSHA AREA RESTRICTION SHALL BE LEFT UNDISTURBED AND IN A SUBSTANTIALLY NATURAL STATE EXCEPT AS PROVIDED HEREIN;
 - 2. NO TREE CUTTING, NO TREE PRUNING, CLEARING, GRADING, FILLING, BUILDING CONSTRUCTION OR PLACEMENT, OR ROAD CONSTRUCTION OF ANY KIND SHALL OCCUR.
 - 3. HAZARDOUS TREE MAY BE REMOVED PROVIDED SUCH REMOVAL SHALL ONLY OCCUR WITH THE PRIOR APPROVAL OF THE CITY OF MERCER ISLAND.
 - 4. TRAILS MAY BE CONSTRUCTED PROVIDED SUCH TRAILS ARE NOT PAVED WITH IMPERVIOUS SURFACES OR IMPERVIOUS MATERIALS.
 - 5. IN AREAS WHICH HAVE BEEN DISTURBED BY HUMAN ACTIVITY IN THE PAST OR WHICH ARE INFESTED BY NOXIOUS WEEDS, REPLACEMENT WITH APPROPRIATE NATIVE SPECIES IS PERMITTED. THE CITY OF MERCER ISLAND MAY BE CONTACTED FOR INFORMATION ON NATIVE SPECIES.
 - 6. SUCCESSORS AND ASSIGNS: RESTRICTIONS CREATED BY THIS DECLARATION OF CSHA RUNS WITH THE LAND AND BINDS THE LAND AND SHALL INURE TO THE BENEFIT OF AND BE BINDING UPON THE GRANTOR, HIS HEIRS, SUCCESSORS AND ASSIGNS.

LATEST REVISION: 7/05/07



PREPARED BY:

HANSEN SURVEYING

LAND SURVEYORS & CONSULTANTS

17420 116TH AVE. S.E., RENTON, WA 98058

TEL: 425-235-8440 FAX: 425-235-0266

PORTION OF THE N.E. 1/4, N.W. 1/4, SEC. 13, TWP. 24 N. RGE. 4 E., W.M.

- CLIENT

FAIRMONT DEVELOPMENT 17017 4TH AVE S.E., BOTHELL, WA 98012 206-229-0546

PROJECT

HUNSAKER SHORT SUBDIVISION

CITY OF MERCER ISLAND, WASHINGTON.

S.P. No. SUB05-006

 DWN BY
 RF
 DATE
 3-20-05
 JOB NO.
 96001SP1

 CHKD BY
 RGH
 SCALE
 1" = 50"
 SHEET
 2 OF 3



