

7511 92<sup>nd</sup> Avenue SE CRITICAL AREAS STUDY AND REVISED MITIGATION PLAN

*Prepared for:* **Mr. Dexter Lai** May 20, 2020



### 7511 92<sup>nd</sup> Avenue SE CRITICAL AREAS STUDY AND REVISED MITIGATION PLAN

Prepared for:

Mr. Dexter Lai 7505 92<sup>nd</sup> Avenue SE Mercer Island, WA 98040

Authored by:

Kerrie McArthur, PWS, and Suzanne Vieira, WPIT Confluence Environmental Company

May 20, 2020

This report should be cited as:

Confluence (Confluence Environmental Company). 2020. 7511 92<sup>nd</sup> Avenue SE critical areas study and revised mitigation plan. Prepared for Dexter Lai, Mercer Island, Washington, by Confluence, Seattle, Washington.



## TABLE OF CONTENTS

1.0	INTRO	DUCTION	1
2.0	METHO	DDS	3
	2.1	Desktop Analysis	3
	2.2	Wetlands	3
		2.2.1 Wetland Identification and Delineation	3
		2.2.2 Wetland Rating	4
	2.3	Ordinary High Water Mark Delineation	4
3.0	RESUL	TS	5
	3.1	General Site Description	5
	3.2	Test Plots	5
	3.3	Wetlands	7
		3.3.1 Wetland A	8
		3.3.2 Off-Site Wetlands	8
	3.4	Watercourses	8
4.0	REGUL	ATORY IMPLICATIONS	9
5.0	PROPO	DSED DEVELOPMENT	11
6.0	IMPAC	TS TO CRITICAL AREAS	11
7.0	PROPO	DSED MITIGATION PLAN	11
	7.1	Compliance with MICC	12
	7.2	Buffer Enhancement Plan	14
8.0	MITIGA	ATION GOALS, OBJECTIVES, AND PERFORMANCE STANDARDS	16
	8.1	Goals and Objectives	16
	8.2	Performance Standards	16
		8.2.1 Performance Standard – Percent Survival	16
9.0	MONIT	ORING PLAN	16
	9.1	Plant Survival	17
	9.2	Photo Documentation	17
	9.3	Frequency	17
	9.4	Reporting	17
		9.4.1 Year 0 Report (As Built)	
		9.4.2 Yearly Reports	
10.0	MAINTE	ENANCE PLAN	18
	10.1	Watering	18
	10.2	Weeding	18
11.0	REFER	ENCES	19



#### TABLES

Table 1. Wetland Summary	8
Table 2. Planting Scheme	14
Table 3. Performance Standards	16

#### FIGURES

Figure 1. Project Parcel, Study Parcel, and Vicinity Map	2
Figure 2. Location of Test Plots and Critical Area Boundaries	6
Figure 3. Critical Area Boundaries and Standard Buffers	10
Figure 4. Proposed Buffer Averaging	13
Figure 5. Buffer Enhancement Area	15

#### APPENDICES

Appendix A—GIS Database Search Results

Appendix B—Wetland Delineation Data Forms

Appendix C—Wetland Rating Forms

Appendix D—Site Photographs



#### 1.0 INTRODUCTION

On March 1 and March 15, 2019, Confluence Environmental Company (Confluence) conducted site visits at 7511 92<sup>nd</sup> Avenue SE (tax parcel 2579500190) (Figure 1). The purpose of the site visits was to determine the presence and extent of critical areas on and adjacent to the property. The effort focused on wetlands and streams. Critical areas such as erosion hazard areas, steep slopes, and landslide hazard areas were not evaluated in this study. This report discusses the results of the site visits.

The study parcel is located on Mercer Island, which is within Lake Washington, and is therefore subject to the City of Mercer Island (City) jurisdiction. The site is located within Water Resource Inventory Area 8 for the Cedar-Sammamish Watershed. The study parcel and surrounding parcels are currently zoned Residential (R-9.6) and developed with single-family residences.

Although the majority of the critical area delineations occurred on the study parcel, the 3 adjacent parcels to the north and northwest (tax parcel numbers 8566100140, 8566100150, and 2579500188) were also assessed where stream and wetland features overlapped the parcel boundaries. Permission to access these parcels was given per the property owners and/or the project applicant.

The development project that has triggered this critical area review will occur on parcel 2579500188 (the project parcel).









#### 2.0 METHODS

Confluence conducted both a wetland delineation and an ordinary high water mark (OHWM) delineation on the property. This section describes the methods used to identify the presence or absence of wetlands and delineate the OHWM.

#### 2.1 Desktop Analysis

Confluence evaluated the parcel for the presence of critical areas using available GIS databases. The following databases were reviewed:

- City of Mercer Island GIS (City of Mercer Island 2019),
- King County iMap (King County 2019),
- U.S. Fish and Wildlife Service (USFWS) National Wetland Inventory (NWI) (USFWS 1981),
- National Resources Conservation Service (NRCS) Soil Survey (NRCS 2019a),
- Washington Department of Fish and Wildlife (WDFW) SalmonScape (WDFW 2019a),
- WDFW Priority Habitat and Species (WDFW 2019b), and
- Washington Department of Natural Resources (DNR) Forest Practices Application Mapping Tool (DNR 2019).

Results of the GIS database searches are in Appendix A.

#### 2.2 Wetlands

#### 2.2.1 Wetland Identification and Delineation

Confluence used the methods described by the U.S. Army Corps of Engineers (Corps) in the Corps of Engineers Wetland Delineation Manual (Corps 1987) and the Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Western Mountains, Valleys, and Coast Region (Regional Supplement; Corps 2010) to delineate wetland boundaries. The Corps usually requires that the following 3 characteristics be present for an area to be identified as a wetland: (1) hydrophytic vegetation, (2) hydric soil, and (3) wetland hydrology. Each criterion has a number of indicators by which it can be determined to satisfy the standard. The indicators were established so that if an area was wetland, sufficient indicators would be observed at any time of the year, including the driest months. Since "normal circumstances," as defined by the Corps (1987), exist on the site, all 3 criteria must be present for an area to be determined a wetland. Wetland delineation data forms are in Appendix B.

The wetland boundary was determined by changes in vegetation, hydrology, and hydric soil indicators and topographic differences that indicated the shift from wetland to upland. The perimeter of the wetland was delineated with the strategic hanging of flags. The locations of the



wetland flags were recorded using a differential GPS with sub-meter accuracy and by a licensed surveyor.

The PLANTS Database (NRCS 2019b) was used for scientific names and the 2016 National Wetland Plant List (Lichvar et al. 2016) was used to determine the wetland indicator status of plants.

#### 2.2.2 Wetland Rating

Confluence determined wetland ratings using the Washington State Wetland Rating System for Western Washington (Hruby 2004) to assess the resource value of the wetlands identified on the site. This rating system is based on the wetland functions and values, sensitivity to disturbance, rarity, and irreplaceability.

Wetland rating forms are in Appendix C.

#### 2.3 Ordinary High Water Mark Delineation

The Washington State Code defines the OHWM as "on all lakes, streams, and tidal water is that mark that will be found by examining the bed and banks and ascertaining where the presence and action of waters are so common and usual, and so long continued in all ordinary years, as to mark upon the soil a character distinct from that of the abutting upland, in respect to vegetation as that condition exists on June 1, 1971, as it may naturally change thereafter, or as it may change thereafter in accordance with permits issued by a local government or the department" (RCW 90.58.030).

Washington State Department of Ecology (Ecology) has published a guide (Anderson et al. 2016) to interpret the code and provide guidance for field OHWM determinations. Confluence used this guidance to determine the OHWM of an unnamed stream in the vicinity of the property.

Confluence identified discrete locations on the right (south) and left (north) bank of the stream to delineate the OHWM. Locations were chosen based on presence of field indicators of OHWM identified in Anderson et al. (2016) and shape of the channel. The location of the OHWMs were marked with pin flags within the development area and all OHWM locations within the study area were recorded using a differential GPS with sub-meter accuracy and by a licensed surveyor.



#### 3.0 RESULTS

This section describes the results of the critical areas study.

#### 3.1 General Site Description

The study parcel (no. 2579500190) is approximately 24,035 square feet (SF) in size and contains a 4,130 SF single-family residence and driveway. The parcel contains landscaped vegetation, including small patches of lawn and ornamental vegetation. The northern parcel line is dominated by native big leaf maple (*Acer macrophyllum*) and invasive Himalayan blackberry (*Rubus armeniacus*). The northern and northwestern parcel boundaries are steep slopes, and the adjacent parcels along the northwestern parcel boundaries are also dominated by Himalayan blackberry. The steep slope area appears to be an old landscape scar, exposing soils that at one time were deeper than surface soils.

Available GIS databases were searched for the documented presence of wetlands, hydric soils, streams, lakes, or species listed under the Endangered Species Act as threatened or endangered ("listed species"). Results of the GIS databases searched are in Appendix A. In summary, there is a watercourse located on and adjacent to the study parcel. The City of Mercer Island GIS has identified an unnamed Type 2 stream that flows across the northern portion of the study parcel (City of Mercer Island 2019). This unnamed stream converges with a second unnamed tributary at the southeastern portion of the parcel before flowing off-site (City of Mercer Island 2019). No wetland or stream critical areas are mapped on the study parcel by the County's GIS portal (King County 2019), the National Wetland Inventory (USFWS 2019), or the Forest Practices Application Mapping Tool for water types (DNR 2019). No salmonids or other priority species are listed as occurring in or near the unnamed stream (WDFW 2019a, b).

The majority of soils mapped on the site include Kitsap silt loam with a very small portion of Alderwood gravelly sandy loam (NRCS 2019a). Kitsap silt loam is a moderately well-drained soil with 15% to 30% slopes at the study parcel. Alderwood gravelly sandy loam occurs only at the northwest corner of the study parcel. This soil is also moderately well drained.

Photographs of the site are in Appendix D.

#### 3.2 Test Plots

During the site visit, 3 test plots were established in both uplands and wetlands. Test plots are shown in Figure 2. The locations of the test plots were based on the presence of visual wetland indicators, such as wetland vegetation or evidence of standing water, or were chosen to represent vegetative communities on the property. Test plot summaries are detailed below. Appendix B provides the wetland determination data sheets recorded in the field.





Figure 2. Location of Test Plots and Critical Area Boundaries



Test Plot 1 (TP-1) was located at the northeastern corner of parcel no. 8566100140 at the base of the steep slope in an area dominated by invasive Himalayan blackberry. Vegetation within TP-1 passed the Dominance Test and therefore meets the wetland vegetation criterion. Soil in the top layer (0-3 inches) was a brown (7.5YR 4/2) silty clay loam with no redox features. The second layer (3-12 inches) contained grayish brown (10YR 5/2) silty clay loam with 40% yellowish brown (10YR 5/6) redox concentrations in the matrix. The soils therefore met the hydric soil indicator for depleted matrix (F3) and the hydric soil criterion was met. The primary wetland hydrology indicators of saturation (A3) and oxidized rhizospheres along living roots (C3) were observed; therefore, the wetland hydrology criterion was met. Since TP-1 met all 3 criteria, the area represented by TP-1 is a wetland identified as Wetland A.

TP-2 was located along the northeastern property line of parcel no. 8566100140, slightly to the west of TP-1. TP-2 occurs on the steep slope in the center of the Himalayan blackberry thicket. Vegetation within TP-2 passed the Dominance Test and therefore meets the wetland vegetation criterion. However, it is important to note that there was only 1 species present, Himalayan blackberry, which is an invasive species that thrives in disturbed wetland and upland areas. Soil in the top layer (0-10 inches) was a grayish brown (10YR 5/2) silty clay loam with 15% yellowish brown (10YR 5/6) redox concentrations in the matrix. The soils therefore met the hydric soil indicator for depleted matrix (F3) and the hydric soil criterion was met. No primary or secondary wetland hydrology indicators were observed; thus, the wetland hydrology criterion was not met. The presence of hydric soils without hydrology indicators on the landslide scar indicates that the hydric soil indicators are relic. Since TP-2 did not meet the wetland hydrology criteria and because the vegetation was marginal, this test plot is considered upland and represents a transition zone on the up-slope side of the wetland.

TP-3 was located at the southeastern portion of parcel no. 8566100150 within a Himalayan blackberry thicket on the side of a steep slope. This test plot occurs to the north of TP-1 and TP-2. Vegetation within TP-3 did not pass the Dominance Test or the Prevalence Index due to the presence of big leaf maple, and therefore TP-3 did not meet wetland vegetation criterion. Soil in the top layer (0-12 inches) was a dark grayish brown (10YR 4/2) loam with gravel and without redox concentrations. The soils did not meet any hydric soil indicator, and therefore the hydric soil criterion was not met. No primary or secondary wetland hydrology indicators were observed, and so the wetland hydrology criterion was not met. Since TP-3 did not meet any of the wetland criteria, the area represented by TP-3 is not a wetland. TP-3 represents the transitional zone to the north of the wetland.

#### 3.3 Wetlands

TP-1 represented the area that met all 3 wetland criteria on the property. The on-site wetland is described in detail below, summarized in Table 1, and shown in Figure 2. There were no other wetlands identified in GIS databases within 300 feet of the study parcel.

#### Table 1. Wetland Summary

Wetland	Cowardin	Sizo		Wetl	and Rating		
Name	Classification <sup>1</sup>	3120	Hydrologic	Water Quality	Habitat	Total	Category
Wetland A	PSS3D	856 SF	6	4	3	13	IV

<sup>1</sup> FGDC 2013

#### 3.3.1 Wetland A

Wetland A is located on the steep slope area at the property corners of 8566100140, 8566100150, 2579500188, and 2579500190 (see Figure 2). TP-1, described above, represents Wetland A. According to the Cowardin classification system (FGDC 2013), Wetland A is a palustrine scrubshrub wetland. Wetland A is dominated by Himalayan blackberry. As Wetland A is a slope wetland, it occurs within a distinct topographic steep slope area. The upper, western portion of the wetland begins approximately 15 feet east of the shoulder of the slope, and the northern and southern boundaries of the wetland are contained by 2 terraces that rise up on either side of the wetland. The toe of the wetland occurs at another topographic break where the ground levels out, and the unnamed stream channel begins (see Figure 2). Although there was no standing water on the slope wetland, the distinct topography, soil saturation, and vegetative shifts to non-hydrophytic vegetations (e.g., sword fern [*Polystichum munitum*] and big leaf maple) were used to determine the wetland boundary. According to the 2004 Wetland Rating System (Hruby 2004), Wetland A was rated as a Category IV wetland, with a hydrology score of 6, water quality score of 4, and habitat score of 3.

#### 3.3.2 Off-Site Wetlands

Although Wetland A extends partially off-site, the entire wetland was delineated per the permissions granted by the project applicant and landowners. No other known wetlands are mapped within 300 feet of the study site or Wetland A.

#### 3.4 Watercourses

An unnamed stream (i.e., watercourse) was identified on the study parcel and the parcel immediately to the north of the study parcel (parcels no. 2579500188 and 2579500190). Although several of the online sources listed in Section 2.1 did not have this unnamed stream mapped, it was identified on the City of Mercer Island GIS Portal (City of Mercer Island 2019). The unnamed stream runs from west to east along the northern boundary of the study parcel, is conveyed through a culvert under the driveway of the study parcel, and turns sharply south (see Figure 2). While only this portion of the unnamed stream was delineated, the stream may then continue to flow south or southeast into a ditch to the east of the study site, before being conveyed into Lake Washington. There are no salmonids or priority fish, wildlife, or habitats listed within or adjacent to the study site (WDFW 2019a, b). The unnamed stream appears to



originate at the toe of the slope of Wetland A, and most likely conveys a spring or seep that also produces the wetland. During the site visit the OHWM was delineated.

Within the study site and adjacent parcel, the channel of the unnamed stream is mostly exposed cobbles and gravels. The stream banks were largely not armored, although some boulders were placed along the culvert inlet and outlet under the driveway to provide structural protection. Black landscaping fabric was also evident on both banks. This fabric may play a part in controlling streambed erosion. The primary indicators used to delineate the OHWM included the top of bank and darker stains on fixed objects such as boulders and landscaping fabric. As the vegetation was largely landscaped along the stream channel, plant species were not used as indicators of OHWM.

This stream is defined as a Type 2 stream according to the City of Mercer Island GIS Portal (City of Mercer Island 2019). A Type 2 stream is described as a watercourse with year-round flow and not used by fish, according to MICC 19.07.070A.2. However, anecdotal evidence provided by the property owner and the Project surveyors indicated that the stream does dry up and ceases to flow in the summer months. Additionally, during the surveyors' site visit to record the location of wetland and OHWM flagging, the surveyors observed a dry streambed. Given the size and level of flow during the March 2019 site visits, this is not a Type 2, perennial stream. As described by the City of Mercer Island in MICC Section 19.07.070A.3., a Type 3 watercourse has intermittent or seasonal flow and is not used by fish. Thus, the unnamed stream meets the MICC definition of a Type 3 stream.

#### 4.0 REGULATORY IMPLICATIONS

According to the Mercer Island City Code (MICC), the following standard buffers apply:

- Wetland A is a Category IV wetland; thus, the standard buffer of 35 feet applies to this wetland.
  - The unnamed stream, a Type 3 stream, has a standard buffer of 35 feet.

Figure 3 shows Wetland A, the unnamed stream, and their buffers including the standard 35foot buffer (shown in blue) and the reduced 25-foot buffer (shown in green) as they encroach into the project parcel. Development within these buffers or within the critical areas themselves requires compliance with MICC Chapter 19.07, specifically Sections 19.07.070.B.3 and 19.07.080C.3.





Figure 3. Critical Area Boundaries and Standard Buffers



#### 5.0 PROPOSED DEVELOPMENT

The proposed project includes the construction of a patio and staircase on the southern face of the existing single-family house and deck, including 372 SF of new construction. Figure 3 shows the existing structures and proposed construction in relation to the wetland and stream critical areas. Figure 3 also shows the standard 35-foot buffer and reduced 25-foot buffer. Due to the location of the on-site critical areas, the proposed development would encroach into the standard 35-foot buffer.

#### 6.0 IMPACTS TO CRITICAL AREAS

The proposed development would not directly impact either Wetland A or the unnamed stream. However, the footprint of the proposed patio does expand into the standard 35-foot buffer, and therefore permanent impacts to the standard buffer would occur as a result of the project.

To avoid impacts to the wetland buffer to the maximum extent, the project proposes a critical areas buffer averaging mitigation strategy. The standard buffer width will be reduced from 35 feet to a minimum width of 29 feet, which is greater than the minimum allowable buffer distance 25 feet required by MICC 19.07.070B.1 and 19.07.080C.1 (Figure 3). Reducing the buffer to allow for the proposed patio footprint would result in a reduction of approximately 60 SF of buffer adjacent to the patio extension. To mitigate for this reduction, 60 SF of buffer area will be added to the east of the project area. Using buffer averaging, as allowed under MICC 19.07.070B.3 and 19.07.080C.3, results in no permanent impacts to the wetland buffer from the proposed development. Details on the proposed mitigation are in Section 7.0.

#### 7.0 PROPOSED MITIGATION PLAN

As stated above, the proposed development would reduce the buffer to 29 feet at the greatest extent of reduction. The reduced portion of the critical areas buffer does not contain a steep slope, as required by MICC 19.07.0703(e). The total area to be reduced would include a triangular area of approximately 60 SF. Mitigation for the 60 SF reduction area would occur at a ratio of 1:1 through buffer averaging (see Figure 4).

The scientific literature recognizes that buffers provide important functions that protect wetlands (Sheldon et al 2005). These functions are generally categorized as hydrology, water quality, and habitat functions. However, impervious surfaces in buffers provide no functions, and lawn provides very little habitat function and little to no hydrology or water quality functions. Therefore, reducing the buffer from 35 feet to 29 feet would not decrease existing habitat functions of the buffer, since habitat functions do not exist or are of very low quality within the reduced buffer area.



#### 7.1 Compliance with MICC

As stated above, according to MICC 19.07.070 and 19.07.080, buffer averaging is allowed as long as certain conditions are met. These conditions are presented below, followed by how the project complies with the condition.

*a.* The proposal will result in a net improvement of critical area function.

As stated above, the reduced buffer area would be impervious surfaces, which provides no function. The proposed buffer increase area is vegetated and within the tree canopy of mature deciduous trees. By reducing the amount of impervious surface within the buffer area, there is a net improvement of function. Thus, this condition is met.

b. The proposal will include replanting of the averaged buffer using native vegetation.

This mitigation proposes to enhance approximately 2,800 SF of the buffer upslope of the critical areas (Wetland A and the unnamed stream) (Figure 4). See Section 7.2, below for more details. Thus, this condition is met.

c. The total area contained in the averaged buffers on the development proposal site is not decreased below the total area that would be provided if the maximum width were not averaged.

The buffer will be reduced by 60 SF adjacent to the project area and increased by 60 SF to the east. Thus, this condition is met.

*d.* The standard buffer width is not reduced to a width that is less than the minimum buffer width at any location.

According to MICC 19.07.080.C.1, the minimum buffer width is 25 feet. The proposed buffer averaging will have a minimum buffer width of 29 feet. Thus, this condition is met.

e. That portion of the buffer that has been reduced in width shall not contain a steep slope.

The portion of buffer proposed for reduction is not within a steep slope. Thus, this condition is met.





Figure 4. Proposed Buffer Averaging



#### 7.2 Buffer Enhancement Plan

This mitigation proposes to enhance approximately 2,800 SF of the buffer on the steep slope of the critical areas (Wetland A and the unnamed stream) within the averaged buffer area (Figure 5). By enhancing the buffer, buffer functions are expected to increase. The plantings will not only increase habitat functions, but they will also increase water quality and hydrology functions and reduce the potential for erosion from the shoulder of the slope. Enhancement actions will include removing invasive species, if present, and planting native species. Table 2 summarizes the mitigation planting scheme.

#### Table 2. Planting Scheme

Common Name	Scientific Name	Container Size	Spacing	Quantity <sup>1</sup>
Douglas-Fir	Pseudotsuga menziesii	5 gallon	10 ft OC	14
Western Red-Cedar	Thuja plicata	5 gallon	10 ft OC	14

OC – On Center

<sup>1</sup> Quantity based on 2,800 SF of enhancement area

The existing steep slope consists of a very dense Himalayan blackberry thicket, with the on-site tree canopy almost entirely composed of deciduous species. While the Himalayan blackberry is a non-native species, it is providing slope stability by its binding of soils in their roots. Removing the Himalayan blackberry and replanting with immature native plants in its entirety has the potential to create unstable slopes. Therefore, the proposed enhancement is to plant only conifers within the steep slope buffer. The conifers will grow above the Himalayan blackberry, eventually shading out much of the Himalayan blackberry, while maintaining slope stability as the conifer's roots grow and bind the soil in their roots, thus taking the place of the bioengineering function that the Himalayan blackberry provided. The addition of Douglas-fir and western red-cedar will also provide enhanced habitat options for wildlife, as these species provide species diversity compared to the existing conditions and provides the basis of forest conversion from a deciduous forested community to a coniferous forested community.



Figure 5. Buffer Enhancement Area



#### 8.0 MITIGATION GOALS, OBJECTIVES, AND PERFORMANCE STANDARDS

#### 8.1 Goals and Objectives

The goal of this mitigation plan is to enhance 60 SF of critical areas buffer for a Category IV wetland and Type 3 watercourse. The objective is that the mitigation area will be dominated with healthy, native plants.

#### 8.2 Performance Standards

The following performance stands are to be monitored to document that the goals and objectives of the mitigation plan are being met. Table 3 summarizes the performance standards.

Table 3. Performance Standards

Dorformance Standard			Success Criteria		
Performance Standard	Year 1	Year 2	Year 3	Year 4	Year 5
Percent Survival	100%	100%	100%	100%	100%

Due to an existing canopy of native deciduous trees, percent cover of native species is not included as a performance standard for this mitigation.

#### 8.2.1 Performance Standard – Percent Survival

Planted vegetation and natural recruits will be monitored for survival for 5 years (Years 1, 2, 3, 4 and Year 5). Monitoring will occur during the growing season after deciduous plants have flowered or leafed-out for easier identification. Table 3 shows the success criteria for plant survival for each year of monitoring.

High mortality could result from improper installation, diseased or infested plants, inadequate watering, or extreme weather. If more than 25% of new plantings die in a single year, the cause of the high losses will be investigated and corrected before dead plants are replaced. Dead plant material will only be removed after that year's scheduled monitoring. If less than 80% of the total plants installed have survived during the Year 5 monitoring, additional plants will be installed to bring the planting schedule back into original specifications and yearly monitoring will continue for two additional years.

#### 9.0 MONITORING PLAN

A monitoring period of 5 years is proposed to ensure that plantings survive and establish successfully. Data collected in Year 0 will provide the baseline for the success criteria for Years 1, 2, 3, 4, and 5 monitoring. Should the ecologist determine that any portion of the mitigation area needs to be replanted, a survey will be conducted after the replanting has been completed.



This survey will then become the baseline for other monitoring surveys. For example, if survival success criterion is not met in Year 2 and the ecologist determines that additional trees or shrubs need to be planted, a survey will be conducted after the addition of new plants. This survey will then provide the baseline for remaining monitoring events.

#### 9.1 Plant Survival

Because of the small size of the mitigation area, all installed plants will be counted during each monitoring period. The number of living plants will be divided by the number of plants installed to determine the percent survival.

#### 9.2 Photo Documentation

Photos of the mitigation area will be taken during each monitoring event to provide visual documentation of the mitigation area. Permanent photo points will be established at the north-western and eastern mitigation site boundaries to document the site over time. At each of the photo points, a fixed-lens digital camera will be used to take photographs looking at the interior of the enhancement site.

#### 9.3 Frequency

Monitoring will occur during the growing season after deciduous plants have flowered or leafed-out. The Year 0 monitoring event will occur within 30 days after trees and shrubs have been installed. Each of the monitoring events will occur within 30 days of the calendar date of the Year 0 monitoring.

#### 9.4 Reporting

For each monitoring event, the ecologist will prepare a report. One copy of each report will be provided to the City of Mercer Island Community Planning and Development Department. The following will be included in each report:

- data tables;
- species lists;
- date of survey;
- a narrative description of methods and contingency measures taken;
- identified planted and naturally recruited trees and shrubs;
- interpretation of results; and
- color photos.



#### 9.4.1 Year 0 Report (As Built)

The Year 0 report will be submitted within 30 days after construction is completed. In addition to the general reporting requirements stated above, the following will be included in the Year 0 report:

- actual planting density (container size, average offset);
- description of any changes from the original design; and
- planting schedule.

#### 9.4.2 Yearly Reports

The first yearly report is due within 1 year after the City's acceptance of the as-built report. All yearly reports will be submitted within 30 days of conducting the monitoring survey.

#### 10.0 MAINTENANCE PLAN

Maintenance activities in the mitigation area will change throughout the duration of the monitoring and maintenance period. These activities will be concentrated immediately after installation and continue through the first and second year's post-installation as the vegetation survives and grows. If permits are received in time, installation will occur by fall of 2020.

#### 10.1 Watering

Watering may be necessary depending on the date of planting and the amount of rainfall that year. If installation occurs before May 1, the plants will receive at least 1.5 inches of water (or equivalent of rainfall) twice per month during the spring of the first season and once per week during the summer months. Watering will be more crucial if installation occurs after May 1, because the plants will not have a chance to establish themselves during the rainy season. Biweekly watering (or rainfall equivalent) will be provided if plantings occur after May 1. Monitoring of rainfall and/or soil moisture will be used to determine the need for watering during the summer and early fall period. Watering will be less critical if planting occurs in the fall. Watering may be necessary during the summers of 2021, 2022, and 2023 to assist survival and establishment of plantings. Watering will be accomplished using a temporary irrigation system or the homeowner's garden hose.

#### 10.2 Weeding

Weeding around installed vegetation will be important during the summer of the first year to ensure establishment and prevent stress to the plants from competition for resources. In the first growing season following installation, weeding will occur once monthly through August. All invasive species will be removed.

Weeding will also occur during the early and intermediate growing season of the second year after planting. The frequency can be gauged by necessity but should occur at least twice during



the spring (ideally May and June), and then once more during the summer months (August or September). This weeding will also occur in the final year during establishment of the mitigation site. In other words, if planting occurs in the spring of 2021, the intensive weeding will occur during the summer of 2021 and the reduced intensity maintenance will occur in 2022 and 2023.

No weed whacking will be allowed around plantings. Weeding will be done using simple hand tools (e.g., rakes and hoes). No herbicide will be allowed. Removal of the highly invasive species such as Himalayan blackberry, English ivy (*Hedera helix*), and reed canarygrass (*Phalaris arundinacea*) is especially important in the Northwest, and emphasis should be given to their removal to prevent invasion into the planted areas. Other native but weedy species such as horsetail (*Equisetum* spp.) may need to be weeded around installed plants to ensure installed plants are not choked out by the native, weedy species.

#### 11.0 REFERENCES

- Anderson, P.S., S. Meyer, P. Olson, and E. Stockdale. 2016. Determining the ordinary high water mark for Shoreline Management Act compliance in Washington State. October 2016 final review. Washington State Department of Ecology, Shorelands & Environmental Assistance Program, Lacey, Washington. Ecology Publication No. 16-06-029.
- City of Mercer Island. 2019. City of Mercer Island GIS Portal [online database]. City of Mercer Island, Washington. Available at: <u>https://chgis1.mercergov.org/Html5Viewer/Index.html?viewer=PubMaps&viewer=PubMap</u> <u>s</u> (accessed March 4, 2019).
- Corps (U.S. Army Corps of Engineers). 1987. Corps of Engineers wetlands delineation manual. Corps Environmental Laboratory, Waterways Experiment Station, Vicksburg, Mississippi. Technical Report Y-87-1.
- Corps. 2010. Regional supplement to the Corps of Engineers wetland delineation manual: western mountains, valleys, and coast region. U.S. Army Engineer Research and Development Center, Vicksburg, Mississippi. ERDC/EL TR-08-13.
- DNR (Washington Department of Natural Resources). 2019. Forest Practices Application Mapping Tool [online database]. Forest Practices Division, DNR, Olympia, Washington. Available at: <u>https://fpamt.dnr.wa.gov/default.aspx</u> (accessed March 4, 2019).
- FGDC (Federal Geographic Data Committee). 2013. Classification of wetlands and deepwater habitats of the United States. Second Edition. Wetlands Subcommittee, Federal Data



Committee and U.S. Fish and Wildlife Service, Publication FGDC-STD-004-2013, Washington, D.C.

- Hruby, T. 2004. Washington State wetland rating system for western Washington Revised. Washington State Department of Ecology Publication # 04-06-025.
- King County. 2019. King County iMap [online database]. Seattle, Washington. Available at: <u>https://gismaps.kingcounty.gov/iMap/</u> (accessed March 4, 2019).
- Lichvar, R.W., D.L. Banks, W.N. Kirchner, and N.C. Melvin. 2016. The National Wetland Plant List: 2016 wetland ratings. Phytoneuron 2016-30:1–17
- NRCS (National Resources Conservation Service). 2019a. Web soil survey [online database]. U.S. Department of Agriculture, NRCS, Soil Science Division, Washington D.C. Available at: http://websoilsurvey.nrcs.usda.gov/app/HomePage.htm (accessed on March 4, 2019).
- NRCS (National Resources Conservation Service). 2019b. The PLANTS database [online database]. U.S. Department of Agriculture, NRCS, National Plant Data Team, Greensboro, North Carolina. Available at: http://plants.usda.gov (accessed on March 4, 2019).
- Sheldon, D., T. Hruby, P. Johnson, K. Harper, A. McMillan, T. Granger, S. Stanley, and E. Stockdale. March 2005. Wetlands in Washington State - Volume 1: A Synthesis of the Science. Washington State Department of Ecology. Publication #05-06-006. Olympia, WA. Available at https://fortress.wa.gov/ecy/publications/documents/0506006.pdf (accessed November 15, 2017).
- USFWS (U.S. Fish and Wildlife Service). 1981. National wetlands inventory. U.S. Department of the Interior, Fish and Wildlife Service, Washington, D.C. Available at: http://www.fws.gov/wetlands/Wetlands-Mapper.html.
- WDFW (Washington Department of Fish and Wildlife). 2019a. SalmonScape interactive mapping [online database]. Washington Department of Fish and Wildlife, Olympia, Washington. Available at: http://apps.wdfw.wa.gov/salmonscape/map.html (accessed March 4, 2019).
- WDFW. 2019b. PHS on the web interactive mapping [online database]. Washington Department of Fish and Wildlife Habitat Program, Olympia, Washington. Available at: http://apps.wdfw.wa.gov/phsontheweb/ (accessed March 4, 2019).
- WSDOT (Washington State Department of Transportation). 1997. Construction site erosion and spill control certification course. Document no. M 3008.00. Prepared by David S. Jenkins, Environmental Affairs Office, Water Quality Program, Olympia, Washington.

Appendix A GIS Database Search Results









### U.S. Fish and Wildlife Service **National Wetlands Inventory**

## 92nd Avenue Southeast



#### March 4, 2019

#### Wetlands

- Estuarine and Marine Wetland

Estuarine and Marine Deepwater

Freshwater Forested/Shrub Wetland

Freshwater Emergent Wetland

**Freshwater Pond** 

Lake Other Riverine This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

#### Custom Soil Resource Report Soil Map



	MAP L	EGEND	)	MAP INFORMATION
Area of In	terest (AOI)	33	Spoil Area	The soil surveys that comprise your AOI were mapped at
	Area of Interest (AOI)	۵	Stony Spot	1:24,000.
Soils		0	Very Stony Spot	Warning: Soil Man may not be valid at this scale
	Soil Map Unit Polygons	Ŷ	Wet Spot	Warning. Our wap may not be valid at this scale.
~	Soil Map Unit Lines	۵ ۸	Other	Enlargement of maps beyond the scale of mapping can cause
	Soil Map Unit Points	-	Special Line Features	line placement. The maps do not show the small areas of
Special	Point Features	Water Fea	itures	contrasting soils that could have been shown at a more detailed
o	Biowoul	~	Streams and Canals	Stait.
×	Borrow Pit	Transport	ation	Please rely on the bar scale on each map sheet for map
涎	Clay Spot	+++	Rails	measurements.
$\diamond$	Closed Depression	~	Interstate Highways	Source of Man: Natural Resources Conservation Service
X	Gravel Pit	~	US Routes	Web Soil Survey URL:
0.0	Gravelly Spot	$\sim$	Major Roads	Coordinate System: Web Mercator (EPSG:3857)
0	Landfill	~	Local Roads	Maps from the Web Soil Survey are based on the Web Mercator
A.	Lava Flow	Backgrou	nd	projection, which preserves direction and shape but distorts
عله	Marsh or swamp	No.	Aerial Photography	Albers equal-area conic projection, should be used if more
灾	Mine or Quarry			accurate calculations of distance or area are required.
0	Miscellaneous Water			This product is generated from the USDA-NRCS certified data as
0	Perennial Water			of the version date(s) listed below.
$\sim$	Rock Outcrop			Soil Survey Area: King County Area, Washington
+	Saline Spot			Survey Area Data: Version 14, Sep 10, 2018
**	Sandy Spot			Soil man units are labeled (as space allows) for man scales
-	Severely Eroded Spot			1:50,000 or larger.
0	Sinkhole			Data(c) agrial images were photographed: Aug 31, 2013 Oct 6
à	Slide or Slip			2013
, second s	Sodic Spot			
هن				compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

## **Map Unit Legend**

		-	
Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
AgB	Alderwood gravelly sandy loam, 0 to 8 percent slopes	4.6	34.7%
КрD	Kitsap silt loam, 15 to 30 percent slopes	8.7	65.3%
Totals for Area of Interest		13.4	100.0%

## **Map Unit Descriptions**

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however,

## 92nd Avenue Southeast



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, © OpenStreetMap contributors, and the GIS User Community WDFW



SOURCE DATASET: PHSPlusPublic REPORT DATE: 03/04/2019 12.10 Query ID: P190304120940

Common Name Scientific Name	Site Name Source Dataset Source Record	Priority Area Occurrence Type More Information (URL)	Accuracy	Federal Status State Status PHS Listing Status	Sensitive Data Resolution	Source Entity Geometry Type
Notes	Source Date	Mgmt Recommendations		-		

DISCLAIMER. This report includes information that the Washington Department of Fish and Wildlife (WDFW) maintains in a central computer database. It is not an attempt to provide you with an official agency response as to the impacts of your project on fish and wildlife. This information only documents the location of fish and wildlife resources to the best of our knowledge. It is not a complete inventory and it is important to note that fish and wildlife resources may occur in areas not currently known to WDFW biologists, or in areas for which comprehensive surveys have not been conducted. Site specific surveys are frequently necessary to rule out the presence of priority resources. Locations of fish and wildlife resources are subject to vraition caused by disturbance, changes in season and weather, and other factors. WDFW does not recommend using reports more than six months old.

03/04/2019 12.10

## WDFW Test Map



QTR-TWP

TOWNSHIP

#### March 4, 2019





Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

#### Forest Practices Activity Map--92nd Ave SE



Application #:

Please use the legend from the FPA Instruction or provide a list of symbols used.

Time: 12:11:35 PM Date: 3/4/2019 Scale: 1:12,000 NAD 83

Contour Interval: 40 Feet

## Appendix B Wetland Delineation Data Forms

vestigator(s): <u>CAN</u> SRV undform (hillslope, terrace, etc.): <u>Slope/</u>	Terraces Lo Lat: 47	ection, Township, Ra ocal relief (concave,	State:Sampling Point: inge:SOS,YA,ROSE convex, none):Slope (%): Long:Z, 216389 Datum:
il Map Unit Name: <u>Kitsap 31H</u>	TOA M	Yes No	NWI classification: None
e Vegetation, Soil, or Hydrology	significantly dis	sturbed? Are '	"Normal Circumstances" present? Yes No
UMMARY OF FINDINGS – Attach site	map showing s	ampling point l	ocations, transects, important features, etc.
Hydrophytic Vegetation Present?       Yes         Hydric Soil Present?       Yes         Wetland Hydrology Present?       Yes	No No No	Is the Sampled within a Wetlan	d Area nd? Yes No
Remarks: Slope wetland in Him. Polo Sunny weather	uk berry th	ncket Fi	specially cold, wet Tebru
EGETATION – Use scientific names of	f plants.		
<u>Tree Stratum</u> (Plot size: <u>/ ク'</u> ) 1)	Absolute L	Species? Status	Dominance Test worksneet:         Number of Dominant Species         That Are OBL, FACW, or FAC:
2			Total Number of Dominant / (B)
4	8	Total Cover	Percent of Dominant Species That Are OBL, FACW, or FAC: (A/B)
<u>Sapling/Shrub Stratum</u> (Plot size: <u>78</u> 1. <u>Him</u> Blackberry		VFAC	Prevalence Index worksheet: Total % Cover of:Multiply by:
2 3 4			OBL species         x 1 =           FACW species         x 2 =
5		Total Cover	FAC species         x 3 =           FACU species         x 4 =
Herb Stratum (Plot size:/ (2)) 1			OPL species         x 5 =
2			Prevalence Index = B/A = Hydrophytic Vegetation Indicators:
4 5			1 - Rapid Test for Hydrophytic Vegetation
D 7			4 - Morphological Adaptations <sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)
9			5 - Wetland Non-Vascular Plants <sup>1</sup>
11		Total Cover	<sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
Woody Vine Stratum (Plot size: 10)			Hydrophytic
			Vegetation

.

-----

#### SOIL

0		TD-
Samplii	ng Point:	11

Depth	Matrix		Redox	(Features	s					
inches)	Color (moist)	%	Color (moist)	%	Type'	Loc2	Textu	<u>e</u>	Remark	(S
2-3	7.5 YR 4/2	100					Silty	Nous 1	oan	
3-12	104R 5/2	60	IOYR 510	40	C	M	SIM	1 Abril	loano	
			101010		<u> </u>	<u> /                                   </u>	J. TO	I lay	100111	
							-			
							(a	_		
_		_					-			
					_			-		
vpe: C=Co	ncentration D=De	pletion RM	=Reduced Matrix CS	Covered	or Coate	d Sand C	raine	21 agation:	DI - Doro Lining	Mathatriu
dric Soil I	ndicators: (Appli	able to al	LRRs, unless other	wise note	ed.)	d Danu G	Indi	cators for	Problematic Hy	dric Soils <sup>3</sup>
Histosol	(A1)		Sandy Redox (S	5)				2 cm Muck	(A10)	une cons .
Histic Ep	ipedon (A2)		Stripped Matrix (	S6)				Red Paren	t Material (TF2)	
Black His	stic (A3)		Loamy Mucky M	ineral (F1	) (except	t MLRA 1)		Very Shallo	w Dark Surface	(TF12)
Hydroge	n Sulfide (A4)		Loamy Gleyed M	latrix (F2)	)			Other (Exp	lain in Remarks)	) í
Depleted	Below Dark Surfa	ce (A11)	Depleted Matrix	(F3)						
I hick Da	rk Surface (A12)		Redox Dark Sur	ace (F6)	-		<sup>3</sup> Ind	icators of hy	drophytic veget	ation and
Sandy C	ucky Mineral (S1)		Depleted Dark S	urface (F	7)		v	etland hyd	rology must be p	present,
strictive I	aver (if present).			5115 (F8)		_	1 L	iniess distui	bed or problem	atic.
Type:	-jei (ii present).									
Depth (inc	hes):						Hudele	Soil Brees	12 Van 1/	
		-					riyuric	Soli Presei	itr tes V	NO
marks:	37									
marks: DROLOC	GY rology Indicators									
marks: DROLOC tland Hyd mary Indica	SY rology Indicators ators (minimum of e	one require	d; check all that apply)				<u>s</u>	econdary In	dicators (2 or m	ore required)
marks: DROLOC tland Hyd mary Indica Surface V	SY rology Indicators ators (minimum of a Vater (A1)	one require	d; check all that apply	ed Leave	s (B9) (e:	ĸcept	<u>s</u>	econdary In Water-St	dicators (2 or m ained Leaves (E	ore required) 39) (MLRA 1, 2
DROLOC tland Hyd mary Indica Surface V High Wat	GY rology Indicators ators (minimum of o Vater (A1) er Table (A2)	ne require	d; check all that apply Water-Stain MLRA 1,	ed Leave 2, 4A, ar	s (B9) (e) nd 4B)	ĸcept	<u>s</u>	econdary In Water-St 4A, a	<u>dicators (2 or m</u> ained Leaves (E nd 4B)	<u>ore required)</u> 39) (MLRA 1, 2
marks: DROLOC tland Hyd mary Indica Surface V High Wat Saturation	GY rology Indicators ators (minimum of of Vater (A1) er Table (A2) n (A3) charle (A2)	one require	d; check all that apply)	ed Leave , <b>2, 4A, a</b> r 311)	s (B9) (e) nd 4B)	xcept	<u>s</u>	econdary In Water-St 4A, a Drainage	<u>dicators (2 or m</u> ained Leaves (E nd <b>4B)</b> Patterns (B10)	<u>ore required)</u> 39) (MLRA 1, 2
marks: DROLOC tland Hyd mary Indica Surface V High Wat Saturation Water Ma	GY rology Indicators ators (minimum of e Vater (A1) er Table (A2) n (A3) urks (B1)	ne require	d: check all that apply Water-Stain MLRA 1, Salt Crust (E Aquatic Inve	ed Leave 2, 4A, ar 311) ertebrates	s (B9) (ez nd <b>4B)</b> (B13)	ĸcept	<u>s</u>	econdary In Water-St 4A, a Drainage Dry-Seas	dicators (2 or m ained Leaves (E nd 4B) Patterns (B10) son Water Table	ore required) 39) ( <b>MLRA 1, 2</b> (C2)
marks: DROLOC tland Hyd mary Indic: Surface V High Wat Saturation Water Ma Sediment	GY rology Indicators ators (minimum of o Vater (A1) er Table (A2) n (A3) irks (B1) Deposits (B2)	one require	d: check all that apply Water-Stain MLRA 1, Salt Crust (t Aquatic Inve Hydrogen S	ed Leave , <b>2, 4A, ar</b> 311) ertebrates ulfide Odd	s (B9) (ez nd 4B) (B13) or (C1)	ĸcept	<u>s</u>	econdary In Water-St 4A, ar Drainage Dry-Seas Saturatio	dicators (2 or m ained Leaves (E nd 4B) Patterns (B10) son Water Table n Visible on Aer	ore required) 39) ( <b>MLRA 1, 2</b> (C2) ial Imagery (CS
marks: DROLOC tland Hyd mary Indica Surface V High Wat Saturation Water Ma Sediment Drift Depo	<b>GY</b> rology Indicators ators (minimum of o Vater (A1) er Table (A2) n (A3) rrks (B1) Deposits (B2) osits (B3) or Crust (B4)	ne require	d: check all that apply Water-Stain MLRA 1, Salt Crust (t Aquatic Inve Hydrogen S	ed Leave <b>2, 4A, ar</b> 311) ertebrates ulfide Odd izosphere	s (B9) (e) nd 4B) (B13) or (C1) es along I	kcept		econdary In Water-St 4A, an Drainage Dry-Seas Saturatio Geomorp	dicators (2 or m ained Leaves (E nd 4B) Patterns (B10) son Water Table n Visible on Aer phic Position (D2	<u>ore required)</u> 39) ( <b>MLRA 1, 2</b> (C2) ial Imagery (C3
DROLOC tland Hyd mary Indica Surface V High Wat Saturation Water Ma Sediment Drift Depo Algal Mat Iron Depo	GY rology Indicators ators (minimum of e Vater (A1) er Table (A2) n (A3) rrks (B1) Deposits (B2) posits (B3) or Crust (B4) posits (B5)	one require	d: check all that apply) Water-Stain MLRA 1, Salt Crust (F Aquatic Inve Hydrogen S Oxidized Rh Presence of Recent Ico	ed Leave 2, 4A, ar 311) ertebrates ulfide Odd izosphere Reduced Reduced	s (B9) (e) nd <b>4B)</b> . (B13) or (C1) es along I I Iron (C4 n in Tilles	kcept	ts (C3)	econdary In Water-St 4A, a Drainage Dry-Seas Saturatio Geomorp Shallow /	dicators (2 or m ained Leaves (E nd 4B) Patterns (B10) son Water Table n Visible on Aer phic Position (D2 Aquitard (D3)	ore required) 39) ( <b>MLRA 1, 2</b> (C2) ial Imagery (C9
marks: DROLOC tland Hyd nary Indica Surface V High Wat Saturation Water Ma Sediment Drift Depo Algal Mat Iron Depo Surface S	GY rology Indicators ators (minimum of of Vater (A1) er Table (A2) n (A3) urks (B1) Deposits (B2) posits (B3) or Crust (B4) posits (B5) poil Cracks (B6)	one require	d; check all that apply) Water-Stain MLRA 1, Salt Crust (F Aquatic Inve Hydrogen S Oxidized Rh Presence of Recent Iron	ed Leave <b>2, 4A, ar</b> 311) artebrates ulfide Odd izosphere Reduced Reduction bressed 5	s (B9) (ex nd <b>4B)</b> (B13) or (C1) es along I H Iron (C4 n in Tillec 2)ants (C2	Living Roo ) I Soils (C6		econdary In Water-St 4A, an Drainage Dry-Seas Saturatio Geomorp Shallow / FAC-Neu Pained A	dicators (2 or m ained Leaves (E nd 4B) Patterns (B10) son Water Table n Visible on Aer phic Position (D2 Aquitard (D3) tral Test (D5) pt Mounda (D2)	ore required) 39) ( <b>MLRA 1, 2</b> (C2) ial Imagery (CS 2)
DROLOC tland Hyd mary Indica Surface V High Wat Saturation Water Ma Sediment Drift Depo Algal Mat Iron Depo Surface S Inundation	GY rology Indicators ators (minimum of e Vater (A1) er Table (A2) n (A3) urks (B1) Deposits (B2) osits (B3) or Crust (B4) osits (B5) soil Cracks (B6) n Visible on Aerial	me require	d: check all that apply Water-Stain MLRA 1, Salt Crust (E Aquatic Inve Hydrogen S Oxidized Rh Presence of Recent Iron Stunted or S 7) Other (Evol	ed Leave 2, 4A, ar 311) ertebrates ulfide Odd izosphere Reduced Reduction Stressed F ain in Reg	s (B9) (ez nd 4B) (B13) or (C1) es along I I Iron (C4 n in Tillec Plants (D1 narks)	Living Roo ) I Soils (C6 I) (LRR A)		econdary In Water-St 4A, an Drainage Dry-Seas Saturatio Geomorp Shallow / FAC-Neu Raised A	dicators (2 or m ained Leaves (E nd 4B) Patterns (B10) son Water Table n Visible on Aer phic Position (D2 Aquitard (D3) tral Test (D5) nt Mounds (D6) ave Hummocks	ore required) 39) (MLRA 1, 2 (C2) ial Imagery (C3 2) (LRR A) (D7)
marks: DROLOC tland Hyd mary Indica Surface V High Wat Saturation Water Ma Sediment Drift Depo Algal Mat Iron Depo Surface S Inundation Sparsely	GY rology Indicators ators (minimum of e Vater (A1) er Table (A2) n (A3) rrks (B1) Deposits (B2) osits (B3) or Crust (B4) osits (B5) coil Cracks (B6) n Visible on Aerial Vegetated Concave	me require magery (B'	d: check all that apply Water-Stain MLRA 1, Salt Crust (I Aquatic Inve Aquatic Inve Oxidized Rh Presence of Recent Iron Stunted or S 7) Other (Expla	ed Leave <b>2, 4A, ar</b> 311) artebrates ulfide Odd izosphere Reduced Reduced Reduction Stressed F ain in Rem	s (B9) (ez nd 4B) (B13) or (C1) es along I I Iron (C4 n in Tilleo Plants (D1 narks)	kcept _iving Roo ) I Soils (C6 I) (LRR A)	S	econdary In Water-St 4A, ar Drainage Dry-Seas Saturatio Geomorp Shallow FAC-Neu Raised A Frost-Hea	dicators (2 or m ained Leaves (E nd 4B) Patterns (B10) son Water Table n Visible on Aer ohic Position (D2 Aquitard (D3) itral Test (D5) nt Mounds (D6) ave Hummocks	ore required) 39) ( <b>MLRA 1, 2</b> (C2) ial Imagery (C4 2) ( <b>LRR A</b> ) (D7)
marks: DROLOC tland Hyd mary Indica Surface V High Wat Saturation Water Ma Sediment Drift Depo Algal Mat Iron Depo Surface S Inundation Sparsely d Observa	GY rology Indicators ators (minimum of e Vater (A1) er Table (A2) n (A3) rrks (B1) Deposits (B2) or Crust (B4) soits (B5) soil Cracks (B6) n Visible on Aerial Vegetated Concave ations:	magery (B' Surface (I	d: check all that apply) Water-Stain MLRA 1, Salt Crust (F Aquatic Inve Hydrogen S Oxidized Rh Presence of Recent Iron Stunted or S 7) Other (Explain B8)	ed Leave <b>2, 4A, a</b> 311) ertebrates ulfide Odd izosphere Reduced Reduction Stressed F ain in Rem	s (B9) (en nd 4B) (B13) or (C1) es along I l Iron (C4 n in Tillec Plants (D1 narks)	iving Roo ) I Soils (C6 I) (LRR A)	ts (C3)	econdary In Water-St 4A, a Drainage Dry-Seas Saturatio Geomorp Shallow / FAC-Neu Raised A Frost-Hea	dicators (2 or m ained Leaves (E nd 4B) Patterns (B10) son Water Table n Visible on Aer ohic Position (D2 Aquitard (D3) ttral Test (D5) nt Mounds (D6) ave Hummocks	ore required) 39) ( <b>MLRA 1, 2</b> (C2) ial Imagery (C3 2) ( <b>LRR A</b> ) (D7)
marks: DROLOC tland Hyd mary Indica Surface V High Wat Saturation Water Ma Sediment Drift Depo Algal Mat Iron Depo Surface S Inundation Sparsely Id Observa face Water	GY rology Indicators ators (minimum of of Vater (A1) er Table (A2) n (A3) urks (B1) Deposits (B2) osits (B3) or Crust (B4) osits (B5) soil Cracks (B6) n Visible on Aerial Vegetated Concave ations: Present? Y	magery (B Surface (I es	d; check all that apply) Water-Stain MLRA 1, Salt Crust (F Aquatic Inve Hydrogen S Oxidized Rh Presence of Recent Iron Stunted or S 7) Other (Expla B8)	ed Leave , <b>2, 4A, ar</b> 311) ertebrates ulfide Odd izosphere Reduction Stressed F ain in Rem	s (B9) (ex nd <b>4B)</b> (B13) or (C1) es along I Hron (C4 n in Tillec Plants (D1 narks)	Living Roo ) I Soils (C6 I) (LRR A)	sts (C3)	econdary In Water-St 4A, an Drainage Dry-Seas Saturatio Geomorp Shallow / FAC-Neu Raised A Frost-Hea	dicators (2 or m ained Leaves (E nd 4B) Patterns (B10) son Water Table n Visible on Aer phic Position (D2 Aquitard (D3) tral Test (D5) nt Mounds (D6) ave Hummocks	ore required) 39) ( <b>MLRA 1, 2</b> (C2) ial Imagery (CS 2) ( <b>LRR A</b> ) (D7)
marks: DROLOC tland Hyd mary Indica Surface V High Water Ma Sediment Drift Depo Algal Mat Iron Depo Surface S Inundation Sparsely Id Observa face Water ter Table F	GY rology Indicators ators (minimum of of Vater (A1) er Table (A2) n (A3) urks (B1) Deposits (B2) osits (B3) or Crust (B4) osits (B5) Soil Cracks (B6) n Visible on Aerial 1 Vegetated Concave ations: Present? Yresent? Yresent? Yresent? Yresent? Yresent? Yresent? Yresent? Yresent? Yresent? Yresent?	magery (B <sup>*</sup> s Surface (I es	d: check all that apply Water-Stain MLRA 1, Salt Crust (E Aquatic Inve Hydrogen S Oxidized Rh Presence of Recent Iron Stunted or S 7) Other (Expla B8)	ed Leave <b>2, 4A, ar</b> 311) ertebrates ulfide Odd izosphere Reduced Reduction Stressed F ain in Rem es): es):	s (B9) (ex nd 4B) (B13) or (C1) es along I H Iron (C4 n in Tillec Plants (D1 narks)	Living Roo ) I Soils (C6		econdary In Water-St 4A, an Drainage Dry-Seas Saturatio Geomorp Shallow / FAC-Neu Raised A Frost-Hea	dicators (2 or m ained Leaves (E nd 4B) Patterns (B10) son Water Table n Visible on Aer phic Position (D2 Aquitard (D3) ntral Test (D5) nt Mounds (D6) ave Hummocks	ore required) 39) ( <b>MLRA 1, 2</b> (C2) ial Imagery (CS 2) ( <b>LRR A</b> ) (D7)
DROLOC etiand Hyd mary Indica Surface V High Wate Saturation Water Ma Sediment Drift Depo Algal Mat Iron Depo Surface S Inundation Sparsely Id Observa fface Water ter Table P curation Pre-	GY rology Indicators: ators (minimum of e Vater (A1) er Table (A2) n (A3) urks (B1) Deposits (B2) osits (B3) or Crust (B4) osits (B5) Soil Cracks (B6) n Visible on Aerial Vegetated Concave ations: Present? Y resent? Y sent? Y lary fringe)	magery (B' s Surface (I es I es I	d: check all that apply Water-Stain MLRA 1, Salt Crust (E Aquatic Inve Hydrogen S Oxidized Rh Presence of Recent Iron Stunted or S 7) Other (Expla B8) No Depth (inch No Depth (inch	ed Leave <b>2, 4A, ar</b> 311) ertebrates ulfide Odd izosphere Reduced Reduction Stressed F ain in Rem es): es):	s (B9) (ez nd 4B) (B13) or (C1) es along I I Iron (C4 n in Tillec Plants (D1 narks)	Living Roo ) I Soils (C6 I) (LRR A)	ts (C3)	econdary In Water-St 4A, an Drainage Dry-Seas Saturatio Geomorp Shallow / FAC-Neu Raised A Frost-Hea	dicators (2 or m ained Leaves (E nd 4B) Patterns (B10) son Water Table n Visible on Aer phic Position (D2 Aquitard (D3) ntral Test (D5) nt Mounds (D6) ave Hummocks	ore required) 39) (MLRA 1, 2 (C2) ial Imagery (CS 2) (LRR A) (D7)
PROLOC etland Hyd mary Indica Surface V High Wat Saturation Water Ma Sediment Drift Depo Algal Mat Iron Depo Surface S Inundation Sparsely Id Observa frace Water ter Table P turation Pre cludes capil scribe Reco	GY rology Indicators ators (minimum of of Vater (A1) er Table (A2) n (A3) urks (B1) Deposits (B2) osits (B3) or Crust (B4) osits (B5) soil Cracks (B6) n Visible on Aerial Vegetated Concave ations: Present? Yesent	magery (B' a Surface (I es I es I gauge, mo	d; check all that apply)         Water-Stain         WLRA 1,         Salt Crust (E         Aquatic Inve         Hydrogen S         Oxidized Rh         Presence of         Recent Iron         Stunted or S         Other (Expla         B8)         No       Depth (inch         No       Depth (inch         No       Depth (inch         No       Depth (inch	ed Leave , <b>2, 4A, ar</b> 311) ertebrates ulfide Odd izosphere Reduction Stressed F ain in Rem es): es): otos, prev	s (B9) (ex nd <b>4B</b> ) (B13) or (C1) es along I H Iron (C4 n in Tillec Plants (D1 narks)	Living Roo ) I Soils (C6 I) (LRR A) Wetla pections), i	end Hydro	econdary In Water-St 4A, a Drainage Dry-Seas Saturatio Geomorp Shallow / FAC-Neu Raised A Frost-Hea	dicators (2 or m ained Leaves (E nd 4B) Patterns (B10) son Water Table n Visible on Aer ohic Position (D2 Aquitard (D3) ttral Test (D5) nt Mounds (D6) ave Hummocks	ore required) 39) (MLRA 1, 2 (C2) ial Imagery (CS 2) (LRR A) (D7)
emarks: DROLOC etiand Hyd imary Indica Surface V High Water Saturation Water Ma Sediment Drift Depo Algal Mat Iron Depo Surface S Inundation Sparsely id Observa rface Water ter Table P surface Reco marks:	GY rology Indicators ators (minimum of e Vater (A1) er Table (A2) n (A3) rrks (B1) Deposits (B2) osits (B3) or Crust (B4) osits (B5) coil Cracks (B6) n Visible on Aerial Vegetated Concave ations: Present? Yesent?	magery (B a Surface (I es I es I gauge, mo	d: check all that apply)         Water-Stain         MLRA 1,         Salt Crust (I         Aquatic Inverted         Salt Crust (I         Aquatic Inverted         Aquatic Inverted         Oxidized Rh         Presence of         Recent Iron         Stunted or S         Stunted or S         Other (Explate)         B8)         No       Depth (inch         No       Depth (inch         No       Depth (inch         No       Depth (inch	ed Leave <b>2, 4A, ar</b> 311) ertebrates ulfide Odd izosphere Reduced Reduction Stressed F ain in Rem es):  es):  otos, prev	s (B9) (ez nd 4B) (B13) or (C1) es along I I Iron (C4 n in Tilleo Plants (D1 narks)	kcept _iving Roo ) I Soils (C6 I) (LRR A)   Wettla pections), i	and Hydro	econdary In Water-St 4A, ar Drainage Dry-Seas Saturatio Geomorp Shallow / FAC-Neu Raised A Frost-Hea	dicators (2 or m ained Leaves (E nd 4B) Patterns (B10) son Water Table n Visible on Aer ohic Position (D2 Aquitard (D3) itral Test (D5) nt Mounds (D6) ave Hummocks	ore required) 39) (MLRA 1, 2 (C2) ial Imagery (CS ) (LRR A) (D7) No
marks: DROLOC stland Hyd mary Indica Surface V High Wate Saturation Water Ma Sediment Drift Depo Algal Mate Iron Depo Surface S Inundation Sparsely Id Observa face Water ter Table P uration Pre- ludes capili scribe Reco marks: Surface S	GY rology Indicators ators (minimum of of Vater (A1) er Table (A2) n (A3) rrks (B1) Deposits (B2) posits (B3) or Crust (B4) posits (B5) coil Cracks (B6) n Visible on Aerial Vegetated Concava ations: Present? Yesent? Yesent? Yesent? Secold S With Market Concava Advector of the second secon	magery (B' e Surface (I es I gauge, mo	d: check all that apply)         Water-Stain         MLRA 1,         Salt Crust (F         Aquatic Inve         Hydrogen S         Oxidized Rh         Presence of         Recent Iron         Stunted or S         Other (Expla         B8)         No       Depth (inch	ed Leave <b>2, 4A, ar</b> 311) ertebrates ulfide Odd izosphere Reduced Reduction Stressed F ain in Rem es):  es):  otos, prev	s (B9) (ex nd 4B) (B13) or (C1) es along I l Iron (C4 n in Tillec Plants (D1 narks)	Living Roo ) I Soils (C6 I) (LRR A) Wetla pections), i	ts (C3)	econdary In Water-St 4A, a Drainage Dry-Seas Saturatio Geomorp Shallow / FAC-Neu Raised A Frost-Hea	dicators (2 or m ained Leaves (E nd 4B) Patterns (B10) son Water Table n Visible on Aer ohic Position (D2 Aquitard (D3) ttral Test (D5) nt Mounds (D6) ave Hummocks	Ore required) 39) (MLRA 1, 2 (C2) ial Imagery (C3 (LRR A) (D7) No
marks: DROLOC tiland Hyd mary Indica Surface V High Wat Saturation Water Ma Sediment Drift Depo Algal Mat Iron Depo Surface S Inundation Sparsely Id Observa face Water ter Table P uration Pre- Ludes capil cribe Reco marks: Surface S	GY rology Indicators: ators (minimum of of Vater (A1) er Table (A2) n (A3) urks (B1) Deposits (B2) posits (B3) or Crust (B4) posits (B5) soil Cracks (B6) n Visible on Aerial Vegetated Concave ations: Present? Present? Yesent? Sector Y Sector Y Se	magery (B' a Surface (I es I gauge, mo	d: check all that apply         Water-Stain         WLRA 1,         Salt Crust (E         Aquatic Inve         Hydrogen S         Oxidized Rh         Presence of         Recent Iron         Stunted or S         T)         Depth (inch         No         Depth (inch         No         Depth (inch         Initoring well, aerial ph	ed Leave <b>2, 4A, ar</b> 311) artebrates ulfide Odd izosphere Reduced Reduction Stressed F ain in Rem es):  es):  otos, prev	s (B9) (ex nd <b>4B</b> ) (B13) or (C1) es along I H Iron (C4 n in Tillec Plants (D1 narks)	Living Roo ) I Soils (C6 I) (LRR A)  Wetla pections), i	and Hydro	econdary In Water-St 4A, a Drainage Dry-Seas Saturatio Geomorp Shallow / FAC-Neu Raised A Frost-Hea	dicators (2 or m ained Leaves (E nd 4B) Patterns (B10) son Water Table n Visible on Aer ohic Position (D2 Aquitard (D3) ttral Test (D5) nt Mounds (D6) ave Hummocks	ore required) 39) (MLRA 1, 2 (C2) ial Imagery (CS 2) (LRR A) (D7)

WETLAND DETERMINATION	JN DATA FORM	western wou	Intains, valleys, and Coast Region
roject/Site: Lai Residence	City/	County: Merry	Or Island/14/9 Ampling Date: 3/15/17
policant/Owner: Dexter Lai	=		State: WA Sampling Point: TP 2
vestigator(s): KAM/SRV	Sec	ion Townshin Ra	100 305 T24N, ROSE
andform (hillslope terrace etc.): +eNAC	es loc	al relief (concave	convex none): NOR Slone (%): 15-
ubregion (I BB):	Lat: 47	575534	Long -122, 1,16389 Datum
nil Map Unit Name: Kitsan silt 1	oan		NWI classification: None
re climatic / bydrologic conditions on the site typic	al for this time of year?	Ves No	(If no, explain in Remarks.)
re Vegetation Soil or Hydrology	significantly dist	rbed? Are	"Normal Circumstances" present? Yes No
e Vegetation Soil or Hydrology	oigninounay diete	vatic? (If ne	eeded explain any answers in Remarks )
	natarany problem		
UNIMARY OF FINDINGS - Attach site	map snowing sai	npling point i	locations, transects, important features, etc
Hydrophytic Vegetation Present? Yes	No	Is the Sampled	d Area
Vetland Hydrology Present? Yes	No No	within a Wetla	nd? Yes No
Remarks: E:0 1000 Ft Anton 18	no renacial	11 cold	used Talana
TICIONA RIDIOCO	- equin	y cold, l	wer rebinningo
vansition zone		)	$\mathcal{O}$
EGETATION – Use scientific names of	of plants.		
ree Stratum (Plot size: (0))	Absolute Do	minant Indicator	Dominance Test worksheet:
	<u></u>		Number of Dominant Species
			Species Across All Strata: (B)
· ·			Bereast of Demissont Species
15'		otal Cover	That Are OBL, FACW, or FAC: (A/B)
Sapling/Shrub Stratum (Plot size:	160	FAR	Prevalence Index worksheet:
			Total % Cover of:Multiply by:
			OBL species x 1,=
			FACW species x 2 =
5			
	<u></u> =т	otal Cover	11PL species x 4 =
Herb Stratum (Plot size:)			Column Totals: (A) (B)
3.			Prevalence Index = B/A =
			1 - Rapid Test for Hydrophytic Vegetation
			2 - Dominance Test is >50%
l			3 - Prevalence Index is ≤3.0 <sup>1</sup>
			4 - Morphological Adaptations <sup>1</sup> (Provide supporting
			data in Remarks or on a separate sheet)
l			Problematic Hydrophytic Vegetation <sup>1</sup> (Evplain)
IU.			<sup>1</sup> Indicators of hydric soil and wetland hydrology must
	= Tr	tal Cover	be present, unless disturbed or problematic.
Noody Vine Stratum (Plot size:/0 )			
-			Hydrophytic
			Vegetation Present? Yes No
2	- A		
% Bare Ground in Horb Stratum	= To	tal Cover	
<ol> <li>Bare Ground in Herb Stratum</li> <li>Remarks:</li> </ol>	= To	tal Cover	

#### SOIL

		-1	0.0
Sampling	Point:	11	/
Gumping	1.0000	1 million 100	- Ch

Depth	Matrix		Redo	x Feature	s						
inches)	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>	Textur	e		Remarks	
7-10	104R5/2	85	104R516	15	<u>C</u>	<u>M</u>	51/4	<u>i clay</u>	100	m	
					_		-				
_					_	_					
								21		10.00	A-4.5.
vdric Soil I	ndicators: (Applic	able to al	I LRRs, unless othe	rwise not	ed.)	d Sand G	rains. Indi	cators for	PL=P0	matic Hydric	Soils <sup>3</sup> :
Histosol	(A1)		Sandy Redox (	S5)	,			2 cm Muck	(A10)		
Histic Ep	ipedon (A2)		Stripped Matrix	(S6)				Red Paren	t Materi	al (TF2)	
Black His	stic (A3)		Loamy Mucky	Mineral (F	1) (except	MLRA 1)		Very Shall	ow Dark	Surface (TF	2)
Hydroge	n Sulfide (A4) Below Dark Surfac	ο (Λ11)	Loamy Gleyed	Matrix (F2	:)			Other (Exp	lain in F	Remarks)	
Thick Da	rk Surface (A12)	~ (~ ( )	Redox Dark Su	rface (F6)			<sup>3</sup> Indi	cators of h	vdronhv	rtic vegetation	and
Sandy M	ucky Mineral (S1)		Depleted Dark	Surface (F	7)		W	etland hyd	rology r	nust be prese	nt,
Sandy G	leyed Matrix (S4)		Redox Depress	ions (F8)			u	nless distu	rbed or	problematic.	
strictive L	ayer (if present):					-					
Туре:										/	
Depth (inc	hes):						Hydric	Soil Prese	nt? Y	'es	No
	2										
DROLO(	GY rology Indicators:										
DROLO( etland Hyd imary Indic	GY rology Indicators: ators (minimum of c Water (A1)	one reguire	ed; check all that appl	y)	as (B9) (e	xcept	<u>S</u>	econdary II	ndicator	s (2 or more r	equired)
DROLOG etland Hyd mary Indic Surface V High Wat	GY rology Indicators: ators (minimum of o Water (A1) er Table (A2)	one require	ed; check all that appl	v) ined Leave 1, 2, 4A, a	es (B9) (e and 4B)	xcept	<u>S</u>	econdary In Water-S 4A. a	ndicator tained L nd 4B)	<u>s (2 or more r</u> .eaves (B9) ( <b>1</b>	equired) /ILRA 1, 2
DROLOC mary Indic Surface V High Wat Saturatio	GY rology Indicators: ators (minimum of c Vater (A1) er Table (A2) n (A3)	one require	ed; check all that appl Water-Stai MLRA	v) ined Leave 1, 2, 4A, a (B11)	es (B9) (e ind 4B)	xcept	<u>S</u>	econdary II Water-S 4A, a Drainage	ndicator tained L nd 4B) e Patter	<u>s (2 or more r</u> .eaves (B9) ( <b>f</b> ns (B10)	equired) /ILRA 1, 2
DROLOO tland Hyd mary Indic Surface V High Wat Saturatio Water Ma	GY rology Indicators: ators (minimum of c Water (A1) er Table (A2) n (A3) arks (B1)	one reguire	ed; check all that appl Water-Stai MLRA Salt Crust	y) ined Leave 1, 2, 4A, a (B11) vertebrate:	es (B9) ( <b>e</b> in <b>d 4B)</b> s (B13)	xcept	<u>s</u>	econdary lı Water-S 4A, a Drainagu Dry-Sea	ndicator tained L ind 4B) e Patter son Wa	<u>s (2 or more r</u> .eaves (B9) ( <b>I</b> ns (B10) ter Table (C2)	equired) ILRA 1, 2
DROLOO etland Hyd mary Indic Surface V High Wat Saturatio Water Ma Sedimen	GY rology Indicators: ators (minimum of c Water (A1) er Table (A2) n (A3) arks (B1) t Deposits (B2)	one reguire	ed; check all that appl Water-Stai MLRA Salt Crust Aquatic In Hydrogen	v) ined Leave 1, 2, 4A, a (B11) vertebrates Sulfide Oc	es (B9) (e ind 4B) s (B13) dor (C1)	xcept	<u>S</u>	econdary In Water-S 4A, a Drainag Dry-Sea Saturatio	ndicator tained L nd 4B) e Patter son Wa on Visib	<u>s (2 or more r</u> .eaves (B9) ( <b>1</b> ns (B10) ter Table (C2) le on Aerial In	equired) /ILRA 1, 2 nagery (CS
DROLOG tland Hyd mary Indic Surface V High Wat Saturatio Water Ma Sedimen Drift Dep	GY rology Indicators: ators (minimum of c Vater (A1) er Table (A2) n (A3) arks (B1) t Deposits (B2) posits (B3)	one require	ed; check all that appl Water-Stai MLRA Salt Crust Aquatic Inv Hydrogen Oxidized F	v) ined Leave 1, 2, 4A, a (B11) vertebrate: Sulfide Oc Rhizospher	es (B9) ( <b>e</b> I <b>nd 4B)</b> s (B13) dor (C1) res along	xcept Living Roo		econdary In Water-S 4A, a Drainage Dry-Sea Saturatio Geomor	ndicator tained L nd 4B) e Patter son Wa on Visib phic Po	<u>s (2 or more r</u> eaves (B9) ( <b>I</b> ns (B10) ter Table (C2) le on Aerial In sition (D2)	equired) ALRA 1, 2 hagery (CS
DROLOO tland Hyd Surface V High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat	GY rology Indicators: ators (minimum of c Nater (A1) er Table (A2) n (A3) arks (B1) t Deposits (B2) posits (B3) or Crust (B4)	one require	ed; check all that appl Water-Stai MLRA Salt Crust Aquatic Inv Hydrogen Oxidized F	y) ined Leave 1, 2, 4A, a (B11) vertebrate: Sulfide Oc Rhizospher of Reduce	es (B9) ( <b>e</b> i <b>nd 4B)</b> s (B13) dor (C1) res along d Iron (C4	xcept Living Roo	ots (C3)	econdary II Water-S 4A, a Drainage Dry-Sea Saturatio Geomor Shallow	ndicator tained L nd 4B) e Patter son Wa on Visib phic Po Aquitar	<u>s (2 or more r</u> eaves (B9) ( <b>f</b> ns (B10) ter Table (C2) le on Aerial In sition (D2) d (D3)	equired) /ILRA 1, 2 hagery (C
DROLOO etland Hyd mary Indic Surface V High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depo	GY rology Indicators: ators (minimum of o Water (A1) er Table (A2) n (A3) arks (B1) t Deposits (B2) posits (B3) c or Crust (B4) posits (B5) posits (B5)	one require	ed; check all that appl Water-Stai MLRA Salt Crust Aquatic Inv Hydrogen Oxidized F Presence f Recent Iro	v) ined Leave 1, 2, 4A, a (B11) vertebrates Sulfide Oc Rhizospher of Reduce n Reductio	es (B9) (e ind 4B) s (B13) dor (C1) res along d Iron (C4 on in Tilleo	xcept	ots (C3)	econdary II Water-S 4A, a Drainage Dry-Sea Saturatio Geomor Shallow FAC-Ne	ndicator tained L ind 4B) e Patter son Wa on Visib phic Po Aquitar utral Te	s (2 or more r eaves (B9) ( <b>f</b> ns (B10) ter Table (C2) le on Aerial In sition (D2) d (D3) st (D5)	equired) MLRA 1, 2 hagery (CS
DROLOC atland Hyd mary Indic Surface V High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depo Surface S	GY rology Indicators: ators (minimum of c Water (A1) er Table (A2) n (A3) arks (B1) t Deposits (B2) posits (B3) c or Crust (B4) posits (B5) Soil Cracks (B6) n Visible on Aerial	one require	ad; check all that appl Water-Stai MLRA Salt Crust Aquatic Inv Hydrogen Oxidized F Presence Recent Iro Stunted or	y) ined Leave 1, 2, 4A, a (B11) vertebrate: Sulfide Oc Rhizospher of Reduce n Reductio Stressed	es (B9) (e ind 4B) s (B13) dor (C1) res along d Iron (C4 on in Tilleo Plants (D	xcept Living Roo ) J Soils (C6 1) (LRR A)	ots (C3)	econdary II Water-S 4A, a Drainag Dry-Sea Saturatio Geomor Shallow FAC-Ne Raised A	ndicator tained L nd 4B) e Patter son Wa on Visib phic Po Aquitar utral Te Ant Mou	s (2 or more r eaves (B9) ( <b>f</b> ns (B10) ter Table (C2) le on Aerial In sition (D2) d (D3) st (D5) nds (D6) ( <b>LR</b>	equired) ALRA 1, 2 hagery (CS R A)
DROLOG atland Hyd mary Indic Surface V High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depo Surface S Inundatio Sparsely	<b>GY</b> <b>rology Indicators:</b> <b>ators (minimum of c</b> Water (A1) er Table (A2) n (A3) arks (B1) t Deposits (B2) posits (B3) c or Crust (B4) posits (B5) Soil Cracks (B6) n Visible on Aerial I Vegetated Concave	me require	ed; check all that appl Water-Stai MLRA Salt Crust Aquatic Inv Hydrogen Oxidized F Presence Recent Iro Stunted or Stunted or Other (Exp (88)	y) ined Leave 1, 2, 4A, a (B11) vertebrates Sulfide Oc Rhizospher of Reduce of Reduce on Reductio Stressed	es (B9) ( <b>e</b> ind <b>4B</b> ) s (B13) dor (C1) res along d Iron (C4 on in Tilleo Plants (D marks)	xcept Living Roo ) d Soils (C6 1) (LRR A)	ots (C3)	econdary In Water-S 4A, a Drainage Dry-Sea Saturatio Geomor Shallow FAC-Ne Raised A Frost-He	ndicator tained L nd 4B) e Patter son Wa on Visib phic Po Aquitan utral Te Ant Mou eave Hu	s (2 or more r Leaves (B9) ( <b>I</b> ns (B10) ter Table (C2) le on Aerial In sition (D2) d (D3) st (D5) nds (D6) (L <b>R</b> mmocks (D7)	equired) ALRA 1, 2 hagery (CS R A)
DROLOO etland Hyd mary Indic Surface N High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depo Surface S Inundatio Sparsely Id Observ	GY rology Indicators: ators (minimum of c Water (A1) er Table (A2) n (A3) arks (B1) t Deposits (B2) posits (B3) c or Crust (B4) posits (B5) Soil Cracks (B6) n Visible on Aerial I Vegetated Concave ations:	one require magery (B a Surface (	ed; check all that appl Water-Stai MLRA Salt Crust Aquatic Inv Hydrogen Oxidized F Presence Recent Iro Stunted or Other (Exp (B8)	y) ined Leave 1, 2, 4A, a (B11) vertebrate: Sulfide Oc Rhizospher of Reduce n Reduction Stressed plain in Ref	es (B9) ( <b>e</b> ind <b>4B</b> ) s (B13) dor (C1) res along d Iron (C4 on in Tilleo Plants (D marks)	xcept Living Roo ) d Soils (C6 1) (LRR A)		econdary II Water-S 4A, a Drainage Dry-Sea Saturatio Geomor Shallow FAC-Ne Raised / Frost-He	ndicator tained L nd 4B) e Patter son Visib phic Po Aquitar utral Te Ant Mou eave Hu	<u>s (2 or more r</u> .eaves (B9) ( <b>f</b> ns (B10) ter Table (C2) le on Aerial In sition (D2) d (D3) st (D5) nds (D6) ( <b>LR</b> mmocks (D7)	equired) ALRA 1, 2 hagery (CS R A)
DROLOC etland Hyd mary Indic Surface V High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depo Surface S Inundatio Sparsely Id Observ	GY rology Indicators: ators (minimum of o Water (A1) er Table (A2) n (A3) arks (B1) t Deposits (B2) osits (B3) c or Crust (B4) osits (B5) Soil Cracks (B6) n Visible on Aerial I Vegetated Concave ations: r Present? Y	one require magery (B a Surface (	ad; check all that appl Water-Stal MLRA Salt Crust Aquatic Im Hydrogen Oxidized F Presence Recent Iro Stunted or Other (Exp (B8) No Depth (inc	y) ined Leave 1, 2, 4A, a (B11) vertebrate: Sulfide Oc Rhizospher of Reduce n Reductio Stressed olain in Re	es (B9) (e ind 4B) s (B13) dor (C1) res along d Iron (C4 on in Tilleo Plants (D marks)	xcept Living Roo ) J Soils (C6 1) (LRR A)	ots (C3)	econdary In Water-S 4A, a Drainage Dry-Sea Saturatio Geomor Shallow FAC-Ne Raised / Frost-He	ndicator tained L nd 4B) e Patter son Wa on Visib phic Po Aquitar utral Te Ant Mou eave Hu	s (2 or more r eaves (B9) ( <b>I</b> ns (B10) ter Table (C2) le on Aerial In sition (D2) d (D3) st (D5) nds (D6) (LR mmocks (D7)	equired) MLRA 1, 2 hagery (CS R A)
DROLOC atland Hyd mary Indic Surface V High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depo Surface S Inundatio Sparsely Id Observ rface Wate	GY rology Indicators: ators (minimum of of Water (A1) er Table (A2) n (A3) arks (B1) t Deposits (B2) posits (B3) c or Crust (B4) posits (B5) Soil Cracks (B6) n Visible on Aerial I Vegetated Concave ations: r Present? Y	one require	ad; check all that appl Water-Stal MLRA Salt Crust Aquatic Inv Hydrogen Oxidized F Presence Recent Iro Stunted or Other (Exp (B8) No No Depth (inc No Depth (inc	y) ined Leave 1, 2, 4A, a (B11) vertebrate: Sulfide Oc Rhizospher of Reduce n Reductio Stressed olain in Re ches); ches);	es (B9) (e ind 4B) s (B13) dor (C1) res along d Iron (C4 on in Tilled Plants (D marks)	xcept Living Roo ) d Soils (C6 1) (LRR A)	ots (C3)	econdary II Water-S 4A, a Drainage Dry-Sea Saturatio Geomor Shallow FAC-Ne Raised A Frost-He	ndicator tained L nd 4B) e Patter son Wa on Visib phic Po Aquitan utral Te Ant Mou eave Hu	s (2 or more r eaves (B9) ( <b>I</b> ns (B10) ter Table (C2) le on Aerial In sition (D2) d (D3) st (D5) nds (D6) ( <b>LR</b> mmocks (D7)	equired) ALRA 1, 2 hagery (CS R A)
DROLOG etland Hyd imary Indic Surface V High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Dep Surface S Inundatio Sparsely Ind Observ rface Wate ater Table F turation Pre	GY rology Indicators: ators (minimum of c Water (A1) er Table (A2) n (A3) arks (B1) t Deposits (B2) posits (B3) c or Crust (B4) posits (B5) Soil Cracks (B6) n Visible on Aerial I Vegetated Concave ations: r Present? Y esent? Y	Imagery (B Surface ( res es es	ad; check all that appl         Water-Stai         MLRA         Salt Crust         Aquatic Inv         Hydrogen         Oxidized F         Presence 0         Recent Iro         Stunted or         Other (Exp         (B8)         No       Depth (inc         No       Depth (inc	y) ined Leave 1, 2, 4A, a (B11) vertebrate: Sulfide Oc Rhizospher of Reduce n Reductio Stressed plain in Rei ches); ches); ches);	es (B9) ( <b>e</b> and <b>4B</b> ) s (B13) dor (C1) res along d Iron (C4 on in Tilleo Plants (D marks)	xcept	ots (C3)	econdary In Water-S 4A, a Drainage Dry-Sea Saturatio Geomor Shallow FAC-Ne Raised / Frost-He	ndicator tained L nd 4B) e Patter son Wa on Visib phic Po Aquitar utral Te Ant Mou eave Hu	<u>s (2 or more r</u> eaves (B9) ( <b>I</b> ns (B10) ter Table (C2) le on Aerial In sition (D2) d (D3) st (D5) nds (D6) (LR mmocks (D7)	equired) ALRA 1, 2 hagery (CS R A)
DROLOC etland Hyd imary Indic Surface V High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depo Surface S Inundatio Sparsely Id Observ rface Wate ater Table F turation Pre scribe Rec	GY rology Indicators : ators (minimum of c Water (A1) er Table (A2) n (A3) arks (B1) t Deposits (B2) posits (B3) c or Crust (B4) posits (B5) Soil Cracks (B6) n Visible on Aerial I Vegetated Concave ations: r Present? Y Present? Y Sent? Y Sent? Y Sonded Data (stream	magery (B a Surface ( es es gauge, m		y) ined Leave 1, 2, 4A, a (B11) vertebrate: Sulfide Oc Rhizospher of Reduce n Reductio Stressed olain in Rei ches): ches): ches):	es (B9) (e ind 4B) s (B13) dor (C1) res along d Iron (C4 on in Tilled Plants (D marks)	xcept Living Roo ) d Soils (C6 1) (LRR A)  Wetla pections),	ots (C3)	econdary II Water-S 4A, a Drainag Dry-Sea Saturatio Geomor Shallow FAC-Ne Raised A Frost-He	ndicator tained L nd 4B) e Patter son Wa on Visib phic Po Aquitan utral Te Ant Mou eave Hu	s (2 or more r eaves (B9) ( <b>I</b> ns (B10) ter Table (C2) le on Aerial In sition (D2) d (D3) st (D5) nds (D6) ( <b>LR</b> mmocks (D7)	equired) ALRA 1, 2 hagery (CS R A)
DROLOC etland Hyd imary Indic Surface V High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depo Surface S Inundatio Sparsely Id Observ rface Wate ater Table F turation Pro cludes capi scribe Rec	GY rology Indicators: ators (minimum of c Water (A1) er Table (A2) n (A3) arks (B1) t Deposits (B2) posits (B3) a or Crust (B4) posits (B5) Soil Cracks (B6) n Visible on Aerial I Vegetated Concave ations: r Present? Y Persent? Y esent? Y lary fringe) orded Data (stream	one require	ad; check all that appl         Water-Stai         MLRA         Salt Crust         Aquatic Inv         Hydrogen         Oxidized F         Presence Recent Iro         Stunted or         Stunted or         Other (Exp         No       Depth (inc         No       Depth (inc         No       Depth (inc         No       Depth (inc	y) ined Leave 1, 2, 4A, a (B11) vertebrates Sulfide Oc Rhizospher of Reduce n Reductio Stressed olain in Re- ches): ches): ches):	es (B9) ( <b>e</b> ind <b>4B</b> ) s (B13) dor (C1) res along d Iron (C4 on in Tilled Plants (D marks)	xcept	ots (C3)	econdary In Water-S 4A, a Drainage Dry-Sea Saturatio Geomor Shallow FAC-Ne Raised / Frost-He	ndicator tained L nd 4B) e Patter son Wa on Visib phic Po Aquitan utral Te Ant Mou eave Hu	s (2 or more r Leaves (B9) ( <b>I</b> ns (B10) ter Table (C2) le on Aerial In sition (D2) d (D3) st (D5) nds (D6) (LR mmocks (D7)	equired) ALRA 1, 2 hagery (CS R A)
DROLOG atland Hyd mary Indic Surface V High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depo Surface S Inundatio Sparsely Id Observ rface Wate ater Table F turation Pre- cludes capi scribe Rec marks: N	GY rology Indicators: ators (minimum of o Water (A1) er Table (A2) n (A3) arks (B1) t Deposits (B2) posits (B3) c or Crust (B4) posits (B5) Soil Cracks (B6) n Visible on Aerial I Vegetated Concave ations: r Present? Y Present? Y esent? Y llary fringe) orded Data (stream	Imagery (B a Surface ( res gauge, m hyd vo	Aquatic Inv Hydrogen Oxidized F Presence Recent Iro Stunted or Other (Exp (B8) No No Depth (inc No Depth (inc No N	y) ined Leave 1, 2, 4A, a (B11) vertebrate: Sulfide Oc Rhizospher of Reduce n Reductio Stressed plain in Rei ches): ches): ches): ches):	es (B9) (e and 4B) s (B13) dor (C1) res along d Iron (C4 on in Tilleo Plants (D marks) evious ins	xcept	and Hydro	econdary In Water-S 4A, a Drainage Dry-Sea Saturatio Geomor Shallow FAC-Ne Raised / Frost-He	adicator tained L nd 4B) e Patter son Wa on Visib phic Po Aquitar utral Te Ant Mou eave Hu	s (2 or more r eaves (B9) (I ns (B10) ter Table (C2) le on Aerial In sition (D2) d (D3) st (D5) nds (D6) (LR mmocks (D7)	equired) ALRA 1, 2 hagery (CS R A)
DROLOG Itland Hyd mary Indic Surface N High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depo Surface S Inundatio Sparsely Id Observ face Wate ter Table F uration Pre- ludes capi scribe Rec marks: NO	GY rology Indicators: ators (minimum of of Water (A1) er Table (A2) n (A3) arks (B1) t Deposits (B2) posits (B3) c or Crust (B4) posits (B5) Soil Cracks (B6) n Visible on Aerial I Vegetated Concave ations: r Present? Y Present? Y Present? Y Present? Y Dost (Served)	magery (B e Surface ( es gauge, m	ad; check all that appl Water-Stai MLRA Salt Crust Aquatic Im Hydrogen Oxidized F Presence Recent Iro Stunted or Other (Exp (B8) No No Depth (ind No Depth (ind No No Depth (ind No No Depth (ind No No Depth (ind No No No No No No No No No No No No No	y) ined Leave 1, 2, 4A, a (B11) vertebrate: Sulfide Oc Rhizospher of Reduce n Reductio Stressed olain in Rei ches): ches): ches): photos, pre	es (B9) (e ind 4B) s (B13) dor (C1) res along d Iron (C4 on in Tilled Plants (D marks)	xcept Living Roo ) d Soils (C6 1) (LRR A)  Weth pections),	ots (C3)	econdary II Water-S 4A, a Drainag Dry-Sea Saturatio Geomor Shallow FAC-Ne Raised A Frost-He	ndicator tained L nd 4B) e Patter son Wa on Visib phic Po Aquitar utral Te Ant Mou eave Hu	s (2 or more r eaves (B9) ( <b>I</b> ns (B10) ter Table (C2) le on Aerial In sition (D2) d (D3) st (D5) nds (D6) (LR mmocks (D7)	equired) ALRA 1, 2 hagery (Ct R A)

City/C	County: City of	Mercer Island Sampling Date: 3/15/19
0	-0	ALL LALA 2 P-3
Q#		State: VVH Sampling Point: //
Section	on, Township, Rai	nge 305 TZ4N, ROSE
	al relief (concave, d	convex none): None Slope (%): 15 -C
Lat: 47.9	535534	Long: -172.216389 Datum:
	0,00	NIAI classification: NAAR
this time of year?	Voo No	
unis unie or year?		
_ significantly distur	rbed? Are	Normai Circumstances present? Yes No
_ naturally problem	atic? (If ne	eded, explain any answers in Remarks.)
p showing san	npling point le	ocations, transects, important features, etc.
No	Is the Sampled	Area
No	within a Wetlan	nd? Yes No
	ally al	al to bound
an especi	ding co	a, wet rebinary
ants.		U
Absolute Dor	minant Indicator	Dominance Test worksheet:
WOT	All Status	Number of Dominant Species
	- ica	
		Total Number of Dominant
= To	otal Cover	Percent of Dominant Species 0070 (A/B)
1200	~ n.	Prevalence Index worksheet:
	$PHO$	Total % Cover of: Multiply by:
		OBL species x 1 =
		FACW species x 2 =
		FAC species $100$ x 3 = $300$
107) = To	otal Cover	FACU species $20$ x4 = $460$
		UPL species $(x = 0)$
		Column Lotals: $\underline{AUC}$ (A) $\underline{IUC}$ (B)
		Prevalence Index = B/A =
		Hydrophytic Vegetation Indicators:
		1 - Rapid Test for Hydrophytic Vegetation
		2 - Dominance Test is >50%
		4 - Morphological Adaptations <sup>1</sup> /Provide supporting
		data in Remarks or on a separate sheet)
		5 - Wetland Non-Vascular Plants
		Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)
		<sup>1</sup> Indicators of hydric soil and wetland hydrology must
= To:	tal Cover	be present, unless disturbed of problematic.
		Hydrophytic Vegetation
	tal Cover	Present? Yes No
	this time of year? $^{\circ}_{-}$ significantly distu _ naturally problem <b>p showing sar</b> No No No $^{\circ}_{-}$ Or $^{\circ}_{-}$ Or $^{\circ}_{-}$ Or $^{\circ}_{-}$ Or $^{\circ}_{-}$ ants. Absolute Don $\frac{?}{Cover}$ Spe $\frac{?}{COV}$ Or $^{\circ}_{-}$ $\frac{?}{COV}$ Or $^{\circ}_{-}$ $\frac{?}{COV}$ Or $^{\circ}_{-}$ $\frac{?}{COV}$ Or $^{\circ}_{-}$ $\frac{?}{COV}$ Or $^{\circ}_{-}$ $\frac{?}{COV}$ $=$ To	this time of year? Yes No Are '' Is the sampled within a Wetlar No Is the Sampled within a Wetlar Mo Is the Sampled within a Wetlar Mo

#### SOIL

Sampling Point:	TP-3
Sampling Point:	<u>TP-3</u>

INCOLUMN A	Redox Features	
(inches) Color (moist) %	Color (moist)%Type <sup>1</sup> Loc <sup>2</sup>	Texture Remarks
1-12 104R4/2 100		loam wil groupe
	· · · · · · · · · · · · · · · · · · ·	·
Type: C=Concentration D=Depletion E	M-Reduced Metrix, CS-Coursed or Control Sand C	2 Providence Di Deve L'alter di Marti
vdric Soil Indicators: (Applicable to	all LRRs, unless otherwise noted )	Indicators for Problematic Hydric Soils <sup>3</sup>
Histosol (A1)	Sandy Redox (S5)	2 cm Muck (A10)
Histic Epipedon (A2)	Stripped Matrix (S6)	Red Parent Material (TE2)
Black Histic (A3)	Loamy Mucky Mineral (F1) (except MLRA 1)	Very Shallow Dark Surface (TF12)
Hydrogen Sulfide (A4)	Loamy Gleyed Matrix (F2)	Other (Explain in Remarks)
Depleted Below Dark Surface (A11)	Depleted Matrix (F3)	
Thick Dark Surface (A12)	Redox Dark Surface (F6)	<sup>3</sup> Indicators of hydrophytic vegetation and
Sandy Mucky Mineral (S1)	Depleted Dark Surface (F7)	wetland hydrology must be present,
estrictive Laver (if present):	Redox Depressions (F8)	Unless disturbed or problematic.
Type		
Depth (inches):		
merke		
Vetland Hydrology Indicators:		
mary Indicators (minimum of one requi	red; check all that apply)	Secondary Indicators (2 or more required)
imary Indicators (minimum of one requi	red; check all that apply)	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2)
imary Indicators (minimum of one requi Surface Water (A1) High Water Table (A2)	Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B)	Secondary Indicators (2 or more required) Uater-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B)
Imary Indicators (minimum of one requi Surface Water (A1) High Water Table (A2) Saturation (A3)	Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B) Salt Crust (B11)	Secondary Indicators (2 or more required) Uater-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10)
imary Indicators (minimum of one requi Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1)	Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B) Salt Crust (B11) Aquatic Invertebrates (B13)	Secondary Indicators (2 or more required) Uater-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2)
imary Indicators (minimum of one requi Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2)	Tred: check all that apply) Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1)	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9)
imary Indicators (minimum of one requi Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3)	red: check all that apply) Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living Roo	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9 ts (C3) Geomorphic Position (D2)
imary Indicators (minimum of one requi Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4)	red: check all that apply) Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living Roo Presence of Reduced Iron (C4)	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9 ts (C3) Geomorphic Position (D2) Shallow Aquitard (D3)
Imary Indicators (minimum of one requi Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Surface Seil (Create (D6)	red: check all that apply) Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living Roo Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled Soils (C6)	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9 ts (C3) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5)
Imary Indicators (minimum of one requi         Surface Water (A1)         High Water Table (A2)         Saturation (A3)         Water Marks (B1)         Sediment Deposits (B2)         Drift Deposits (B3)         Algal Mat or Crust (B4)         Iron Deposits (B5)         Surface Soil Cracks (B6)         Insurface Soil Cracks (B6)	red: check all that apply)         Water-Stained Leaves (B9) (except         MLRA 1, 2, 4A, and 4B)         Salt Crust (B11)         Aquatic Invertebrates (B13)         Hydrogen Sulfide Odor (C1)         Oxidized Rhizospheres along Living Roo         Presence of Reduced Iron (C4)         Recent Iron Reduction in Tilled Soils (C6)         Stunted or Stressed Plants (D1) (LRR A)         (P7)	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9 Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A)
imary Indicators (minimum of one requi Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Surface Soil Cracks (B6) Inundation Visible on Aerial Imagery ( Sparsely Venetated Concerve Surface	red: check all that apply)         Water-Stained Leaves (B9) (except         MLRA 1, 2, 4A, and 4B)         Salt Crust (B11)         Aquatic Invertebrates (B13)         Hydrogen Sulfide Odor (C1)         Oxidized Rhizospheres along Living Roo         Presence of Reduced Iron (C4)         Recent Iron Reduction in Tilled Soils (C6)         Stunted or Stressed Plants (D1) (LRR A)         (B7)         Other (Explain in Remarks)	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9 (C3) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7)
Imary Indicators (minimum of one requirement)         Surface Water (A1)         High Water Table (A2)         Saturation (A3)         Water Marks (B1)         Sediment Deposits (B2)         Drift Deposits (B3)         Algal Mat or Crust (B4)         Iron Deposits (B5)         Surface Soil Cracks (B6)         Inundation Visible on Aerial Imagery         Sparsely Vegetated Concave Surface         Eld Observations:	red: check all that apply)         Water-Stained Leaves (B9) (except         MLRA 1, 2, 4A, and 4B)         Salt Crust (B11)         Aquatic Invertebrates (B13)         Hydrogen Sulfide Odor (C1)         Oxidized Rhizospheres along Living Roo         Presence of Reduced Iron (C4)         Recent Iron Reduction in Tilled Soils (C6)         Stunted or Stressed Plants (D1) (LRR A)         Other (Explain in Remarks)         e (B8)	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) ts (C3) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7)
Imary Indicators (minimum of one required)         Surface Water (A1)         High Water Table (A2)         Saturation (A3)         Water Marks (B1)         Sediment Deposits (B2)         Drift Deposits (B3)         Algal Mat or Crust (B4)         Iron Deposits (B5)         Surface Soil Cracks (B6)         Inundation Visible on Aerial Imagery of Sparsely Vegetated Concave Surface         eld Observations:         urface Water Present?	(B7) Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living Roo Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled Soils (C6 Stunted or Stressed Plants (D1) (LRR A) Other (Explain in Remarks) e (B8)	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) (C3) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7)
Immary Indicators (minimum of one requirement)         Surface Water (A1)         High Water Table (A2)         Saturation (A3)         Water Marks (B1)         Sediment Deposits (B2)         Drift Deposits (B3)         Algal Mat or Crust (B4)         Iron Deposits (B5)         Surface Soil Cracks (B6)         Inundation Visible on Aerial Imagery         Sparsely Vegetated Concave Surface         eld Observations:         urface Water Present?         Yes	red: check all that apply)         Water-Stained Leaves (B9) (except         MLRA 1, 2, 4A, and 4B)         Salt Crust (B11)         Aquatic Invertebrates (B13)         Hydrogen Sulfide Odor (C1)         Oxidized Rhizospheres along Living Roo         Presence of Reduced Iron (C4)         Recent Iron Reduction in Tilled Soils (C6)         Stunted or Stressed Plants (D1) (LRR A)         Other (Explain in Remarks)         e (B8)	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9 Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7)
Immary Indicators (minimum of one required)         Surface Water (A1)         High Water Table (A2)         Saturation (A3)         Water Marks (B1)         Sediment Deposits (B2)         Drift Deposits (B3)         Algal Mat or Crust (B4)         Iron Deposits (B5)         Surface Soil Cracks (B6)         Inundation Visible on Aerial Imagery         Sparsely Vegetated Concave Surface         eld Observations:         urface Water Present?         Yes         ater Table Present?         Yes	red: check all that apply)         Water-Stained Leaves (B9) (except         MLRA 1, 2, 4A, and 4B)         Salt Crust (B11)         Aquatic Invertebrates (B13)         Hydrogen Sulfide Odor (C1)         Oxidized Rhizospheres along Living Roo         Presence of Reduced Iron (C4)         Recent Iron Reduction in Tilled Soils (C6)         Stunted or Stressed Plants (D1) (LRR A)         Other (Explain in Remarks)         e (B8)	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9 Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7)
Immary Indicators (minimum of one requirement)         Surface Water (A1)         High Water Table (A2)         Saturation (A3)         Water Marks (B1)         Sediment Deposits (B2)         Drift Deposits (B3)         Algal Mat or Crust (B4)         Iron Deposits (B5)         Surface Soil Cracks (B6)         Inundation Visible on Aerial Imagery         Sparsely Vegetated Concave Surface         eld Observations:         urface Water Present?         Yes         ater Table Present?         Yes         aturation Present?         Yes         aturation Present?         Yes	red: check all that apply)         Water-Stained Leaves (B9) (except         MLRA 1, 2, 4A, and 4B)         Salt Crust (B11)         Aquatic Invertebrates (B13)         Hydrogen Sulfide Odor (C1)         Oxidized Rhizospheres along Living Roo         Presence of Reduced Iron (C4)         Recent Iron Reduction in Tilled Soils (C6)         Stunted or Stressed Plants (D1) (LRR A)         Other (Explain in Remarks)         e (B8)         No       Depth (inches):         No       Depth (inches):         Wetlat	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9 Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7)
Imary Indicators (minimum of one required)         Surface Water (A1)         High Water Table (A2)         Saturation (A3)         Water Marks (B1)         Sediment Deposits (B2)         Drift Deposits (B3)         Algal Mat or Crust (B4)         Iron Deposits (B5)         Surface Soil Cracks (B6)         Inundation Visible on Aerial Imagery of Sparsely Vegetated Concave Surface         eld Observations:         urface Water Present?         Yes         ater Table Present?         Yes         aturation Present?         Yes         aturation Present?         Yes         acturation Present?         Yes         Saturation Present?         Yes <t< td=""><td>red: check all that apply)         Water-Stained Leaves (B9) (except         MLRA 1, 2, 4A, and 4B)         Salt Crust (B11)         Aquatic Invertebrates (B13)         Hydrogen Sulfide Odor (C1)         Oxidized Rhizospheres along Living Roo         Presence of Reduced Iron (C4)         Recent Iron Reduction in Tilled Soils (C6         Stunted or Stressed Plants (D1) (LRR A)         Other (Explain in Remarks)         e (B8)         No       Depth (inches):         No       Depth (inches):         No       Depth (inches):         No       Depth (inches):         Wetla</td><td>Secondary Indicators (2 or more required)     Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B)     Drainage Patterns (B10)     Dry-Season Water Table (C2)     Saturation Visible on Aerial Imagery (C9     Geomorphic Position (D2)     Shallow Aquitard (D3)     FAC-Neutral Test (D5)     Raised Ant Mounds (D6) (LRR A)     Frost-Heave Hummocks (D7)</td></t<>	red: check all that apply)         Water-Stained Leaves (B9) (except         MLRA 1, 2, 4A, and 4B)         Salt Crust (B11)         Aquatic Invertebrates (B13)         Hydrogen Sulfide Odor (C1)         Oxidized Rhizospheres along Living Roo         Presence of Reduced Iron (C4)         Recent Iron Reduction in Tilled Soils (C6         Stunted or Stressed Plants (D1) (LRR A)         Other (Explain in Remarks)         e (B8)         No       Depth (inches):         No       Depth (inches):         No       Depth (inches):         No       Depth (inches):         Wetla	Secondary Indicators (2 or more required)     Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B)     Drainage Patterns (B10)     Dry-Season Water Table (C2)     Saturation Visible on Aerial Imagery (C9     Geomorphic Position (D2)     Shallow Aquitard (D3)     FAC-Neutral Test (D5)     Raised Ant Mounds (D6) (LRR A)     Frost-Heave Hummocks (D7)
Imary Indicators (minimum of one required)         Surface Water (A1)         High Water Table (A2)         Saturation (A3)         Water Marks (B1)         Sediment Deposits (B2)         Drift Deposits (B3)         Algal Mat or Crust (B4)         Iron Deposits (B5)         Surface Soil Cracks (B6)         Inundation Visible on Aerial Imagery (Sparsely Vegetated Concave Surface         eld Observations:         urface Water Present?         Yes         aturation Present?         Yes         aturation Present?         Yes         acturation Present?         Yes         Secribe Recorded Data (stream gauge, Interview)	red: check all that apply)         Water-Stained Leaves (B9) (except         MLRA 1, 2, 4A, and 4B)         Salt Crust (B11)         Aquatic Invertebrates (B13)         Hydrogen Sulfide Odor (C1)         Oxidized Rhizospheres along Living Roo         Presence of Reduced Iron (C4)         Recent Iron Reduction in Tilled Soils (C6         Stunted or Stressed Plants (D1) (LRR A)         Other (Explain in Remarks)         e (B8)         No       Depth (inches):         Wetlamonitoring well, aerial photos, previous inspections), it	Secondary Indicators (2 or more required)     Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B)     Drainage Patterns (B10)     Dry-Season Water Table (C2)     Saturation Visible on Aerial Imagery (C9     Geomorphic Position (D2)     Shallow Aquitard (D3)     FAC-Neutral Test (D5)     Raised Ant Mounds (D6) (LRR A)     Frost-Heave Hummocks (D7)
Imary Indicators (minimum of one required)         Surface Water (A1)         High Water Table (A2)         Saturation (A3)         Water Marks (B1)         Sediment Deposits (B2)         Drift Deposits (B3)         Algal Mat or Crust (B4)         Iron Deposits (B5)         Surface Soil Cracks (B6)         Inundation Visible on Aerial Imagery (Saturation Visible on Aerial Imagery (Sat	Image: check all that apply)         Water-Stained Leaves (B9) (except         MLRA 1, 2, 4A, and 4B)         Salt Crust (B11)         Aquatic Invertebrates (B13)         Hydrogen Sulfide Odor (C1)         Oxidized Rhizospheres along Living Roo         Presence of Reduced Iron (C4)         Recent Iron Reduction in Tilled Soils (C6)         Stunted or Stressed Plants (D1) (LRR A)         Other (Explain in Remarks)         e (B8)         No       Depth (inches):         No       Depth (inches):         Wetlat         monitoring well, aerial photos, previous inspections), it	Secondary Indicators (2 or more required)     Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B)     Drainage Patterns (B10)     Dry-Season Water Table (C2)     Saturation Visible on Aerial Imagery (C9     Geomorphic Position (D2)     Shallow Aquitard (D3)     FAC-Neutral Test (D5)     Raised Ant Mounds (D6) (LRR A)     Frost-Heave Hummocks (D7)
Imary Indicators (minimum of one required)         Surface Water (A1)         High Water Table (A2)         Saturation (A3)         Water Marks (B1)         Sediment Deposits (B2)         Drift Deposits (B3)         Algal Mat or Crust (B4)         Iron Deposits (B5)         Surface Soil Cracks (B6)         Inundation Visible on Aerial Imagery of Sparsely Vegetated Concave Surface         eld Observations:         urface Water Present?         Yes         ater Table Present?         Yes         aturation Present?         Yes         actions Recorded Data (stream gauge, new processing and stream gauge and st	Image: check all that apply)         Water-Stained Leaves (B9) (except         MLRA 1, 2, 4A, and 4B)         Salt Crust (B11)         Aquatic Invertebrates (B13)         Hydrogen Sulfide Odor (C1)         Oxidized Rhizospheres along Living Roo         Presence of Reduced Iron (C4)         Recent Iron Reduction in Tilled Soils (C6)         Stunted or Stressed Plants (D1) (LRR A)         Other (Explain in Remarks)         e (B8)         No       Depth (inches):         Wetlamonitoring well, aerial photos, previous inspections), it	Secondary Indicators (2 or more required)     Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B)     Drainage Patterns (B10)     Dry-Season Water Table (C2)     Saturation Visible on Aerial Imagery (C9     Saturation Visible on Aerial Imagery
Imary Indicators (minimum of one required)         Surface Water (A1)         High Water Table (A2)         Saturation (A3)         Water Marks (B1)         Sediment Deposits (B2)         Drift Deposits (B3)         Algal Mat or Crust (B4)         Iron Deposits (B5)         Surface Soil Cracks (B6)         Inundation Visible on Aerial Imagery (Sparsely Vegetated Concave Surface)         eld Observations:         urface Water Present?         Yes         ater Table Present?         Yes         cludes capillary fringe)         escribe Recorded Data (stream gauge, nemarks:	Image: check all that apply)         Water-Stained Leaves (B9) (except         MLRA 1, 2, 4A, and 4B)         Salt Crust (B11)         Aquatic Invertebrates (B13)         Hydrogen Sulfide Odor (C1)         Oxidized Rhizospheres along Living Roo         Presence of Reduced Iron (C4)         Recent Iron Reduction in Tilled Soils (C6         Stunted or Stressed Plants (D1) (LRR A)         Other (Explain in Remarks)         e (B8)         No       Depth (inches):         Wetla	Secondary Indicators (2 or more required)     Water-Stained Leaves (B9) (MLRA 1, 2     4A, and 4B)     Drainage Patterns (B10)     Dry-Season Water Table (C2)     Saturation Visible on Aerial Imagery (C8     Geomorphic Position (D2)     Shallow Aquitard (D3)     FAC-Neutral Test (D5)     Raised Ant Mounds (D6) (LRR A)     Frost-Heave Hummocks (D7)  and Hydrology Present? Yes No if available:
Imary Indicators (minimum of one required)         Surface Water (A1)         High Water Table (A2)         Saturation (A3)         Water Marks (B1)         Sediment Deposits (B2)         Drift Deposits (B3)         Algal Mat or Crust (B4)         Iron Deposits (B5)         Surface Soil Cracks (B6)         Inundation Visible on Aerial Imagery (Sparsely Vegetated Concave Surface Surface Water Present?         Yes         indication Present?         Yes         aturation Present?         Yes         active Recorded Data (stream gauge, marks)	red: check all that apply)         Water-Stained Leaves (B9) (except         MLRA 1, 2, 4A, and 4B)         Salt Crust (B11)         Aquatic Invertebrates (B13)         Hydrogen Sulfide Odor (C1)         Oxidized Rhizospheres along Living Roo         Presence of Reduced Iron (C4)         Recent Iron Reduction in Tilled Soils (C6         Stunted or Stressed Plants (D1) (LRR A)         Other (Explain in Remarks)         e (B8)         No       Depth (inches):         No       Depth (inches):         No       Depth (inches):         Wetlamonitoring well, aerial photos, previous inspections), i	Secondary Indicators (2 or more required)     Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B)     Drainage Patterns (B10)     Dry-Season Water Table (C2)     Saturation Visible on Aerial Imagery (C9     Geomorphic Position (D2)     Shallow Aquitard (D3)     FAC-Neutral Test (D5)     Raised Ant Mounds (D6) (LRR A)     Frost-Heave Hummocks (D7)  and Hydrology Present? Yes No if available:

# Appendix C Wetland Rating Forms

Wetland name or number A

WETLAND RATING FORM - WESTERN WASHINGTON Version 2 - Updated July 2006 to increase accuracy and reproducibility among users Updated Oct 2008 with the new WDFW definitions for priority habitats Name of wetland (if known): <u>Wetland A</u> Date of site visit: <u>3/15/19</u> Rated by <u>SUZANNE Vieira, WPT</u> Frained by Ecology? Yes No Date of training <u>10/2018</u> SEC: <u>30</u> TWNSHP: <u>24NRNGE</u>: <u>05E</u> Is S/T/R in Appendix D? Yes No  $\times$ Map of wetland unit: Figure  $\underline{\mathcal{I}}$  Estimated size  $\underline{856.5}$  ff<sup>2</sup> SUMMARY OF RATING Category based on FUNCTIONS, provided by wetland <u>і п ш iv</u>Д Score for Water Quality Functions Category I = Score  $\geq$ =70 Score for Hydrologic Functions Category II = Score 51-690 Category III = Score 30-50 Score for Habitat Functions Category IV = Score < 30**TOTAL score for Functions** Category based on SPECIAL CHARACTERISTICS of wetland I \_\_\_\_ II \_\_\_\_ Does not Apply X Final Category (choose the "highest" category from above) Summary of basic information about the wetland unit Wetland Unit has Special Wetland HGM Class Characteristics used for Rating **Depressional** Estuarine Natural Heritage Wetland Riverine Lake-fringe Bog Mature Forest Slope **Old Growth Forest** Flats **Freshwater Tidal Coastal Lagoon** Interdunal None of the above Check if unit has multiple HGM classes present

1

Wetland Rating Form – western Washington version 2 To be used with Ecology Publication 04-06-025 August 2004

#### Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered <b>animal or plant</b> species (T/E species)?		
For the purposes of this rating system, "documented" means the wetland is on the appropriate state or federal database.		
<ul> <li>SP2. Has the wetland unit been documented as habitat for any State listed</li> <li>Threatened or Endangered animal species?</li> <li>For the purposes of this rating system, "documented" means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).</li> </ul>		
SP3. Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?		
SP4. Does the wetland unit have a local significance in addition to its functions? For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		4

#### To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. This simplifies the questions needed to answer how well the wetland functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Wetland name or number \_\_\_\_\_\_A

#### **Classification of Wetland Units in Western Washington**

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1. Are the water levels in the entire unit usually controlled by tides (i.e. except during floods)?NO - go to 2YES - the wetland class is Tidal Fringe

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe NO – Saltwater Tidal Fringe (Estuarine)** 

If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term "Estuarine" wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).

- **2.** The entire wetland unit is flat and precipitation is the only source (>90%) of water to it.
  - Groundwater and surface water runoff are NOT sources of water to the unit.

NO – go to 3 YES – The wetland class is Flats

If your wetland can be classified as a "Flats" wetland, use the form for **Depressional** wetlands.

- 3. Does the entire wetland unit **meet both** of the following criteria?
  - The vegetated part of the wetland is on the shores of a body of permanent open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;

YES – The wetland class is Lake-fringe (Lacustrine Fringe)

- At least 30% of the open water area is deeper than 6.6 ft (2 m)?
- NO\_go to 4
- 4. Does the entire wetland unit meet all of the following criteria?
  - The wetland is on a slope (slope can be very gradual),
  - The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
  - The water leaves the wetland without being impounded?
    - NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than 1 foot deep).

NO - go to 5 **YES** – The wetland class is Slope

Wetland name or number A

5. Does the entire wetland unit meet all of the following criteria?

\_\_\_\_ The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river

flooding from that stream or river

\_\_\_\_ The overbank flooding occurs at least once every two years.

*NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.* 

NO - go to 6 **YES** – The wetland class is **Riverine** 

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.* 

NO – go to 7 **YES** – The wetland class is **Depressional** 

- 7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.
  - NO go to 8 **YES** The wetland class is **Depressional**

**8**. Your wetland unit seems to be difficult to classify and probably contains several different HGM clases. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM Classes within the wetland unit being rated	HGM Class to Use in Rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater	Treat as ESTUARINE under
wetland	wetlands with special
	characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or if you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

Wetland name or number \_\_\_\_\_\_A

<ul> <li>S S 1. Does</li> <li>S S 1.1 Ch Slope i Slope i Slope i Slope i</li> <li>S S 1.2 Th defin</li> <li>S S 1.3 Ch Choo wetla cover Dens Dens</li> </ul>	the wetland unit have the <u>potential</u> to improve water of haracteristics of average slope of unit: s1% or less (a 1% slope has a 1 foot vertical drop in elevation for zontal distance) s1% - 2% s2% - 5% s greater than 5% Tes = 3 points VES = 3 p	for every 100 ft points = 3 points = 2 points = 1 points = 0 nic (use NRCS ts and pollutants: egetation in the urface (>75%	(see p.64)
<ul> <li>S 1.1 Ch Slope i hori Slope i Slope i</li> <li>S 1.2 Th defin</li> <li>S 1.3 Ch Choo wetla cover Dens Dens</li> </ul>	haracteristics of average slope of unit: s1% or less (a 1% slope has a 1 foot vertical drop in elevation for zontal distance) s1% - 2% s2% - 5% s greater than 5% the soil 2 inches below the surface (or duff layer) is clay or organizations) XES = 3  points XES =	for every 100 ft points = 3 points = 2 points = 1 points = 0 nic (use NRCS ts and pollutants: egetation in the urface (>75%	0 Figure <u>1</u>
S S 1.2 Th defin S S 1.3 Ch Choo wetla cover Dens Dens	the soil 2 inches below the surface (or duff layer) is clay or organizations) VES = 3 points aracteristics of the vegetation in the wetland that trap sediments se the points appropriate for the description that best fits the vec and. Dense vegetation means you have trouble seeing the soil surfly, and uncut means not grazed or mowed and plants are higher	ts and pollutants: egetation in the urface (>75%)	) Figure <u>1</u>
S S 1.3 Ch Choo wetla cover Dens Dens	naracteristics of the vegetation in the wetland that trap sediment se the points appropriate for the description that best fits the ve nd. Dense vegetation means you have trouble seeing the soil su (), and uncut means not grazed or mowed and plants are higher	ts and pollutants: egetation in the urface (>75%	Figure <u>1</u>
Dens Dens Does	e, uncut, herbaceous vegetation > 90% of the wetland area e, uncut, herbaceous vegetation > 1/2 of area e, woody, vegetation > ½ of area e, uncut, herbaceous vegetation > 1/4 of area not meet any of the criteria above for vegetation Aerial photo or map with vegetation	than 6 inches. points = 6 points = 3 points = 2 points = 1 points = 0 polygons	2
S To	Add the points in the	he boxes above	2
S S 2. Does Answ comi groun provi sourc	<b>the wetland unit have the <u>opportunity</u> to improve wat</b> yer YES if you know or believe there are pollutants in groundwang into the wetland that would otherwise reduce water quality in adwater downgradient from the wetland. Note which of the followide the sources of pollutants. A unit may have pollutants coming the source of pollutants. A unit may have pollutants coming the source would qualify as opportunity.	ter quality? ater or surface water n streams, lakes or owing conditions g from several	(see p.67)
	<ul> <li>Untreated stormwater discharges to wetland</li> <li>Tilled fields, logging, or orchards within 150 feet of wetland</li> <li>Residential, urban areas, or golf courses are within 150 ft ups</li> <li>Other</li> <li>YES multiplier is 2 NO multiplier is 1</li> </ul>	slope of wetland	multiplier
S	TOTAL - Water Quality Functions Multiply the sco Add sco	ore from S1 by S2 ore to table on p. 1	4

S	Slope Wetlands HYDROLOGIC FUNCTIONS - Indicators that the wetland unit functions to reduce flooding and stream erosion	Points (only 1 score per box)
	S 3. Does the wetland unit have the <u>potential</u> to reduce flooding and stream erosion?	(see p.68)
S	S 3.1 Characteristics of vegetation that reduce the velocity of surface flows during storms. Choose the points appropriate for the description that best fit conditions in the wetland. (stems of plants should be thick enough (usually > 1/8in), or dense enough, to remain erect during surface flows) Dense, uncut, rigid vegetation covers > 90% of the area of the wetland. Dense, uncut, rigid vegetation > 1/2 area of wetland Dense, uncut, rigid vegetation > 1/4 area Dense, uncut, rigid vegetation > 1/4 area Dense, uncut, rigid vegetation > 1/4 area Doints = 0          S 3.2 Characteristics of slope wetland that holds back small amounts of flood flows: The slope wetland has small surface depressions that can retain water over at least	6
	$10\% \text{ of its area.} \qquad \qquad \text{YES} \qquad \text{points} = 2 \\ \text{NO} \qquad \text{points} = 0 \\ \text{Points} = 0 \\ \text{NO} \qquad \text{points} = 0 \\ \text{Points} = 0 \\ \text{NO} \qquad \text{points} = 0 \\ \text{Points} $	0
S	Add the points in the boxes above	(0
S	<ul> <li>S 4. Does the wetland have the <u>opportunity</u> to reduce flooding and erosion? Is the wetland in a landscape position where the reduction in water velocity it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows? <i>Note which of the following conditions apply.</i></li> <li>Wetland has surface runoff that drains to a river or stream that has flooding problems.</li> </ul>	(see p. 70)
	— Other	multiplier
	(Answer NO if the major source of water is controlled by a reservoir (e.g. wetland is a seep that is on the downstream side of a dam) YES multiplier is 2 NO multiplier is 1	1
S	<b>TOTAL</b> - Hydrologic Functions Multiply the score from S 3 by S 4 Add score to table on p. 1	6

Comments

nese questions apply to wetlands of all ABITAT FUNCTIONS - Indicators that unit f	HGM classes. Functions to provide important	habitat	Points (only 1 score per box)
1. Does the wetland unit have the potential	to provide habitat for many	species?	
1.1 Vegetation structure (see p. 72) Check the types of vegetation classes present (as a class is ¼ acre or more than 10% of the area iy Aquatic bed Emergent plants Scrub/shrub (areas where shrubs have > Forested (areas where trees have >30% If the unit has a forested class check if: The forested class has 3 out of 5 strata moss/ground-cover) that each cover Add the number of vegetation structures that qual	defined by Cowardin)- Size thresh f unit is smaller than 2.5 acres. >30% cover) o cover) (canopy, sub-canopy, shrubs, he c20% within the forested polygon ify. If you have:	hold for each rbaceous, n	Figure <u>1</u>
Map of Cowardin vegetation classes	4 structures or more 3 structures 2 structures 1 structure	points = 4 $points = 2$ $points = 1$ $points = 0$	
Check the types of water regimes (hydroperio regime has to cover more than 10% of the weth descriptions of hydroperiods) Permanently flooded or inundated Seasonally flooded or inundated Saturated only Permanently flowing stream or river in, Seasonally flowing stream in, or adjacer Lake-fringe wetland = 2 points Freshwater tidal wetland = 2 points	ds) present within the wetland. The and or <sup>1</sup> / <sub>4</sub> acre to count. (see text of a dor more types present 3 types present 2 types present 1 type present 1 type present or adjacent to, the wetland to, the wetland Map of hydr	The water for points = 3 points = 2 point = 1 points = 0 points = 0	/
1.3. <u>Richness of Plant Species</u> (see p. 75) Count the number of plant species in the weth of the same species can be combined to meet to You do not have to name the species. Do not include Eurasian Milfoil, reed can If you counted List species below if you want to: Himalayan blackberg Dword fern Rod alder	and that cover at least 10 ft <sup>2</sup> . ( <i>difter the size threshold</i> ) arygrass, purple loosestrife, Canter > 19 species 5 - 19 species 5 species	ferent patches nadian Thistle points = 2 points = 1 points = 0	0

Wetland name or number A



Buffers (see n. 80)	Figure 7
Disc the description that best represents condition of buffer of wetland unit. The highest scoring rion that applies to the wetland is to be used in the rating. See text for definition of listurbed."         100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No structures are within the undisturbed part of buffer. (relatively undisturbed also means no-grazing, no landscaping, no daily human use)       Points = 5         100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference.       Points = 4         50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference.       Points = 4         100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference.       Points = 4         50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >25% circumference, .       Points = 3         50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >25% circumference.       Points = 3         50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference.       Points = 3         50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference.       Points = 3         50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference.       Points = 3         60 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference.       Points = 1	1
2.2 <u>Corridors and Connections (see p. 81)</u> H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? ( <i>dams in riparian corridors, heavily used gravel</i> roads, paved roads, are considered breaks in the corridor). YES = 4 points (go to H 2.3) H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above? YES = 2 points (go to H 2.3) H 2.2.3 Is the wetland: within 5 mi (8km) of a brackish or salt water estuary OR within 3 mi of a large field or pasture (>40 acres) OR within 1 mi of a lake greater than 20 acres? YES = 1 points	1

Wetland Rating Form – western Washington15version 2Updated with new WDFW definitions Oct. 2008

H 2.3 Near or adjacent to other priority habitats listed by WDFW (see new and complete	
descriptions of WDFW priority habitats, and the counties in which they can be found, in	
the PHS report http://wdfw.wa.gov/hab/phslist.htm )	
Which of the following priority habitats are within 330ft (100m) of the wetland unit? NOTE: the	
connections do not have to be relatively undisturbed.	
Aspen Stands: Pure or mixed stands of aspen greater than 0.4 ha (1 acre).	
Biodiversity Areas and Corridors: Areas of habitat that are relatively important to various	
species of native fish and wildlife ( <i>full descriptions in WDFW PHS report p. 152</i> ).	
Herbaceous Balds: Variable size patches of grass and forbs on shallow soils over bedrock.	
Old-growth/Mature forests: (Old-growth west of Cascade crest) Stands of at least 2 tree	
species, forming a multi-layered canopy with occasional small openings; with at least 20	
trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. (Mature forests) Stands	
with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less that 100%;	
crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of	
large downed material is generally less than that found in old-growth; 80 - 200 years old	
west of the Cascade crest.	
Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where	
canopy coverage of the oak component is important ( <i>full descriptions in WDFW PHS</i> report p. 158)	
<b>Rinarian</b> : The area adjacent to aquatic systems with flowing water that contains elements of	
both aquatic and terrestrial ecosystems which mutually influence each other.	
Westside Prairies: Herbaceous, non-forested plant communities that can either take the	
form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161).	4.4.1
Instream: The combination of physical, biological, and chemical processes and conditions	$\cap$
that interact to provide functional life history requirements for instream fish and wildlife resources.	0
<b>Nearshore:</b> Relatively undisturbed nearshore habitats. These include Coastal Nearshore,	
Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the	
definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in	
Appendix A).	
<b>Caves:</b> A naturally occurring cavity, recess, void, or system of interconnected passages under	
the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.	
<b>Cliffs:</b> Greater than 7.6 m (25 ft) high and occurring below 5000 ft.	
<b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft),	
composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine	
<b>Spage and Loge:</b> Trees are considered spage if they are dead or dying and ayhibit sufficient	
decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a	
decay characteristics to chable cavity excavation use by whether, information shares have a diameter at breast height of $> 51$ cm (20 in) in western Washington and are $> 2$ m (6.5 ff) in	
height Priority logs are $> 30$ cm (12 in) in diameter at the largest end and $> 6$ m (20 ff)	
If we that has 3 or more priority habitats = 4 points	
If we land has 2 priority habitats = 3 points	
If wetland has 1 priority habitat = 1 points No habitats = 0 points	
Note: All vegetated wetlands are by definition a priority habitat but are not included in this	
list. Nearby wetlands are addressed in question H 2.4)	

Wetland Rating Form – western Washington16version 2Updated with new WDFW definitions Oct. 2008

.

Wetland name or number

H 2.4 Wetland Landscape (choose the one description of the landscape around the wetland that best fits) (see p. 84) There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development. points = 5 The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5 There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3 The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile There is at least 1 wetland within ½ mile. There are no wetlands within ½ mile.	0
H 2. TOTAL Score - opportunity for providing habitat Add the scores from H2.1,H2.2, H2.3, H2.4	2
TOTAL for H 1 from page 14	
<b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1	3

#### **CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

## Please determine if the wetland meets the attributes described below and circle the appropriate answers and Category.

Wetland Type	Category		
Check off any criteria that apply to the wetland. Circle the Category when the			
appropriate criteria are met.			
SC 1.0 Estuarine wetlands <i>(see p. 86)</i>			
Does the wetland unit meet the following criteria for Estuarine wetlands?			
— The dominant water regime is tidal,			
— Vegetated, and			
$ With a salinity greater than 0.5 ppt. YES = Go to SC 1.1 NO \$			
SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151?	Cat. I		
YES = Category I NO go to SC 1.2			
SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the	Cat I		
following three conditions? $YES = Category I$ NO = Category II			
- The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native Sparting spin, are the only species that cover	Cat. II		
more than 10% of the wetland, then the wetland should be given a dual	Dual		
rating (I/II). The area of Spartina would be rated a Category II while the	rating		
relatively undisturbed upper marsh with native species would be a	I/II		
Category I. Do not, however, exclude the area of Spartina in	1/11		
$\Delta t \log t^3$ of the londword edge of the wetland has a 100 $\oplus$ huffer of			
- At least 74 of the fandward edge of the wetland has a 100 ft buffer of shrub, forest, or up-grazed or up-mowed grassland			
depressions with open water, or contiguous freshwater wetlands.			

SC 2.0 Natural Heritage Wetlands (see p. 87)         Natural Heritage wetlands have been identified by the Washington Natural Heritage         Program/DNR as either high quality undisturbed wetlands or wetlands that support         state Threatened, Endangered, or Sensitive plant species.         SC 2.1 Is the wetland unit being rated in a Section/Township/Range that contains a Natural Heritage wetland? (this question is used to screen out most sites before you need to contact WNHP/DNR)         S/T/R information from Appendix D or accessed from WNHP/DNR web site YES contact WNHP/DNR (see p. 79) and go to SC 2.2         SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species? YES = Category I	Cat. I
SC 3.0 Bogs (see p. 87) Does the wetland unit (or any part of the unit) meet both the criteria for soils and vegetation in bogs? Use the key below to identify if the wetland is a bog. If you answer yes you will still need to rate the wetland based on its functions.	
<ol> <li>Does the unit have organic soil horizons (i.e. layers of organic soil), either peats or mucks, that compose 16 inches or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils)? Yes - go to Q. 3</li> </ol>	
2. Does the unit have organic soils, either peats or mucks that are less than 16 inches deep over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on a lake or pond?	
<ul> <li>3. Does the unit have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the "bog" species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists of species in Table 3)?</li> </ul>	
Yes – Is a bog for purpose of rating No - go to Q. 4 NOTE: If you are uncertain about the extent of mosses in the understory you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16" deep. If the pH is less than 5.0 and the "bog" plant species in Table 3 are present, the wetland is a bog.	
<ol> <li>Is the unit forested (&gt; 30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann's spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (&gt; 30% coverage of the total shrub/herbaceous cover)?</li> </ol>	
2. YES = Category I No Is not a bog for purpose of rating	Cat. I

<ul> <li>SC 4.0 Forested Wetlands (see p. 90)</li> <li>Does the wetland unit have at least 1 acre of forest that meet one of these criteria for the Department of Fish and Wildlife's forests as priority habitats? If you answer yes you will still need to rate the wetland based on its functions.</li> <li>Old-growth forests: (west of Cascade crest) Stands of at least two tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/acre (20 trees/hectare) that are at least 200 years of age OR have a diameter at breast height (dbh) of 32 inches (81 cm) or more.</li> </ul>	
NOTE: The criterion for dbh is based on measurements for upland forests. Two-hundred year old trees in wetlands will often have a smaller dbh because their growth rates are often slower. The DFW criterion is and "OR" so old-growth forests do not necessarily have to have trees of this diameter.	
— Mature forests: (west of the Cascade Crest) Stands where the largest trees are 80 – 200 years old OR have average diameters (dbh) exceeding 21 inches (53cm); crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth.	
$YES = Category I \qquad NO \bigwedge not a forested wetland with special characteristics$	Cat. I
<ul> <li>SC 5.0 Wetlands in Coastal Lagoons (see p. 91)</li> <li>Does the wetland meet all of the following criteria of a wetland in a coastal lagoon? <ul> <li>The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks</li> <li>The lagoon in which the wetland is located contains surface water that is saline or brackish (&gt; 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom)</li> <li>YES = Go to SC 5.1</li> </ul> </li> </ul>	
<ul> <li>SC 5.1 Does the wetland meets all of the following three conditions?</li> <li>The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of invasive plant species (see list of invasive species on p. 74).</li> <li>At least ¾ of the landward edge of the wetland has a 100 ft buffer of</li> </ul>	
shrub, forest, or un-grazed or un-mowed grassland. — The wetland is larger than 1/10 acre (4350 square feet) YES = Category I NO = Category II	Cat. I Cat. II



unal Wetlands <i>(see p. 93)</i>	C 6.0 Interdunal Wetlands <i>(see p.</i> 1
unit west of the 1889 line (also called the Western Boundary of Upland	the wetland unit west of the 1889 lir
WBUO)?	wnership or WBUO)?
- go to SC 6.1 NO $\chi$ not an interdunal wetland for rating	YES - go to SC 6.1
u answer yes you will still need to rate the wetland based on its	If you answer yes you will s
tions.	functions.
ms that means the following geographic areas:	practical terms that means the follow
each Peninsula- lands west of SR 103	Long Beach Peninsula- lands w
nd-Westport- lands west of SR 105	Grayland-Westport- lands west
Shores-Copalis- lands west of SR 115 and SR 109	Ocean Shores-Copalis- lands w
the wetland one acre or larger, or is it in a mosaic of wetlands that is are or larger?	SC 6.1 Is the wetland one acre or lonce acre or larger?
$YES = Category II \qquad NO - go to SC 6.2 \qquad Cat. II$	YES = Category II
the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is en 0.1 and 1 acre?	SC 6.2 Is the unit between 0.1 and between 0.1 and 1 acre?
YES = Category III Cat. III	YES = Category II
wetland based on Special Characteristics highest" rating if welland falls into several categories, and record on	Category of wetland based on Spec Choose the "highest" rating if wetlan p. 1.
highest" rating if wetland falls into several categories, and record on red NO for all types enter "Not Applicable" on p.1	Category of wetland based on Spec Choose the "highest" rating if wetlan p. 1. If you answered NO for all types enter







# Appendix D Site Photographs





Photo 1—Steep slope to north of stream channel.





Photo 2—Steep slope to west of stream channel. This slope is the location of Wetland A. Note the dense Himalayan blackberry cover.



Photo 3—View of the headwaters of the off-site portion of the stream channel, facing east-northeast.





Photo 4—Wetland A, looking upslope and westward. Red arrows indicate the location of test plots (TP) and wetland boundary flags.





Photo 5—OHWM flags OHLB0 and OHHRB0. This image shows the headwaters of the stream channel where the wetland outlets, looking northwest.



Photo 6—Non-hydric soils at TP-2.





Photo 7—Location of TP-1 on blackberry-covered steep slope to north of stream headwaters.





Photo 8—Delineated OHWM, facing east. Red arrows show location of visible pin flags.





Photo 9—Delineated OHWM, facing east. Red arrows indicate the location of visible pin flags.



Photo 10—Delineated OHWM, facing west. Red arrows show location of visible pin flags.





Photo 11—Driveway to 7511 92nd Avenue Southeast. The stream channel is conveyed under this driveway by a culvert.



Photo 12—Delineated OHWM below the driveway, facing north. Red arrows show location of pin flags.





Photo 13—Stream channel below the extent of delineation, facing southeast.

