

From: [Robert London](#)
To: [Evan Maxim](#)
Cc: [Peter Anderson](#); [Gordon Ahalt](#); [Rick Duchaine](#); vduchaine@comcast.net; [Rob Graham](#); [Robin Samms](#); [Dave Anderson](#); [Alisa London](#)
Subject: Re: City of Mercer Island public records request 18-446; RUE CAO15-001 Bill Summers
Date: Sunday, June 24, 2018 5:31:20 PM

Dear Mr. Maxim,

I have read in detail the report from Mr. Sewell of 3/8/2018 purporting that the mitigation of stormwater drainage as satisfying the Army Corps of Engineers, including offsite "mitigation" will "fully mitigate the proposed impacts on the site." In the report, it clearly states that there will be 6041 Sq Ft of impervious surface added to the property. The drainage running into a stormwater vault is the routed directly into the watercourse of our property. This is the exact watercourse into which the City of Mercer Island is expressly prohibited to add water volumes to, as per their settlement of the lawsuit of 1984 Sullivan v City of Mercer Island. There is no proposal that reduces the impact downstream as it directly affects our property, the properties of the Samms and the Grahams, and the fishery zones of Lake Washington. Purchasing credits in some reserves program does NOT mitigate the impact on us, and the City previously agreed to not allow further waters to be routed to this watercourse.

Those of us impacted already by the excessive flows, increased since placement of the bike lane, are indeed impacted by the additional drainage from the impervious area of the proposed building. While it may seem small in their description, our normal rainfall would result in an additional 146.9 thousand gallons routed into the watercourse! (based on 231 cu inches per gallon x 6041 Sq feet x 39 inches of rainfall/year). This is certainly not trivial, nor in the spirit of the settlement.

We implore you to take appropriate action to protect the rights of the people affected by this proposed construction.

Dr. Robert M. London
5632 E Mercer Way
Mercer Island, WA 98040
206-232-8955
206-232-8965 fax
206-579-0880 Bob Mobile
londonimplant@gmail.com

On Jun 22, 2018, at 8:23 PM, anderson9200@comcast.net wrote:

From: City of Mercer Island Public Records <prrr@mercergov.org>
Sent: Friday, June 22, 2018 8:54 AM
To: anderson9200@comcast.net
Subject: [External Message Added] City of Mercer Island public records request 18-446

-- Write ABOVE THIS LINE to post a message that will be sent to staff. --

City of Mercer Island Public Records

A message was sent to you regarding record request #18-446:

Mr. Anderson,

A first installment of records is ready for you in response to your public records request 18-466. Pursuant to RCW 42.56.520, the City requires an additional twenty (20) business days to respond to your request for emails in order to locate and assemble the information requested, to notify third persons or agencies affected by the request (if necessary), and to determine whether any of the information requested is exempt.

Sincerely, **Mary Swan, Public Records Officer/Paralegal**
206.275.7651

[View Request #18-446](#)

Trouble with the request button? Copy the URL below into your web browser:

<http://mercerisland.nextrequest.com/requests/18-446>

Questions about your request? Reply to this email or sign in to contact staff at City of Mercer Island.

Technical support: See our [help page](#).

Powered by [NextRequest](#)