

**THRUFLOW™**  
*Premium Decking System*


The best decking solution for

**DOCKS, DECKS,  
PATIOS, WALKWAYS.**

Virtually any outdoor application




[www.thruflow.com](http://www.thruflow.com)



ThruFlow™ is a premium decking panel designed for easy assembly that requires no maintenance. It's ideal for walkways, docks, or any outdoor flooring structure.


## APPLICATIONS

DOCKS



The ThruFlow™ interlocking decking system is ideal for docks, due to its water resistance and anti-slip surface. ThruFlow's™ sunlight and water penetration helps keep vegetation alive, minimizing the effects on the environment.

DECKS



WALKWAYS



ThruFlow™ panels are UV resistant and therefore keep your deck looking new for many more years than other building materials. ThruFlow™ is resistant to rot and insects, and absolutely no treating is required.

ThruFlow™ panels allow debris to pass through your walking surface, keeping your walkway clean. Its non-slip strength and durability are enough to take the punishment of any high-traffic walkway.

For more information please visit us online at



## ADVANTAGES

The ThruFlow™ decking system offers a number of advantages over traditional decking. ThruFlow™ is a **STRONG, DURABLE** and **LIGHTWEIGHT** application for patios, decks, walkways, and docks.

- **NO** Maintenance
- UV and Static Electricity **PROTECTION**
- **SUPERIOR** Load Bearing Capability
- 360 Degree **NON-SLIP** Surface
- Available in **3, 4** and **5** foot lengths
- Pre-Drilled and Countersunk for **EASY** Installation
- **ALLOWS** Sunlight, Water and Debris Through
- Helps **MINIMIZE** Storm Surge and Wave Effects
- Stays **COOL** Even in the Hot Summer Sun
- **ACOE** Approved
- **ADA** Compliant




*ThruFlow's™ design minimizes storm damage from wind and surge effects, as well as helps to protect marine life by allowing light to penetrate walkways.*



# PRODUCT DATA

Material	Reinforced Polypropylene (ThruFlow™ is lightweight in comparison to other building materials)
Size	1' x 3', 1' x 4', 1' x 5' and 4' x 4'
Load	Exceeds commercial construction requirements
Colours	Light Grey, SeaFoam and Maple
Ultraviolet Protection	Industry leading UV protection
Lightweight	On a per sq. ft. basis ThruFlow™ is 70% lighter than other decking products
Open Design	Unparalleled light penetration and surge protection.
Safety	360° engineered non-slip surface
Substructure	3' panel - 18" centers 4' panel - 16" centers 5' panel - 15" centers
ThruFlow™ Warranty	Limited Warranty



(For comprehensive test results and specifications visit [www.thruflow.com](http://www.thruflow.com))

## THRUFLOW™ Premium Decking System

700 Gillard Street  
Wallaceburg, Ontario, Canada N8A 4Z5  
Toll Free: 1-88-THRUFLOW (1-888-478-3569)  
Facsimile: (519) 627-7428  
Email: [sales@thruflow.com](mailto:sales@thruflow.com)

LIKE US ON ...



FOLLOW US ON ...

