## ORDINANCE NO. 17C-15

AN ORDINANCE OF THE CITY OF MERCER ISLAND AMENDING MERCER ISLAND CITY CODE TITLES 8, 17, AND 19 MICC ON RESIDENTIAL DEVELOPMENT STANDARDS; PERMITTING CORRECTION OF SCRIVENER'S ERRORS DURING CODIFICATION; AUTHORIZING ISSUANCE OF INTERPRETATIONS AND RULES TO ADMINISTER THE AMENDED CODE; PROVIDING FOR SEVERABILITY, AND ESTABLISHING AN EFFECTIVE DATE.

WHEREAS, the Mercer Island City Code (MICC) establishes development regulations that are intended to result in the implementation of the Mercer Island Comprehensive Plan pursuant to RCW 36.70A.040; and,

WHEREAS, the Mercer Island City Council determined that amendments to the development regulations were necessary to ensure that residential development was occurring consistent with the provisions of the Mercer Island Comprehensive Plan; and,

WHEREAS, the Mercer Island City Council directed the Planning Commission to review the residential development standards and provide a recommendation to the City Council; and,

WHEREAS, the Mercer Island Planning Commission engaged in a thorough review of the residential development standards, hosted three community meetings, held public hearings on April 5, 2017 and June 12, 2017, reviewed myriad written comments from the public, and held 14 public meetings to consider amendments to the residential development standards; and,

WHEREAS, the Mercer Island Planning Commission has unanimously recommended adoption of the proposed amendments to the residential development standards; and,

WHEREAS, the Mercer Island Comprehensive Plan Land Use Element and Housing Element establish numerous goals and policies that are implemented through the adoption of revised residential development standards; and,

WHEREAS, a SEPA Determination of Non Significance was issued by the City on March 20, 2017; and,

WHEREAS, the Washington Department of Commerce granted expedited review of the proposed amendments to the development regulations on April 20, 2017;

NOW, THEREFORE, THE CITY COUNCIL OF THE CITY OF MERCER ISLAND, WASHINGTON, DOES HEREBY ORDAIN AS FOLLOWS:

- Section 1: Adoption of Amendments to Titles 8, 17, and 19 of the Mercer Island City Code.

  The amendments to the Mercer Island City Code as set forth in Attachment "A" to this ordinance are hereby adopted.
- Section 2: Codification and Effective Date of the Regulations. The City Council authorizes the Development Services Group Director and the City Clerk to correct errors in Attachment A, codify the regulatory provisions of the amendments into Titles 8, 17, and 19 of the Mercer Island City Code, and publish the amended code. Notwithstanding the effective

Ordinance No. 17C-15

date of this Ordinance set forth in Section 7, the effective date of the regulatory provisions in Attachment A shall be on and after November 1, 2017.

## Section 3: Excluding Residential Building and Construction Permits from Consolidated

**Review.** Pursuant to the Revised Code of Washington (RCW) 36.70B.140, the City Council hereby excludes building and other construction permits associated with single family development of a preliminary short subdivision or preliminary long subdivision from consolidated permit review. This section shall apply to all building and other construction permits associated with single family development of a preliminary short subdivision or preliminary long subdivision received on or after the effective date of this ordinance.

#### Section 4:

Land Use Approval Required. An existing lot shall be a condition precedent for determination of complete application for a building and other construction permit associated with single family home development. This section shall apply to all building and other construction permits associated with single family development received on or after the effective date of this ordinance.

## Section 5:

<u>Interpretation.</u> The City Council authorizes the Development Services Group Director to adopt administrative rules, interpret, and administer the amended code as necessary to implement the legislative intent of the City Council.

## **Section 6:**

<u>Severability.</u> If any section, sentence, clause or phrase of this ordinance or any municipal code section amended hereby should be held to be invalid or unconstitutional by a court of competent jurisdiction, such invalidity or unconstitutionality shall not affect the validity of any other section, sentence, clause or phrase of this ordinance or the amended code section.

## **Section 7:**

<u>Publication and Effective Date.</u> A summary of this Ordinance consisting of its title shall be published in the official newspaper of the City. This Ordinance shall take effect and be in full force five days after the date of publication.

PASSED by the City Council of the City of Mercer Island, Washington at its regular meeting on the 19th day of September 2017 and signed in authentication of its passage.

CITY OF MERCER ISLAND

Bruce Bassett, Mayor

ATTEST:

Approved as to Form:

Kari Sand, City Attorney

Date of Publication: 927 2017

Ordinance No. 17C-15

Page 2

4			
1		CITY COUNCIL REVIEW DRAFT	
2		City Council Adopted Version	
3		Zoning Text Amendments	
4		Residential Development Standards	
5		·	
6	NUISANCE CONTROL CODE		
7	8.24.020	Types of nuisances	
8			
9	CONSTRUCTION ADMINISTRATIVE CODE		
10	17.14.010	Adoption	
11			
12	GENERAL PROVISIONS		
13	19.01.050	Nonconforming structures, sites, lots and uses.	
14	19.01.070	Variance and deviation procedures.	
15			
16	RESIDENTIAL		
17	19.02.010	Single-family.	
18	19.02.020	Lot requirements.	
19	19.02.030	Accessory dwelling units.	
20	19.02.040	Garages and other accessory buildings.	
21	19.02.050	Fences, retaining walls and rockeries.	
22			
23	SUBDIVISIONS		
24	19.08.020	Application procedures and requirements.	
25	19.08.030	Design standards.	
26	19.08.040	Plat improvements.	
27	19.08.050	Final plats.	
28 29	PROPERTY DEV	/ELODMENT	
30	19.09.090	Building pad.	
31	19.09.100	Preferred practices.	
	19.09.100	Preferred practices.	
32 33	TREES		
34	19.10.005	Purpose.	
35	19.10.010	Tree code – overview.	
36	19.10.020	Applicability and permit required.	
37	19.10.030	Exemptions.	
38	19.10.040	General provisions.	
39	19.10.050	Tree removal – Not associated with development proposal.	
40	19.10.060	Tree retention associated with development proposal.	
41	19.10.070	Tree replacement.	
42	19.10.080	Tree protection standards.	
43	19.10.090	Application requirements.	
44	19.10.100	Trees on public property.	
	1	· · · · · · · · · · · · · · · · · · ·	

1	19.10.110	Seasonal development limitations	
2	19.10.120	Rounding.	
3	19.10.130	Bald eagles and other federal and state requirements.	
4	19.10.140	Nuisance abatement.	
5	19.10.150	Appeals.	
6	19.10.160	Enforcement.	
7			
8	ADMINISTRATION		
9	19.15.010	General procedures.	
10	19.15.020	Permit review procedures.	
11			
12	DEFINITIONS		
13	19.16.010	Definitions.	
14			
15	"Normal Text" is existing code language		
16	"Strikethrough Text" is existing code language that will be deleted		
17	" <u>Underline Text</u> " is new code language that will be added		
18	"" represents that existing code language is omitted and will not be amended		
19			

.

 8.24.020 Types of nuisances.

Each of the following conditions, actions or activities, unless otherwise permitted by law, is declared to constitute a public nuisance, and is subject to criminal enforcement and penalties as provided in this chapter. In addition, or in the alternative, whenever the enforcement officer determines that any of these conditions, actions or activities exist upon any premises or in any lake, river, stream, drainage way or wetlands, the officer may require or provide for the abatement thereof pursuant to this chapter:

Q. Production of any of the following sounds or noises between the hours of 10 pm to 7 am on Mondays through Fridays, excluding legal holidays, and between the hours of 10 pm and 9 am on Saturdays and Sundays and legal holidays, except in the cases of bona fide emergency or under permit from the city building department in case of demonstrated necessity:

- 1. Sounds caused by the construction or repair of any building or structure,
- 2. Sounds caused by construction, maintenance, repair, clearing or landscaping,
- 3. Sounds created by the installation or repair of utility services,
- 4. Sounds created by construction equipment including special construction vehicles.

It is intended that the sounds described in this subsection refer to sounds heard beyond the property line of the source;

Q. Sounds.

A. Sounds regulated by this section:

- 1. The intent of this section is to regulate sounds heard beyond the property line of the source;
- 2. The following sounds are explicitly regulated by this section:
  - a. Sounds caused by the construction or repair of any building or structure;
  - b. Sounds caused by construction, maintenance, repair, clearing or landscaping;
  - c. Sounds created by the installation or repair of utility services; and
  - d. Sounds created by construction equipment including special construction vehicles.
- B. Sounds related to activity authorized by a permit from the City of Mercer Island are limited as follows:
  - 1. Sounds shall only be allowed between the hours of 7am to 7pm on Mondays through Fridays, and between the hours of 9am and 6pm on Saturdays.
  - 2. Sounds shall be prohibited at any time of day on Sunday and legal holidays.
- C. Sounds related to activity that does not require a permit from the City of Mercer Island shall only be allowed between the hours of 7am to 8pm on Mondays through Fridays, and between the hours of 9am and 8pm on Saturdays, Sundays, and legal holidays.
- <u>D.</u> The enforcement officer may authorize a variance to this section pursuant to Chapter 173-60 of the Washington Administrative Code (WAC).

## 1 Chapter 2 CONSTF 3 4 17.14.010 5 The Const

ı

# Chapter 17.14 CONSTRUCTION ADMINISTRATIVE CODE

#### 17.14.010 Adoption.

The Construction Administrative Code is hereby adopted as follows:

105.5 Expiration.

- 1. Every permit issued shall expire two years from the date of issuance. For non-residential or mixed use construction, ‡the building official may approve a request for an extended expiration date where a construction schedule is provided by the applicant and approved prior to permit issuance.
- 2. The building official may approve a request to renew a permit if an additional fee has been paid, a construction schedule and management plan is provided and approved, and no changes have been made to the originally approved plans by the applicant. Every permit that has been expired for one year or less may be renewed for a period of one year for an additional fee as long as no changes have been made to the originally approved plans. Requests for permit renewals shall be submitted prior to permit expiration. When determining whether to approve a building permit renewal, the building official may consider whether a previously approved construction schedule for the building permit has been adhered to by the applicant. In cases where a construction schedule has not been adhered to, due to reasonably unforeseeable delays, the building official may authorize renewal of the permit. Renewed permits shall expire 3 years from the date of issuance of the original permit. The building official shall not authorize a permit renewal if the construction schedule supplied with the renewal request will not result in the completion of work within the time period authorized under the permit renewal. For permits that have been expired for longer than one year, a new permit must be obtained and new fees paid. No permit shall be renewed more than once.
- 3. Electrical, mechanical and plumbing permits shall expire at the same time as the associated building permit except that if no associated building permit is issued, the electrical, mechanical and/or plumbing permit shall expire 180 days from issuance.
- 4. The building official may authorize a 30-day extension to an expired permit for the purpose of performing a final inspection and closing out the permit as long as not more than 180 days has passed since the permit expired. The 30-day extension would commence on the date of written approval. If work required under a final inspection is not completed within the 30-day extension period, the permit shall expire. However, the building official may authorize an additional 30-day extension if conditions outside of the applicant's control exist and the applicant is making a good faith effort to complete the permitted work.

105.6 Construction management plan and construction schedule.

- Every permit issued for the construction of a new single family home with a gross floor area of more than 6,000 square feet, or as required for a permit renewal under section 105, shall provide a construction management plan and a construction schedule for approval by the building official.
- 2. Every permit issued for the remodel or addition to a single family home that will result in the modification of more than 6,000 square feet gross floor area, or the addition of more than 3,000 square feet gross floor area, or as required for a permit renewal under section 105, shall provide a construction management plan and a construction schedule for approval by the building official.
- 3. The construction management plan shall include measures to mitigate impacts resulting from construction noise, deliveries and trucking, dust / dirt, use of the street for construction related staging and parking, off-site parking, and haul routes. The building official may require additional information as needed to identify and establish appropriate mitigation measures for construction related impacts.
- 4. The construction schedule shall identify major milestones, anticipated future phases, and anticipated completion dates. The construction schedule shall establish a timeline for completion of exterior and interior building related construction activity and site work. The construction schedule shall incorporate appropriate measures to address unforeseeable delays and shall provide for contingencies. The building official may require additional information or revisions to the construction schedule.
- 5. The building official is authorized to take corrective measures as needed to ensure adherence to the approved construction management plan and construction schedule.

Chapter 19.01
GENERAL PROVISIONS

19.01.050 Nonconforming structures, sites, lots and uses.

A. General.

...

7. Deviations. Existing structures and sites resulting from the approval of a previous deviation shall be considered "conforming" structures or sites, provided the structure or site complies with the deviation approval. Structures and sites resulting from a prior deviation approval are not subject to the provisions of Chapter 19.01 MICC

#### B. Repairs and Maintenance.

- 1. Ordinary Repairs and Maintenance. Ordinary repairs and maintenance of a legally nonconforming structure are permitted. In no event may any repair or maintenance result in the expansion of any existing nonconformity or the creation of any new nonconformity.
- 2. Decks. Repair and maintenance of a legally nonconforming deck, including total replacement, is allowed, as long as there is no increase in the legal nonconformity and no new nonconformances are created; provided, in the R-8.4 zone, any portion of a nonconforming deck that is in a side yard and less than five feet from an interior lot line may be replaced only if the deck is reconstructed to comply with current minimum side yard requirements.

#### F. Nonconforming Sites.

- 1. Impervious Surface Coverage Limitation. A structure on a site that is legally nonconforming because the maximum allowable surface coverage has been exceeded can be increased in height and gross floor area (up to the maximum height permitted). No new impervious surfaces are permitted outside the footprint of an existing structure unless the site is either brought into conformance with all applicable impervious surface limitations or two square feet of legally existing impervious surface is removed for every one square foot of new impervious surface.
- 2. Parking Requirements. These parking requirements apply to subsections (F)(2)(a) and (c) of this section in the event of an intentional exterior alteration or enlargement, but do not apply in the event of reconstruction following a catastrophic loss. In the event of catastrophic loss, nonconforming parking may be restored to its previous legally nonconforming configuration.

- a. Detached Single-family Dwelling Site. A <u>proposed addition of more than 500 square</u> <u>feet of gross floor area to a detached single-family dwelling site, which that is legally nonconforming because it does not provide the number and type of parking spaces required by current code provisions, shall provide parking spaces as provided by MICC 19.02.020(GE)(1).</u>
- b. Town Center. A structure in the Town Center that is legally nonconforming because it does not provide the number and type of parking spaces required by current code provisions shall provide parking spaces as required by MICC 19.11.130(B)(1)(a) and subsections (I)(1) and (2) of this section, as applicable.
- c. Sites Other Than for a Detached Single-Family Dwelling or in Town Center.
  - i. New Development and Remodels. A site other than those identified in subsections (F)(2)(a) and (b) of this section that is legally nonconforming because it does not provide the number or type of parking spaces required by current code provisions shall provide parking spaces as required by the current code provisions for the zone where the site is situated for all new development and remodels greater than 10 percent of the existing gross floor area.
  - ii. Change of Use. A site other than those identified in subsection (F)(2)(a) and (b) of this section that is legally nonconforming because it does not provide the number or type of parking spaces required by current code provisions shall provide parking spaces as required by the current code provisions for the zone where the site is situated whenever there is a change of use.
- 3. Landscaping, Open Space and Buffer Requirements.
  - a. Regulated improvements. A site developed with a regulated improvement shall be brought into conformance with current code requirements for landscaping, open space and buffers, A site's landscaping, open space and buffers shall be brought into conformance with current code requirements whenever a structure or use on the site loses its legal nonconforming status. Landscaping, open spaces and buffers should be brought into conformance with current code requirements as much as is feasible whenever any changes are made to a legal nonconforming structure.

    b. Lot Coverage Single Family Dwellings. A site developed with a single family dwelling
  - that is legally nonconforming because the required landscaping area pursuant to
    Chapter 19.02 MICC has not been provided, or because maximum allowable hardscape
    has been exceeded, can be increased in height and gross floor area (up to the maximum height and gross floor area permitted). No new hardscape or further reduction in landscaping area is permitted unless:
    - i) The site is either brought into conformance with all applicable lot coverage requirements of MICC 19.02.020; or,

ii) For lots where the minimum hardscape is exceeded, two square feet of legally existing hardscape is removed for every one square foot of new hardscape; or,

iii) For lots where the maximum lot coverage is exceeded, two square feet of landscaping area is provided for every one square feet of additional non-landscaping area.

#### 19.01.070 Variance and deviation procedures.

An applicant for a permit under this development code may request a variance or deviation from those numeric standards set out in the code that are applicable to the permit. The applicant shall make such a request to the official or body designated in MICC 19.15.010 (E).

#### A. Variance.

- 1. An applicant may request a variance from any numeric standard applicable to the permit or from any other standard that has been specifically designated as being subject to a variance.
- 2. A variance may be granted if the applicant demonstrates that the criteria set out in MICC 19.15.020(G)(4), and any additional variance criteria set out in the code section under which the permit would be issued, are satisfied.

#### B. Deviation.

- 1. An applicant may request a deviation only from those numeric standards that have been specifically designated as being subject to a deviation.
- 2. A deviation may be granted if the applicant demonstrates that the criteria set out in MICC 19.15.020(G)(5), and any additional deviation criteria set out in the code section under which the permit would be issued, are satisfied.

...

Chapter 19.02 RESIDENTIAL

## 19.02.005 Purpose and applicability.

A. Purpose. The purpose of the residential chapter is to identify land uses and to establish development standards that are appropriate within the residential zoning designations. The development standards provide a framework for a site to be developed consistent with the policy direction of the adopted Mercer Island Comprehensive Plan.

#### B. Applicability.

- 1. The provisions of this chapter shall apply to all development proposals in the R-8.4, R-9.6, R-12, and R-15 zoning designations.
- 2. Unless otherwise indicated in this chapter, the applicant shall be responsible for the initiation, preparation, and submission of all required plans or other documents prepared in support of or necessary to obtain a permit and to determine compliance with this chapter.

#### 19.02.010 Single-family.

D. Building Height Limit. No building shall exceed 30 feet in height above the average building elevation to the top of the structure except that on the downhill side of a sloping lot the building may extend to a height of 35 feet measured from existing grade to the top of the exterior wall facade supporting the roof framing, rafters, trusses, etc.; provided, the roof ridge does not exceed 30 feet in height above the average building elevation. Antennas, lightning rods, plumbing stacks, flagpoles, electrical service leads, chimneys and fireplaces and other similar appurtenances may extend to a maximum of five feet above the height allowed for the main structure.

The formula for calculating average building elevation is as follows:

#### Formula:

  $\frac{\text{Average Building Elevation = (Mid-point Elevation of Individual Wall Segment)} \times \text{(Length of Individual Wall Segment)}}{\text{Wall Segment)}} \times \text{(Total Length of Wall Segments)}}$ 

See Appendix G, Calculating Average Building Elevation.

#### E. Gross Floor Area.

1. The gross floor area of a single-family structure shall not exceed 45 percent of the lot area.

2. Lots created in a subdivision through MICC 19.08.030(G), Optional Standards for Development, may apply the square footage from the open space tract to the lot area not to exceed the minimum square footage of the zone in which the lot is located.

## 19.02.020 Lot requirements Development Standards.

A. Minimum Net Lot Area.

- R-8.4: The <u>net</u> lot area shall be at least 8,400 square feet. Lot width shall be at least 60 feet and lot depth shall be at least 80 feet.
- R-9.6: The <u>net</u> lot area shall be at least 9,600 square feet. Lot width shall be at least 75 feet and lot depth shall be at least 80 feet.
- R-12: The <u>net</u> lot area shall be at least 12,000 square feet. Lot width shall be at least 75 feet and lot depth shall be at least 80 feet.
- R-15: The <u>net</u> lot area shall be at least 15,000 square feet. Lot width shall be at least 90 feet and lot depth shall be at least 80 feet.
- 1. Minimum <u>net</u> lot area requirements do not apply to any lot that came into existence before September 28, 1960; however structures may be erected on the lot only if those structures comply with all other restrictions governing the zone in which the lot is located. <u>In order to be used as a building site</u>, lots that do not meet minimum net lot area requirements shall comply with MICC 19.01.050(G)(3).
- 2. In determining whether a lot complies with the <u>minimum net</u> lot area requirements, the following shall be excluded: the area between lateral lines of any such lot and any part of such lot which is part of a street.
- B. Street Frontage. No building will be permitted on a lot that does not front onto a street acceptable to the city as substantially complying with the standards established for streets.
- C. Yard Requirements.
  - 1. Minimum. Except as otherwise provided in this section, each lot shall have front, rear, and side yards not less than the depths or widths following:
    - a. Front yard depth: 20 feet or more.

b. Rear yard depth: 25 feet or more.

#### c. Side yards shall be provided as follows:

#### i. Total depth:

- (1) For lots with a lot width of 90 feet or less, the sum of the side yards depth shall be at least 15 feet.
- (2) For lots with a lot width of more than 90 feet, the sum of the side yards depth shall be a width that is equal to at least 17 percent of the lot width.

## ii. Minimum side yard depth:

- (1) The minimum side yard depth abutting an interior lot line is 5 feet or 33% of the aggregate side yard total depth, whichever is greater.
- (2) The minimum side yard depth abutting a street is 5 feet.

iii. Variable side yard depth requirement: For lots with an area of 6,000 square feet or more, the minimum side yard depth abutting an interior lot line shall be the greater of the minimum side yard depth required under subsection "ii." above, or as follows:

- (1) Single family dwellings shall provide a minimum side yard depth of 7.5 feet if the building:
  - a. For non-gabled roof end buildings, the height is more than 15 feet measured from existing or finished grade, whichever is lower, to the top of the exterior wall facade adjoining the side yard, or;
  - b. For gabled roof end buildings, the height is more than 18
     feet measured from existing or finished grade, whichever is
     lower, to the top of the gabled roof end adjoining the side
     yard.
- (2) Single family dwellings with a height of more than 25 feet measured from the finished grade to the top of the exterior wall facade adjoining the side yard, shall provide a minimum side yard depth of 10 feet.

depth: The sum of the side yards shall be at least 15 feet; provided, no side yard abutting an interior lot line shall be less than five feet, and no side yard abutting a street shall be less than 10 feet.

#### 2. Yard Determination.

a. Front Yard. The front yard is the yard abutting an improved street from which the lot gains primary access or the yard abutting the entrance to a building and extending the full width of the lot. If this definition does not establish a front yard setback, the code official shall establish the front yard based upon orientation of the lot to surrounding lots and the means of access to the lot.

i. Waterfront Lot. On a waterfront lot, regardless of the location of access to the lot, the front yard may be measured from the property line opposite and generally parallel to the ordinary high water line.

b. Rear Yard. The rear yard is the yard opposite the front yard. The rear yard shall extend across the full width of the rear of the lot, and shall be measured between the rear line of the lot and the nearest point of the main building including an enclosed or covered porch. If this definition does not establish a rear yard setback for irregular shaped lots, the code official may establish the rear yard based on the following method: The rear yard shall be measured from a line or lines drawn from side lot line(s) to side lot line(s), at least 10 feet in length, parallel to and at a maximum distance from the front lot line.

c. Corner Lots. On corner lots the front yard shall be measured from the narrowest dimension of the lot abutting a street. The yard adjacent to the widest dimension of the lot abutting a street shall be a side yard. If a setback equivalent to or greater than required for a front yard is provided along the property lines abutting both streets, then only one of the remaining setbacks must be a rear yard. This code section shall apply except as provided for in MICC 19.08.030(F)(1).

d. Side Yard. Any yards not designated as a front or rear yard shall be defined as a side yard.

## 3. Intrusions into Required Yards.

#### a. Minor Building Elements.

i. Except as provided in subsection "ii." below, Pporches, chimney(s) and fireplace extensions, window wells, and unroofed, unenclosed outside stairways and decks shall not project more than three feet into any required yard. Eaves shall not protrude more than 18 inches into any required yard; provided, ii. nNo penetration shall be allowed into the minimum five footside yard setback abutting an interior lot line except where an existing flat roofed house has been built to the interior side yard setback line and the roof is changed to a pitched roof with a minimum pitch of 4:12, the eaves may penetrate up to 18 inches into the side yard setback.

- b. Platforms, Walks, and Driveways. Platforms, walks, <u>stairs</u>, and driveways not more than 30 inches above existing grade or finished grade, <u>whichever is lower</u>, may be located in any required yard.
- c. Fences, Retaining Walls and Rockeries. Fences, retaining walls and rockeries are allowed in required yards as provided in MICC 19.02.050.

- d. Garages and Other Accessory Buildings. Garages and other accessory buildings are not allowed in required yards, except as provided in MICC 19.02.040.
- e. Heat Pumps, Air Compressors, Air Conditioning Units, and Other Similar Mechanical Equipment. Heat pumps, air compressors, air conditioning units, and other similar mechanical equipment may be located within any required yard provided they will not exceed the maximum permissible noise levels set forth in WAC 173-60-040, which is hereby incorporated as though fully set forth herein. Any such equipment shall not be located within three feet of any lot line.
- f. Architectural Features. <u>Detached, Ff</u>reestanding architectural features such as columns or pedestals that designate an entrance to a walkway or driveway and do not exceed 42 inches in height are allowed in required yards.
- g. Other Structures. Except as otherwise allowed in this subsection (C)(3), structures over 30 inches in height from existing grade or finished grade, whichever is lower, may not be constructed in or otherwise intrude into a required yard.
- 4. Setback Deviation. The Code Official may approve a deviation to front, side, and rear setbacks pursuant to MICC 19.15.020.
  - 4. Setback Deviation. On any lot with a critical area that makes it impractical to locate a building pad on the lot except by intruding into required yards, the code official shall have discretion to grant a deviation from yard setbacks for single lots, subdivisions and lot line revisions.
    - a. The city shall provide notice of the proposed action as required by MICC 19.15.020(D) and (E).
    - b. The decision to grant the deviation shall be pursuant to procedures contained in MICC 19.15.010(E) and 19.15.020(G)(5).
    - c. In granting any such deviation, the code official may require the submission of any reasonably necessary information.
    - d. Yard setbacks shall not be reduced below the following minimums:
      - i. Front and rear setbacks may not be reduced to less than 10 feet each;
      - ii. Side setbacks may not be reduced to less than five feet.
- D. Gross Floor Area.
  - 1. Except as provided in subsection "3." below, the gross floor area shall not exceed:
    - a. R-8.4: 5,000 square feet or 40% of the lot area, whichever is less.
    - b. R-9.6: 8,000 square feet or 40% of the lot area, whichever is less.

- c. R-12: 10,000 square feet or 40% of the lot area, whichever is less.
- d. R-15: 12,000 square feet or 40% of the lot area, whichever is less.
- 2. Gross floor area calculation. The gross floor area is the sum of the floor area(s) bounded by the exterior faces of each building on a residential lot, provided:
  - a. The gross floor area shall be 150% of the floor area of that portion of a room(s) with a ceiling height of 12 feet to 16 feet, measured from the floor surface to the ceiling.
  - b. The gross floor area shall be 200% of the floor area of that portion of a room(s) with a ceiling height of more than 16 feet, measured from the floor surface to the ceiling.
  - c. Stair cases shall be counted as a single floor for the first two stories accessed by the stair case. For each additional story above two stories, the stair case shall count as a single floor area. For example, a stair case with a 10 foot by 10 foot dimension that accesses three stories shall be accounted as 200 square feet (100 square feet for the first two stories, and 100 square feet for the third story).
  - d. For the purposes of calculating allowable gross floor area, lots created in a subdivision through MICC 19.08.030(G), Optional Standards for Development, may apply the square footage from the open space tract to the lot area not to exceed the minimum square footage of the zone in which the lot is located.

#### 3. Allowances.

- a. The gross floor area for lots with an area of 7,500 square feet or less may be the lesser of 3,000 square feet or 45 percent of the lot area; and,
- b. If an accessory dwelling unit is proposed, the 40 percent allowed gross floor area may be increased by the lesser of 5 percentile points or the actual floor area of the proposed accessory dwelling unit, provided:
  - i. The allowed gross floor area of accessory buildings that are not partially or entirely used for an accessory dwelling unit shall not be increased through the use of this provision;
  - ii. The lot will contains an accessory dwelling unit associated with the application for a new or remodeled single family home; and
  - <u>iii.</u> The total gross floor area shall not exceed 4,500 square feet or 45% of the lot area, whichever is less.

## E. Building Height Limit.

- 1. Maximum building height. No building shall exceed 30 feet in height above the average building elevation to the highest point of the roof.
- 2. Maximum building height on downhill building façade. The maximum building façade height on the downhill side of a sloping lot shall not exceed 30 feet in height. The building façade

height shall be measured from the existing grade or finished grade, whichever is lower, at the furthest downhill extent of the proposed building, to the top of the exterior wall façade supporting the roof framing, rafters, trusses, etc.

- 3. Antennas, lightning rods, plumbing stacks, flagpoles, electrical service leads, chimneys and fireplaces and other similar appurtenances may extend to a maximum of five feet above the height allowed for the main structure in subsections "1." and "2." above.
- 4. The formula for calculating average building elevation is as follows:

Formula: Average Building Elevation = (Weighted Sum of the Mid-point Elevations) ÷ (Total Length of Wall Segments)

Where: Weighted Sum of the Mid-point Elevations = The sum of: ((Mid-point Elevation of Each Individual Wall Segment) x (Length of Each Individual Wall Segment))

For example for a house with 10 wall segments:

(Axa) + (Bxb) + (Cxc) + (Dxd) + (Exe) + (Fxf) + (Gxg) + (Hxh) + (Ixi) + (Jxj)

a+b+c+d+e+f+g+h+i+j

Where: A, B, C, D... = The existing or finished ground elevation, whichever is lower, at midpoint of wall segment.

And: a, b, c, d... = The length of wall segment measured on outside of wall.

#### F. Lot Coverage – Single family dwellings.

1. Applicability. This section shall apply to the development of single family dwellings including, but not limited to, the remodeling of existing single family dwellings and construction of new single family dwellings. This section does not apply to regulated improvements.

## 2. Landscaping objective.

- a. To ensure that landscape design reinforces the natural and wooded character of Mercer Island, complements the site, the architecture of site structures and paved areas, while maintaining the visual appearance of the neighborhood.
- b. To ensure that landscape design is based on a strong, unified, coherent, and aesthetically pleasing landscape concept.
- c. To ensure that landscape plantings, earth forms, and outdoor spaces are designed to provide a transition between each other and between the built and natural environment.

d. To ensure suitable natural vegetation and landforms, particularly mature trees and topography, are preserved where feasible and integrated into the overall landscape design. Large trees and tree stands should be maintained in lieu of using new plantings.

e. To ensure planting designs include a suitable combination of trees, shrubs, groundcovers, vines, and herbaceous material; include a combination of deciduous and evergreen plant material; emphasize native plant material; provide drought tolerant species; and exclude invasive species.

## 3. Lot coverage - landscaping required.

a. Minimum area required. Development proposals for single family dwellings shall comply with the following standards based on the net lot area:

dempity with the following standards based on the flet lot area.				
Lot Slope	Maximum Lot Coverage	Required Landscaping Area		
	(house, driving surfaces,			
	and accessory buildings)			
Less than 15%	40%	<u>60%</u>		
15% to less than 30%	<u>35%</u>	<u>65%</u>		
30% to 50%	30%	70%		
Greater than 50% slope	20%	80%		

#### b. Hardscape.

i. A maximum of 9 percent of the net lot area may consist of hardscape improvements including, but not limited to, walkways, decks, etc, and provided:

 (1) The hardscape for lots with a net lot area of 8,400 square feet or less may be the lesser of 755 square feet or 12 percent of the net lot area.

ii. Hardscape improvements are also permitted in the maximum lot coverage area established in subsection "a." above.

#### c. Softscape and driveways.

- i. The required landscaping area in subsection "a." above, shall consist of softscape improvements, except where used for hardscape improvements pursuant to section "b.", above.
- ii. Driveways and other driving surfaces are prohibited within the landscaping area.

For example, a flat lot with a net area of 10,000 square feet shall provide a minimum 6,000 square feet of landscaped area. Up to 900 square feet of the landscaped area may be used for a walkway, patio, or deck or other hardscape area. The remainder of the area shall be used for softscape improvements, such as landscaping, tree retention, etc.

d. Development proposals for a new single family home shall remove Japanese
Knotweed (Polygonum cuspidatum) and Regulated Class A, Regulated Class B, and
Regulated Class C weeds identified on the King County Noxious Weed list, as
amended, from required landscaping areas established pursuant to section "a."
above. New landscaping associated with new single family home shall not
incorporate any weeds identified on the King County Noxious Weed list, as

- <u>amended</u>. Provided that removal shall not be required if the removal will result in the increased slope instability or risk of landslide or erosion.
- e. Allowed adjustments. A one-time reduction in required landscaping area and an increase in the maximum lot coverage is allowed, provided:
  - i. The total reduction in the required landscaping area shall not exceed five (5)
     percentile points, and the total increase in the maximum lot coverage shall
     not exceed five (5) percentile points; and
  - <u>ii.</u> The reduction in required landscaping area and increase in maximum lot coverage is associated with:
    - 1. A development proposal that will result in a single-story single family dwelling with a wheelchair accessible entry path, and may also include a single-story accessory building; or,
    - 2. A development proposal on a flag lot that, after optimizing driveway routing and minimizing driveway width, requires a driveway that occupies more than 25% of the otherwise allowed lot coverage area. The allowed reduction in the required landscaping area and increase in maximum lot coverage shall not exceed 5%, or the area of the driveway in excess of 25% of the lot coverage, whichever is less.

For example, a development proposal with a driveway that occupies 27% of the otherwise allowed lot coverage, may increase the total lot coverage by 2%; and

- iii. A recorded notice on title, covenant, easement, or other documentation in a form approved by the city, shall be required. The notice on title or other documentation shall describe the basis for the reduced landscaping area and increased lot coverage.
- 3. Deviation. The code official may grant a deviation, allowing an additional five percent of lot coverage over the maximum requirements; provided, the applicant demonstrates through the submittal of an application and supporting documentation that the proposal meets one of the following criteria:
  - a. The proposal uses preferred practices, outlined in MICC 19.09.100, which are appropriate for the lot; or
  - b. The lot has a unique shape or proportions (i.e., a flag lot, with a circuitous driveway corridor); or
  - c. The proposal minimizes impacts to critical areas and provides the minimum extent possible for the additional impervious surfaces.

The city shall provide notice for the proposed action as required by MICC 19.15.020(D) and (E), Administration.

4. Variance. Public and private schools, religious institutions, private clubs and public facilities in single-family zones with slopes of less than 15 percent may request a variance to increase the impervious surface to a maximum 60 percent impervious surface and such variance application will be granted if the hearing examiner determines that the applicant has demonstrated that the following criteria are satisfied:

a. There will be no net loss of pervious surface from the existing pervious surface. No net loss will be determined by the code official and may be achieved by off-site mitigation and/or by reconstructing existing parking areas to allow stormwater penetration. This replacement will be an exception to subsection (D)(2)(b) of this section prohibiting parking areas from being considered as pervious surfaces;

b. All stormwater discharged shall be mitigated consistent with the most recent Washington State Department of Ecology Stormwater Management Manual for Western Washington, including attenuation of flow and duration. Mitigation will be required for any and all new and replaced impervious surfaces. In designing such mitigation, the use of a continuous simulation hydrologic model such as KCRTS or WWHM shall be required; event based models will not be allowed. In addition, mitigation designs shall utilize flow control best management practices (BMPs) and low impact development (LID) techniques to infiltrate, disperse and retain stormwater on site to mitigate the increased volume, flow and pollutant loading to the maximum extent feasible;

c. The director must approve a storm drainage report submitted by the applicant and prepared by a licensed civil engineer assuring the city that city infrastructure, in concert with the project design, is adequate to accommodate storm drainage from the project site, or identifying appropriate improvements to public and/or private infrastructure to assure this condition is met, at the applicant's expense;

d. A deviation under subsection (D)(3) of this section may not be combined to exceed this maximum 60 percent impervious surface coverage;

e. The hearing procedures and public notice requirements set forth in MICC 19.15.020 shall be followed in connection with this variance proceeding.

## GE. Parking.

- Applicability. Subsection "2." below shall apply to all new construction and remodels where more than 40 percent of the length of the structure's external walls have been intentionally structurally altered.
- 2. Parking required.
  - a. Each single-family dwelling with a gross floor area of 3,000 square feet or more shall have at least three parking spaces sufficient in size to park a passenger automobile; provided, at least two of the stalls shall be covered stalls.

- b. Each single-family dwelling with a gross floor area of less than 3,000 square feet shall have at least three-two parking spaces sufficient in size to park a passenger automobile; provided, at least two-one of the stalls shall be a covered stalls. This provision shall apply to all new construction and remodels where more than 40 percent of the length of the structure's external walls have been intentionally structurally altered;
- 3. however, nNo construction or remodel shall reduce the number of parking spaces on the lot below the number existing prior to the project unless the reduced parking still satisfies the requirements set out above.
- 4. 2. Except as otherwise provided in this chapter, each lot shall provide parking deemed sufficient by the code official for the use occurring on the lot; provided, any lot that contains 10 or more parking spaces shall also meet the parking lot requirements set out in Appendix A of this development code.
- HF. Easements. Easements shall remain unobstructed.
  - 1. Vehicular Access Easements. No structures shall be constructed on or over any vehicular access easement. A minimum 510-foot yard setback from the edge of any easement that affords or could afford vehicular access to a property is required for all structures; provided, that improvements such as gates, fences, rockeries, retaining walls and landscaping may be installed within the 105-foot yard setback so long as such improvements do not interfere with emergency vehicle access or sight distance for vehicles and pedestrians.
  - 2. Utility and Other Easements. No structure shall be constructed on or over any easement for water, sewer, storm drainage, utilities, trail or other public purposes unless it is permitted within the language of the easement or is mutually agreed in writing between the grantee and grantor of the easement.

I. Large lots. The intent of this section is to ensure that the construction of a single family dwelling on a large lot does not preclude compliance with applicable standards related to subdivision or short subdivision of the large lot. Prior to approval of a new single family dwellings and associated site improvements, accessory buildings, and accessory structures on large lots, the applicant shall complete one of the following:

- 1. Design for future subdivision. The proposed site design that shall accommodate potential future subdivision of the lot as follows:
  - a. The proposed site design shall comply with the applicable design requirements of Chapters 19.08 Subdivision, 19.09 Development, and 19.10 Trees MICC.
  - b. The proposed site design shall not result in a circumstance that would require the removal of trees identified for retention, as part of a future subdivision.

c. The proposed site design shall not result in a circumstance that would require modifications to wetlands, watercourses, and associated buffers as part of a future subdivision.

- d. Approval of a site design that could accommodate a potential future subdivision does not guarantee approval of such future subdivision, nor does it confer or vest any rights to a future subdivision.
- 2. Subdivide. Prior to application for a new single family dwelling, the property is subdivided or short platted to create all potential lots and building pads permitted by zoning. The proposed single family dwelling shall be located on a lot and within a building pad resulting from a recorded final plat.
- 3. Limit subdivision. Record a notice on title, or execute a covenant, easement, or other documentation approved by the city, prohibiting further subdivision of the large lot for a period of five (5) years from the date of final inspection or certificate of occupancy.
- J. Building Pad. New buildings shall be located within a building pad established pursuant to Chapter 19.09 MICC. Intrusions into yard setbacks authorized pursuant to MICC 19.02.020(C)(3) may be located outside of the boundaries of the building pad.

## 19.02.040 Garages, and other accessory buildings, and accessory structures.

- A. Accessory buildings, including garages, are not allowed in required yards except as herein provided.
- B. Attached Accessory Building. An attached accessory building shall comply with the requirements of this code applicable to the main building.
- C. Detached Accessory Buildings and Accessory Structures.
  - 1. Gross Floor Area.
    - a. The combined total gross floor area for one or more accessory building(s) shall not exceed 25 percent of the total gross floor area allowed on a lot within applicable zoning designations pursuant to MICC 19.02.020. For example, on a lot where the total allowed gross floor area is 4,000 square feet, the combined total gross floor area for all accessory buildings is 1,000 square feet.
    - b. The gross floor area for a detached accessory building that is entirely or partially used for an accessory dwelling unit, may be increased by the additional floor area authorized pursuant to MICC 19.02.020(D)(3)(b).

#### 2. Height.

a. Detached accessory buildings, except for buildings that contain an accessory dwelling unit, are limited to a single story and shall not exceed 17 feet in height above the

 average building elevation computed from existing grade or finished grade, whichever is lower, to the highest point of the roof. Average building elevation is calculated using the methodology established in MICC 19.02.020(E)(4).

b. Detached accessory buildings that are entirely or partially used for an accessory dwelling unit, shall meet the height limits established for the primary building.

- 3. Detached Aaccessory buildings are not allowed in required yard setbacks; provided, one detached accessory building with a gross floor area of 200 square feet or less and a height of 12 feet or less may be erected in the rear yard setback. If such an accessory building is to be located less than five feet from any property line, a joint agreement with the adjoining property owner(s) must be executed and recorded with the King County Department of Records and thereafter filed with the city.
- 4. Accessory structures. The maximum height of an accessory structure that is not also an accessory building, shall not exceed 17 feet. The height of an accessory structure is measured from the top of the structure, to the existing grade or finished grade, whichever is lower, directly below the section of the structure being measured.
- D. Garages and Carports. Garages and carports may be built to within 10 feet of the front property line if the front yard of the lot, measured at the midpoint of the wall of the garage closest to the front yard property line, is more than four feet above or below the existing grade or finished grade, whichever is lower, at the point on the front property line closest to the midpoint of the wall of the garage at its proposed location. The height of such garage shall not exceed 12 feet from existing grade for that portion built within the front yard.
- E. Pedestrian Walkways. Enclosed or covered pedestrian walkways may be used to connect the main building to a garage or carport. Enclosed pedestrian walkways shall not exceed six feet in width and 12 feet in height calculated from finished grade or 30 feet above average building elevation, whichever is less. (Ord. 08C-01 § 1; Ord. 01C-06 § 1; Ord. 99C-13 § 1).

#### 19.02.050 Fences, retaining walls and rockeries.

A. Location in Required Yard. Fences, retaining walls and rockeries may be located within any required yard <u>as specified below</u>.

- B. Location in Street.
  - 1. Fences. No fence shall be located in any improved street. Fences may be allowed in unimproved public streets subject to approval of the city engineer and the granting of an encroachment agreement as required by MICC 19.06.060.

2. Retaining Walls and Rockeries. Retaining walls and rockeries may be allowed in any street subject to the approval of the city engineer and the granting of an encroachment agreement covering any public street as required by MICC 19.06.060.

#### C. Height Measurement.

- 1. Fences / gates. The height of a fence or gate is measured from the top of the fence or gate, including posts, to the existing grade or finished grade, whichever is lower, directly below the section of the fence or gate being measured.
- 2. Retaining Walls and Rockeries. The height of a retaining wall or rockery is measured from the top of the retaining wall or rockery to the existing grade or finished grade, whichever is lower, directly below the retaining wall or rockery.
- D. Retaining Walls and Rockeries Requirements.
  - 1. Building Permit. A building permit is required for retaining walls or rockeries not exempted from permit by Section 105.2 of the Construction Administrative Code, Chapter 17.14 MICC.
  - 2. Engineer. Any rockery requiring a building permit shall be designed and inspected by a licensed geotechnical engineer.
  - 3. Drainage Control. Drainage control of the area behind the rockery shall be provided for all rockeries.
  - 4. Maximum Height in Required Yard Cut Slopes.
    - a. No retaining walls or rockeries, or any combination of retaining walls or rockeries, to the extent used to protect a cut or cuts into existing grade within any required yard, shall exceed a total of 144 inches in height.
    - <u>b.</u> All retaining walls and/or rockeries within a required yard shall be included in calculating the maximum height of 144 inches. Such retaining walls or rockeries, or combination of retaining walls or rockeries, may
    - c. Retaining walls or rockeries may be topped by a fence up to 72 inches in heightas provided in MICC 19.02.050(E). or, if within that portion of any required yard that lies within 20 feet of any improved street, by a fence up to 42 inches in height.
  - 5. Maximum Height in Required Yard Fill Slopes.
    - a. No retaining walls or rockeries, or any combination of retaining walls or rockeries, to the extent used to raise grade and protect a fill slope, shall exceed a total of 72 inches in height within any required yard shall result in an increase in the finished grade by more than 72 inches at any point.
    - <u>b.</u> All retaining walls and/or rockeries within a required yard shall be included in calculating the maximum height of 72 inches.

c. Retaining walls or rockeries may be topped by a fence as provided in MICC 19.02.050(E).

A fence or guardrail may be placed on top of such retaining wall or rockery, but in no event shall the combined height of the fence and any retaining wall or rockery exceed 72 inches; provided, rockeries, retaining walls, fences, or any combination thereof, are limited to a maximum height of 42 inches within that portion of any required yard which lies within 20 feet of any improved street.

## E. Fences and gates.

1. Maximum Height in Fences or gates in Required Yyard.

## a. Height limits.

<u>i.</u> Fences, <u>gates</u>, or any combination of retaining walls, rockeries and fences are allowed to a maximum height of 72 inches within the required <u>side or rear</u> yards, except as provided in subsection (D)(4) of this section.

ii. Fences, gates, or any combination of retaining walls, rockeries and fences are allowed to a maximum height of 42 inches within required front yards.

## b. Exceptions to height limits.

- i. Fences within front yards may be designed to incorporate an open latticework or similar architectural feature at the entrance of a walkway, provided the total height of the entryway feature shall not exceed 90 inches. The open latticework or architectural feature shall be designed such that at least 50 percent of its total surface area consists of evenly distributed open spaces.
- ii. Fences or gates located within the front yard may have a maximum height of 72 inches, provided:
  - 1. The proposed fence or gate is located along a property line contiguous to either: Island Crest Way north of SE 53<sup>rd</sup> Place, or SE 40<sup>th</sup> Street between 92<sup>nd</sup> Avenue SE and 78<sup>th</sup> Avenue SE; and
  - The proposed fence or gate is located a minimum of 5 feet from the street property line and will be screened by landscaping designed to soften the presence of the fence; and,
  - 3. The proposed fence or gate will not create a traffic, pedestrian, or public safety hazard.

All fences, retaining walls and/or rockeries within a required yard shall be included in calculating the maximum height of 72 inches; provided, fences, rockeries or retaining walls used to protect a fill, or any combination thereof, are limited to a maximum height of 42 inches within that portion of any required yard which lies within 20 feet of any improved street.

a. Exception. Open latticework or a similar architectural feature up to 18 inches above the maximum 72 inch height allowed may be constructed, provided it is of open work design with at least 50 percent of its total surface area consisting of evenly distributed

 open spaces. This exception does not apply to any fence, rockery or retaining wall, or any combination thereof, limited to a maximum height of 42 inches; however, where the height of any fence, rockery, retaining wall, or any combination thereof is limited to 42 inches, an architectural feature of open work design as described above that is limited to the entrance of a walkway may be allowed if its total height is no greater than 90 inches.

- 2. Fill/Berms. No person shall place fill upon which to build a fence unless the total height of the fill plus the fence does not exceed the maximum height allowable for the fence without the fill.
- 3. Shorelines. Fence, rockeries and retaining walls located within any shoreland shall also comply with Chapter 19.07 MICC.

F. Fence Height Deviations. Deviations from the 42-inch height limitation set out in subsections (E)(1) and (D)(5) of this section shall be reviewed in the manner set out below:

- 1. For nonregulated improvements, a request for a deviation up to 72 inches shall be reviewed by the code official under the following procedure:
  - a. The applicant shall submit to the code official two copies of plot plans and elevations, drawn to scale, showing size and construction of the proposed fence, the location of all existing structures, streets, driveways, and landscaping.
  - b. The code official shall review the submitted plans with the city engineer and shall base the decision to approve or disapprove the requested deviation on factors of traffic visibility and other public and private safety considerations, lot shape, location and topography, and the nature, location and extent of adjoining public and private structures.
- 2. For regulated improvements, deviations shall be reviewed by the design commission under the procedures and criteria set forth in MICC 19.15.040.
- <u>GF</u>. Electric and Barbed Wire Fences. Electric fences, <u>and</u>-barbed wire fences, <u>or similar fences that could pose a safety risk</u>, are not allowed.
- HG. Exceptions. These provisions do not apply to fences required by state law to enclose public utilities, or to chain link fences enclosing school grounds or public playgrounds, or to screens used for safety measures in public recreation areas such as ballfields.

## <u>19.02.060</u> Lot Coverage <u>– Regulated improvements</u>.

A. Applicability. This section shall only apply to regulated improvements (for example, schools or religious buildings) in the residential zoning designations of R-8.4, R-9.6, R-12, and R-15.

<u>B</u>**1**. Maximum Impervious Surface Limits for Lots. The total percentage of a lot that can be covered by impervious surfaces (including buildings) is limited by the slope of the lot for all single-family zones as follows:

Lot Slope	Lot Coverage	
	(limit for	
	impervious surfaces)	
Less than 15%	40%*	
15% to less than 30%	35%	
30% to 50%	30%	
Greater than 50% slope	20%	

<sup>\*</sup>Public and private schools, religious institutions, private clubs and public facilities (excluding public parks or designated open space) in single-family zones with slopes of less than 15 percent may be covered by the percentage of legally existing impervious surface that existed on May 1, 2006, as determined by the code official.

- <u>C2</u>. Exemptions. The following improvements will be exempt from the calculation of the maximum impervious surface limits set forth in subsection  $\frac{(D)(1B.")}{(D)(1B.")}$  of this section:
  - a1. Decks/Platforms. Decks and platforms constructed with gaps measuring one-eighth inch or greater between the boards which provide free drainage between the boards as determined by the code official shall be exempt from the calculation of maximum impervious surface limits so long as the surface below the deck or platform is not impervious.
  - 2b. Pavers. Pavers installed with a slope of five percent or less and covering no more than 10 percent of the total lot area will be calculated as only 75 percent impervious. Provided, however, that all pavers placed in driveways, private streets, access easements, parking areas and critical areas shall be considered 100 percent impervious.

c. Patios/Terraces. Uncovered patios/ terraces constructed of pavers shall be exempt from the maximum impervious surface limits.

- d3. Pedestrian-Oriented Walkways. Uncovered pedestrian walkways constructed with gravel or pavers not to exceed 60 inches in width shall be exempt from the maximum impervious surface limits.
- e4. Public Improvements. Open storm water retention/detention facilities, public rights-of-way and public pedestrian trails shall be exempt from the maximum impervious surface limits.

<u>5</u>f. Rockeries/Retaining Walls. Rockeries and retaining walls shall be exempt from the maximum impervious surface limits.

6g. Residences for religious leaders located on properties use by places of worship.

ai. A structure primarily used as a residence for a religious leader provided by its congregation and located on the same lot or lots as the improvements for a church, synagogue, mosque, or other place of worship, shall be exempt from the maximum impervious surface limits, subject to the limitations under subsection "bii." below. All impervious surface areas directly and commonly associated with the residence such as, but not limited to, the footprint of the residence, an attached or detached garage, a patio and/or deck not otherwise exempted by MICC 19.02.0260(DC)(21)(a) and (e3), and a driveway not otherwise used for general access to the place of worship, shall be exempt.

<u>b</u><del>ii</del>. A residence and its associated impervious improvements, as described above, may only be exempted if 4,999 square feet or less or up to 20% of lot area, whichever is less. For these purposes, lot area means the lot or lots on which the place of worship is located.

<u>ciii</u>. <u>Impervious surface Llot</u> coverage exceed<u>ing</u> 60% shall not be allowed whether by variance <u>pursuant</u> to MICC 19.02.06<del>2</del>0<del>(D)</del> or by this exemption.

<u>D. Variance.</u> Regulated improvements in the R-8.4, R-9.6, R-12, and R-15 zoning designations may request a variance to increase impervious surface pursuant to MICC 19.15.020(G).

Chapter 19.07 **ENVIRONMENT** 19.07.040 Review and construction requirements. C. Setback Deviation. An applicant may seek a deviation from required front, side, and back yard setbacks pursuant to MICC-19.15.02019.02.020(C)(4). D. Variances. Variances pursuant to MICC 19.01.070 are not available to reduce any numeric requirement of this chapter. However, the allowed alterations and the reasonable use exception allowed pursuant to MICC 19.07.030 may result in city approvals with reduced numeric requirements. 

Chapter 19.08 SUBDIVISIONS

#### 19.08.020 Application procedures and requirements.

- A. Applications for short subdivisions or alterations or vacation thereof, and lot line revisions shall be reviewed by the code official. Applications for long subdivisions or alteration or vacation thereof shall before be reviewed by the hearing examiner who shall make recommendations to the city council.
- B. The code official may grant a variance, with restrictions if deemed necessary, from the four-acre limitation for purpose of permitting short subdivision of property containing more than four acres into four or less lots when all of the following circumstances shall be found to apply:
  - 1. That there are special circumstances applicable to the particular lot, such <u>as</u> type of ownership, restrictive covenants, physiographic conditions, location or surroundings, or other factors;
  - 2. That the granting of the variance will not result in future uncoordinated development nor alter the character of the neighborhood; and
  - 3. That granting the variance will not conflict with the general purposes and objectives of the comprehensive plan or the development code.
- C. Applicants shall prepare a concept sketch of the proposal for the preapplication meeting required under MICC 19.09.010(A).
- D. Preliminary Application Contents. In addition to any documents, information, or studies required under Chapter 19.07 MICC, Critical Areas Environment, Chapter 19.10, Trees, or any other Chapter of Title 19 MICC, an application for a long subdivision, short subdivision, or a lot line revision shall include the documents set forth below and any other document or information deemed necessary by the code official upon notice to the applicant. All documents shall be in the form specified by the code official and shall contain such information as deemed necessary by the code official. The applicant shall submit the number of copies of each document specified by the code official.
  - 1. Development Application Cover Form. The development application cover form shall be signed by all current property owners listed on the plat certificate, and shall list the legal parcel numbers of all property involved in the project.
  - 2. Long Subdivision, Short Subdivision, or Lot Line Revision Plan. The applicant shall provide copies of fully dimensioned plans of the project prepared by a Washington registered civil engineer or land surveyor, meeting the requirements of Chapter 19.07 MICC, Environment, and containing any other information deemed necessary by the code official. The city engineer may waive the requirement that an engineer or surveyor prepare the plans for a short subdivision or

lot line revision. The submitted plans shall demonstrate that a identify the proposed building pad has been designated location for each proposed lot per pursuant to MICC 19.09.090. No cross-section dimension of a designated building pad shall be less than 20 feet in width.

- 3. Plat Certificate. Applicant shall provide a plat certificate issued by a qualified title insurance company not more than 30 days before filing of the application showing the ownership and title of all parties interested in the plat. If the plat certificate references any recorded documents (i.e. easements, dedications, covenants, etc.) copies of those documents shall also be provided.
- 4. Legal Documents. Applicants shall provide copies of each of the following documents (if applicable):
  - a. Proposed restrictive covenants.
  - b. Draft deeds to the city for any land to be dedicated.
  - c. Proposed easements.
- 5. Project Narrative. Applicants shall provide a clear and concise written description and summary of the proposed project.
- 6. Neighborhood Detail Map. Applicants shall provide copies of a map drawn at a scale specified by the code official showing the location of the subject site relative to the property boundaries of the surrounding parcels within approximately 1,000 feet, or approximately 2,500 feet for properties over four acres. The map shall identify the subject site with a darker perimeter line than that of the surrounding properties.
- 7. Topography Map. The applicant shall provide copies of a topographical map showing the existing land contours using vertical intervals of not more than two feet, completed and signed by a Washington licensed surveyor. For any existing buildings, the map shall show the finished floor elevations of each floor of the building. Critical slopes exceeding 30 percent must be labeled and delineated by a clearly visible hatching.
- 8. Detailed Grading Plan. If the grade differential on the site of the proposed project will exceed 24 inches and/or if the amount of earth to be disturbed exceeds 50 cubic yards, the applicant shall provide copies of a detailed grading plan drawn by a Washington licensed engineer.
- 9. Street Profiles. The applicant shall provide copies of a street profile showing the profiles and grades of each street, together with typical cross sections indicating:
  - a. Width of pavement;
  - b. Location and width of sidewalks, trails, bike lanes, ditches, swales, etc.; and

c. Location of any utility mains.

- 10. Geotechnical Report. The applicant shall provide a geotechnical report meeting the requirements of Chapter 19.07 MICC, Critical Lands. This requirement may be waived by the city Engineer under the criteria set out in MICC 19.07.010.
- 11. Utility Plan. Conceptual plan showing the locations of existing and proposed utilities.

#### E. Notice.

- 1. Short Subdivisions and Lot Line Revisions. Public notice of an application for a short subdivision or a lot line revision shall be made in accordance with the procedures set forth in MICC 19.15.020.
- 2. Long Subdivisions.
  - a. Public notice of a long subdivision application shall be made at least 10 days prior to the open record hearing on the application in accordance with the procedures set forth in MICC 19.15.020 for an administrative or discretionary act; provided, notice shall also be published at least 10 days prior to the hearing in a newspaper of general circulation within the city.
  - b. If the owner of a proposed long subdivision owns land adjacent to the proposed long subdivision, that adjacent land shall be treated as part of the long subdivision for notice purposes, and notice of the application shall be given to all owners of lots located within 300 feet of the proposed long subdivision or the applicant's adjacent land.
- 3. The city shall provide written notice to the Department of Transportation of an application for a long subdivision or short subdivision that is located adjacent to the right-of-way of a state highway. The notice shall include a legal description of the long subdivision or short subdivision and a location map.
- **EF.** Preliminary Application Procedure.
  - 1. Findings of Fact. All preliminary approvals or denials of long subdivisions or short subdivisions shall be accompanied by written findings of fact demonstrating that:
    - a. The project does or does not make appropriate provisions for the public health, safety, and general welfare and for such open spaces, drainage ways, streets or roads, alleys, other public ways, transit stops, potable water supplies, sanitary wastes, parks and recreation, playgrounds, schools and schoolgrounds and all other relevant facts, including sidewalks and other planning features that assure safe walking conditions for students who only walk to and from school;

- b. The public use and interest will or will not be served by approval of the project; and
- c. The project does or does not conform to applicable zoning and land use regulations.
- 2. Short Subdivisions and Lot Line Revisions. The code official shall grant preliminary approval for a short subdivision or lot line revision if the application is in proper form and the project complies with the design standards set out in MICC 19.08.030, the comprehensive plan, and other applicable development standards.
- 3. Long Subdivisions.
  - a. At an open record hearing the planning commission hearing examiner shall review the proposed long subdivision for its conformance with the requirements of MICC 19.08.030, the comprehensive plan, and other applicable development standards.
  - b. The <u>planning commission hearing examiner</u> shall make a written recommendation on the long subdivision, containing findings of fact and conclusions, to the city council not later than 14 days following action by the <u>planning commission hearing examiner</u>.
  - c. Upon receipt of the planning commission hearing examiner's recommendation, the city council shall at its next public meeting set the date for the public hearing where it may adopt or reject the planning commission hearing examiner's recommendations.
  - d. Preliminary approval of long subdivision applications shall be governed by the time limits and conditions set out in MICC 19.15.020(E); except the deadline for preliminary plat approval is 90 days, unless the applicant consents to an extension of the time period.
- 4. Conditions for Preliminary Approval. As a condition of preliminary approval of a project, the city council in the case of a long subdivision, or the code official in the case of a short subdivision or lot line revision, may require the installation of plat improvements as provided in MICC 19.08.040 which shall be conditions precedent to final approval of the long subdivision, short subdivision, or lot line revision.

#### 5. Expiration of Approval.

a. Once the preliminary plat for a long subdivision has been approved by the city, the applicant has five years to submit a final plat meeting all requirements of this chapter to the city council for approval.

b. Once the preliminary plat for a short subdivision has been approved by the city, the applicant has one year to submit a final plat meeting all requirements of this chapter. A plat that has not been recorded within one year after its preliminary approval shall expire, becoming null and void. The city may grant a single one-year extension, if the

applicant submits the request in writing before the expiration of the preliminary approval.

c. In order to revitalize an expired preliminary plat, a new application must be submitted.

<u>56</u>. No Construction Before Application Approval. No construction of structures, utilities, storm drainage, grading, excavation, filling, or land clearing on any land within the proposed long subdivision, short subdivision, or lot line revision shall be allowed prior to preliminary approval of the application and until the applicant has secured the permits required under the Mercer Island City Code.

#### 19.08.030 Design standards.

- A. Compliance with Other Laws and Regulations. The proposed subdivision shall comply with with arterial, capital facility, and land use elements of the comprehensive plan; all other chapters of the development code Title 19 MICC; the Shoreline Management Act; and other applicable city, state, and federal legislation.
- B. Public Improvements.
  - 1. The subdivision shall be reconciled as far as possible with current official plans for acquisition and development of arterial or other public streets, trails, public buildings, utilities, parks, playgrounds, and other public improvements.
  - 2. If the preliminary plat includes a dedication of a public park with an area of less than two acres and the donor has designated that the park be named in honor of a deceased individual of good character, the city shall adopt the designated name.
- C. Control of Hazards.
  - 1. Where the project may adversely impact the health, safety, and welfare of, or inflict expense or damage upon, residents or property owners within or adjoining the project, other members of the public, the state, the city, or other municipal corporations due to flooding, drainage problems, critical slopes, unstable soils, traffic access, public safety problems, or other causes, the city council in the case of a long subdivision, or the code official in the case of a short subdivision or lot line revision, shall require the applicant to adequately control such hazards or give adequate security for damages that may result from the project, or both.
  - 2. If there are soils or drainage problems, the city engineer may require that a Washington registered civil engineer perform a geotechnical investigation of each lot in the project. The report shall recommend the corrective action likely to prevent damage to the areas where such soils or drainage problems exist. Storm water shall be managed in accordance with the criteria set out in MICC 15.09.030 Chapter 15.09 MICC and shall not increase likely damage to downstream or upstream facilities or properties.

- 3. Alternative tightline storm drains to Lake Washington shall not cause added impact to the properties, and the applicant shall submit supportive calculations for storm drainage detention.
- D. Streets, Roads and Rights-of-Way.
  - 1. The width and location of rights-of-way for major, secondary, and collector arterial streets shall be as set forth in the comprehensive arterial plan.
  - 2. Public rights-of-way shall comply with the requirements set out in MICC 19.09.030.
  - 3. Private access roads shall meet the criteria set out in MICC 19.09.040.
  - 4. Streets of the proposed subdivision shall connect with existing improved public streets, or with existing improved private access roads subject to easements of way in favor of the land to be subdivided.
- E. Residential Lots.
  - 1. The area, width, and depth of each residential lot shall conform to the requirements for the zone in which the lot is located. Any lot which is located in two or more zones shall conform to the zoning requirements determined by the criteria set out in MICC 19.01.040(G)(2).
  - 2. Each side line of a lot shall be approximately perpendicular or radial to the center line of the street on which the lot fronts.
  - 3. The proposed subdivision shall identify the location of building pads for each proposed lot per MICC 19.09.090. No cross-section dimension of a designated building pad shall be less than 20 feet in width.
  - 4. The proposed subdivision shall incorporate preferred development practices pursuant to MICC 19.09.100 where feasible.
  - 5. The proposed subdivision shall be designed to comply with the provisions of Chapter 19.10 MICC.
- F. Design Standards for Special Conditions.
  - 1. Subdivisions abutting an arterial street as shown on the comprehensive arterial plan shall be oriented to require the rear or side portion of the lots to abut the arterial and provide for internal access streets.

- 2. Where critical areas meeting the criteria set out in Chapter 19.07 MICC are present within the subdivision, the code official or city council may:
  - a. Require that certain portions of the long subdivision or short subdivision remain undeveloped with such restrictions shown on the official documents;
  - b. Increase the usual building set-back requirements; and/or
  - c. Require appropriate building techniques to reduce the impact of site development.
- G. Optional Standards for Development. In situations where designing a long subdivision or short subdivision to the requirements of subsections A through F of this section would substantially hinder the permanent retention of trees; interfere with the protection critical areas of wooded or steep areas or other natural features; preclude the provision of parks, playgrounds, or other noncommercial recreational areas for neighborhood use and enjoyment; or would negatively impact the physiographic features and/or existing ground cover of the subject area, the applicant may request that the project be evaluated under the following standards:
  - 1. The use of the land in the long subdivision or short subdivision shall be one permitted in the zone in which the long subdivision or short subdivision is located.
  - 2. The number of lots shall not exceed the number that would otherwise be permitted within the area being subdivided, excluding the shorelands part of any such lot and any part of such lot that is part of located in a street.
  - 3. An area suitable for a private or public open space tract shall be set aside for such use.
  - 4. The lots may be of different areas, but the minimum lot area, minimum lot width, and minimum lot depth shall each be at least 75 percent of that otherwise required in the zone in which the long subdivision or short subdivision is located. In no case shall the lot area be less than 75 percent of that otherwise required in the zone. Lot size averaging must be incorporated if lot width or depth requirements are 75 percent of the minimum that would otherwise be required for the zone without utilizing the optional development standards. Any designated open space or recreational tract shall not be considered a lot.
  - 5. The ownership and use of any designated open space or recreational tract, if private, shall be shared by all property owners within the long subdivision or short subdivision. In addition, a right of entry shall be conveyed to the public to be exercised at the sole option of the city council if such area shall cease to be an open space or recreational tract.
  - 6. The open space or recreational tract must remain in its approved configuration and be maintained in accordance with approved plans. Any deviation from the foregoing conditions must receive expressed approval from the planning commissionHearing Examiner.

### 19.08.040 Plat improvements.

- A. Streets, Utilities and Storm Drainage. The long subdivision, short A subdivision, or lot line revision shall include provisions for streets, water, sanitary sewers, storm drainage, utilities and any easements or facilities necessary to provide these services. All utilities shall be placed underground unless waived by the city engineer. Detailed plans for these provisions shall not be required until after the approval of the preliminary plat and shall be a condition precedent to the official approval of the subdivision.
- B. Performance Bond. The owner(s) of a project shall deposit with the city a performance bond or funds for a set-aside account in an amount equal to 150 percent of the cost of the required improvements, as established by the city engineer. Such security shall list the exact work that shall be performed by the owner(s) and shall specify that all of the deferred improvements shall be completed within the time specified by the city engineer, and if no time is so specified, then not later than one year. The city may also require a bond or set-aside account securing the successful operation of improvements or survival of required landscaping for up to two years after final approval.
- C. Site Supervision. Any and all services performed by city employees in field inspection of construction of plat improvements, clearing, and/or grading processes, shall be charged to the developer at 100 percent of direct salary cost, plus 35 percent of such cost for overhead. Any outside consultants retained by the city to evaluate any phase of plat design or construction shall be charged at actual cost, plus any additional administrative costs. Billings tendered to the owner(s) shall be payable within 30 days.
- D. Construction Seasons. Either the city engineer or the building official may:
  - 1. Limit the construction project to a specific seasonal time period.
  - 2. Prevent land clearing, grading, filling, and foundation work on lots with critical slopes or geologic hazard areas between October 1 and April 1, as set out in MICC 19.07.020; and
  - 3. Require short term soil and drainage control measures such as, but not limited to: hemping, seeding, gravel or light asphalt base roads, temporary siltation and detention ponds. (Ord. 99C-13 § 1).

## 19.08.050 Final plats.

- C. Contents of the Final Plat. All final plats submitted to the city shall meet the requirements set out in Chapter 58.09 RCW, Chapter 332-130 WAC, and those requirements set out below.
- Final plat <u>documents</u> submitted to the city shall <del>consist of one mylar and one copy</del> containing the information set out below. The <u>mylar and copyfinal plat documents</u> shall be <u>drawn on a 18</u> inches by 24 inches in sheet size, allowing one-half inch for borders. If more than one sheet is required for the mylar

and copy, each sheet, including the index sheet, shall be the specified size. The index sheet must show the entire subdivision, with street and highway names and block numbers.

- 1. Identification and Description.
  - a. Name of the long subdivision, short subdivision or lot line revision.
  - b. A statement that the long subdivision or short subdivision has been made with the free consent and in accordance with the desires of the owner or owners.
  - c. Location by section, township and range, or by other legal description.
  - d. The name and seal of the registered engineer or the registered land surveyor.
  - e. Scale shown graphically, date and north point. The scale of the final plat shall be such that all distances and bearings can be clearly and legibly shown thereon in their proper proportions. Where there is a difference between the legal and actual field distances and bearings, both distances and bearings shall be shown with the field distances and bearings shown in brackets.
  - f. A description of property platted which shall be the same as that recorded in preceding transfer of said property or that portion of said transfer covered by plat. Should this description be cumbersome and not technically correct, a true and exact description shall be shown upon the plat, together with original description. The correct description follow the words: "The intent of the above description is to embrace all the following described property."
  - g. A vicinity map showing the location of the plat relative to the surrounding area.
- 2. Delineation.
  - a. Boundary plat, based on an accurate traverse, with angular and lineal dimensions.
  - b. Exact location, width, and name of all streets within and adjoining the plat, and the exact location and widths of all roadways, driveways, trail easements. The name of a street shall not duplicate that of any existing street in the city, unless the platted street be a new section or continuation of the existing street.
  - c. True courses and distances to the nearest established street lines or official monuments which shall accurately describe the location of the plat.
  - d. Municipal, township, county or section lines accurately tied to the lines of the subdivision by courses and distances.

- e. Radii, internal angles, points of curvature, tangent bearings and lengths of all arcs.
- f. All easements for rights-of-way provided for public services or utilities. Utility easements shall be designated as public or private.
- g. All lot and block numbers and lines, with accurate dimensions in feet and hundredths. Blocks in numbered additions to subdivisions bearing the same name may be numbered or lettered consecutively through the several additions. The square footage for each lot less vehicular easements shall be shown.
- h. Accurate location of all monuments, which shall be concrete commercial monuments four inches by four inches at top, six inches by six inches at bottom, and 16 inches long. One such monument shall be placed at each street intersection and at locations to complete a continuous line of sight and at such other locations as are required by the engineer.
- i. All plat meander lines or reference lines along bodies of water shall be established above the ordinary high water line of such water.
- j. Accurate outlines and legal description of any areas to be dedicated or reserved for public use, with the purpose indicated thereon and in the dedication; and of any area to be reserved by deed covenant for common uses of all property owners.
- k. Critical areas as identified under Chapter 19.07 MICC.
- I. Corner pins made of rebar with caps.
- m. Designated building pads pursuant to MICC 19.09.090.
- 3. Other Marginal Data on Final Plat.
  - a. If the plat is subject to dedications to the city or any other party, the dedications shall be shown and shall be duly acknowledged. The plat shall also contain a waiver of all claims for damages against the city which may be occasioned to the adjacent land by the established construction, drainage and maintenance of any streets dedicated to the city.
  - b. A copy of the protective covenants, if any.
  - c. Certification by Washington registered civil engineer or land surveyor to the effect that the plat represents a survey made by that person and that the monuments shown thereon exist as located and that all dimensional and geodetic details are correct.

- d. Proper forms for the approvals of the city engineer and the mayor, on behalf of the city council, in the case of a long subdivision; or the city engineer and the code official in the case of short subdivisions or lot line revisions, with space for signatures.
- e. Certificates by the county assessor showing that the taxes and assessments on the land to be submitted have been paid in accordance with law, including a deposit for the taxes for the following year.
- f. Approval by the county department of records.
- g. Conditions of approval created at preliminary subdivision approval that affect individual lots or tracts.

Chapter 19.09
PROPERTY DEVELOPMENT

## 19.09.040 Private access roads and driveways.

- A. The following are the minimum requirements for private access roads. To accommodate fire suppression and rescue activities, the Mercer Island fire chief may require that the widths of private access roads <u>or driveways</u> or the size of turn-arounds be increased or that turn-arounds be provided when not otherwise required by this section.
- B. All private access roads serving three or more single-family dwellings shall be at least 20 feet in width. All private access roads serving less than two three-single-family dwellings shall be at least 16 feet in width, with at least 12 feet of that width consisting of pavement and the balance consisting of well compacted shoulders.
- C. All corners shall have a minimum inside turning radius of 28 feet.
- D. All private access roads in excess of 150 feet in length, measured along the centerline of the access road from the edge of city street to the end of the access road, shall have a turn-around with an inside turning radius of 28 feet.
- E. All cul-de-sacs shall be at least 70 feet in diameter; provided, cul-de-sacs providing access to three or more single-family dwellings shall be at least 90 feet in diameter.
- F. Driveways serving one single family dwelling shall be at least 8 feet in width. Driveways providing vehicle access to parking for regulated improvements shall comply with the parking lot dimension requirements of Appendix A.

FG. Gradient.

- 1. No access road or driveway shall have a gradient of greater than 20 percent.
- 2. For all access roads and driveways with a gradient exceeding 15 percent, the road surface shall be cement concrete pavement with a brushed surface for traction. Access roads and driveways with gradients of 15 percent or less may have asphalt concrete surface.

### 19.09.090 Building pad.

- A. Designation. New subdivisions must shall designate a building pad for each lot as follows:
  - 1. The applicant must determine the building pad shall be located to minimize or prevent impacts as indicated in the following: location of a building pad by considering

    a. Removal of trees and vegetation required for retention pursuant to Chapter 19.10

    MICC shall be prevented;

b.-Disturbance of the existing, natural topography as a result of anticipated development within the building pad shall be minimized;
c. Impacts to critical areas and critical area buffers shall be minimized, consistent with the provisions of Chapter 19.07 MICC; and, the relationship of the proposed building pad to existing/proposed homes.

- Access to the building pad must shall be consistent with the standards for driveway access contained in MICC 19.09.040.
- 2. Building pads shall not be located within:
  - a. Required front, rear, or side yard setbacks;
  - b. Streets or rights of way; and; yard setbacks, rights-of-way and
  - <u>c. eCritical</u> areas or <u>its</u>-buffers; provided<del>, however,</del> building pads may be located within <del>landslide</del> geohazard hazard areas when all of the following are met: <del>{</del>
    - <u>i. a) Aa</u> qualified professional determines that the criteria of MICC 19.07.060(D), Site Development, is satisfied;  $\frac{\text{(b)}}{\text{(b)}}$
    - <u>ii.</u> <u>bB</u>uilding pads are sited to minimize impacts to the extent <del>reasonably</del> feasible; and
    - <u>ii. (c) bB</u>uilding pads are not located in steep slopes or within 10 feet from the top of a steep slope, unless such slopes, as determined by a qualified professional, consist of soil types determined not to be landslide prone.
- 3. No cross-section dimension of a building pad shall be less than 20 feet in width.
- B. No Designated Building Pad-Area.
  - 1. New development proposals on a lot On lots without a previously designated building pad area, development shall be located shall establish a building pad outside of critical areas unless otherwise allowed by Chapter 19.07 MICC. consistent with the provisions of MICC 19.09.090(A) above.
  - 2. A building pad on a large lot shall also comply with the provisions of 19.02.020(I).
- C. New buildings shall be located within the building pad established by subsection "A." or "B." above.

### 19.09.100 Preferred practices.

The applicant must use reasonable best efforts to comply with Proposed development shall incorporate all of the following preferred development practices where feasible:

- A. Use common access drives and utility corridors.
- B. Development, including roads, walkways and parking areas in critical areas, should be avoided, or if not avoided, adverse impacts to critical areas will be mitigated to the greatest extent reasonably feasible.

C. Retaining walls should be <u>designed to minimize grading</u>, including the placement of fill, on or near an <u>existing natural slope</u> used to maintain existing natural slopes in place of graded artificial slopes.

	1	
	2	
ı	2	
	3	
	4	
	5	
	6	
	7	
	,	
	8	
	9	
	10	
	11	
	12	
ŀ	13	
	14	
	15	
	16	
	17	
	18	
	19	
	20	
	21	
	22	
	23	
	24	
	25	
	26	
	27	
	28	
	29	
	30	
	31	
	32	
	33	
	34	
	35	
ĺ		
	36	
	37	
	38	
	39	
	40	
	41	
1	42	

44

Chapter 19.10 TREES

### 19.10.005 Purpose.

Protecting, enhancing, and maintaining trees are key community values expressed in the Mercer Island Comprehensive Plan. The purpose of this chapter is to encourage building and site design to minimize tree removal, and to establish standards and procedures that will result in the retention of trees on Mercer Island.

, |

### The city recognizes that trees:

- A. Contribute to the residential character on Mercer Island;
- 2 B. Provide a public health benefit;
  - C. Provide wind protection, ecological benefits to wetlands and watercourses, and aid in the stabilization of geologically hazardous areas;
- 5 D. Improve surface water quality and control and benefit Lake Washington; and,
  - E. Reduce noise and air pollution.
  - The city further acknowledges that the value of protecting, enhancing, and maintaining trees should be balanced with the other community goals of:
  - F. Reasonable enjoyment and use of private property by the property owner; and,
  - G. Providing delivery of reliable utility service.

### 19.10.010 Tree Code - Overview.

This section is intended to provide an overview of the tree regulations contained in this Chapter 19.10 MICC.

- A. Generally, a permit is required to remove any tree with a diameter of greater than 10 inches (see sections 19.10.020 and 19.10.030 for details).
- B. Non-development tree removal. If the tree is being removed for reasons other than development (for example, if the tree is coming out because a property owner is landscaping their yard), then:
  - 1. A simple application is required. The application shows the location of trees on the property, the tree(s) to be removed, and where re-planting will occur (see section 19.10.090(A) General Information, for details).
  - 2. Replacement trees are required for the tree(s) removed; typically between October 1 and April 1 following removal (see section 19.10.070 for details).
- C. Development tree removal. If the tree is being removed as part of a development (for example, to allow for construction of a new home), then:
  - 1. A full application is required. The application provides details on the trees on site, the removed trees, and the proposed protection measures for trees that will remain (see section 19.10.090 for details).
  - 2. Retention of some trees is required. At a minimum, 30% of the trees will need to be retained. Trees that are exceptional, are large, and have a high likelihood for long term survival are prioritized for retention (see section 19.10.060 for details).
  - 3. Replacement trees are required for the tree(s) removed; typically between October 1 and April 1 following removal (see section 19.10.070 for details).

12

13

14

22

23

28

32

39 40

## 19.10.020 Applicability and Permit required.

- A. Applicability. The provisions of this chapter shall apply to all property and public rights-of-way in the
- B. Permit required. A permit approval is required prior to removing any tree, except for trees that are exempt pursuant to MICC 19.10.030.
  - 1. Permit approval to remove one or more non-hazardous trees may take the form of a tree removal permit or other construction permit approval.
  - 2. Permit approval to remove one or more trees that pose an imminent threat to life or property, such as tree limbs or trunks that are demonstrably cracked, leaning toward overhead utility lines or structures, or are uprooted by flooding, heavy winds or storm events, in which event the permit must be applied for within fourteen (14) days of the removal. Permit applications shall be accompanied by documentation of the imminent threat to life or property, ideally in the form of a report by a qualified arborist, but at least in the form of photographs that clearly depict the threat. Prior notice of the impending tree removal should be provided to the City.
  - 3. For the purposes of this section, tree removal includes the cutting or removing directly or indirectly through site grading of any tree, or root destruction that will result in a tree ultimately becoming a hazardous tree.

## 19.10.030 Exemptions.

Except where undertaken within critical areas and associated buffers, or on public property, the following activities are exempt from the permitting, replacement, retention, and protection provisions

- A. Small tree removal. Removal of trees with a diameter of less than ten (10) inches that meet the definition of small trees, except if the small tree is an exceptional tree, as defined, or was previously planted as a replacement tree.
- B. Removal of species identified in the weeds of concern, noxious, or invasive weed lists established by Washington State or King County, as amended.
- C. Tree pruning. Tree pruning, as defined in MICC 19.16.010, on private property.

# 19.10.040 General Provisions.

- A. Relationship with Other Mercer Island Codes and Ordinances. In addition to any requirements under this Chapter 19.10, the removal or pruning of any tree located within a critical area, critical area buffer or the shoreline jurisdiction shall comply with the requirements of Chapter 19.07 MICC. The City arborist may require additional information in order to confirm compliance with those requirements.
- B. Public property.
  - 1. A private property owner may apply for a tree permit to prune or cut trees on any city street, pursuant to MICC 19.10.100.
  - 2. Pruning or cutting of trees within a public park by a private property owner is prohibited.
- C. Private utility companies. A tree permit will be issued to private utility companies to cut trees located on public or private property if necessary for public safety, removal of hazardous trees, removal of diseased or dead trees, as part of any private utility tree maintenance program approved

by the city, or for construction work. Regardless of whether or not a permit is required, all cutting or pruning of trees by private utility companies shall be performed under the supervision of a certified arborist and at the sole cost and expense of the utility company.

## 19.10.050 Tree removal – Not associated with a development proposal.

- A. Tree removal that is not associated with a development proposal shall provide replacement trees (MICC 19.10.070), but is exempt from tree retention (MICC 19.10.060).
- B. An application for tree removal that is not associated with a development proposal, shall provide the application information described under 19.10.090(A) General Information.
- C. This section shall not be construed as an exemption to the tree retention and replacement requirements of Chapter 19.07 MICC.

### 19.10. 060 Tree removal - Associated with a development proposal.

A. Single family zoning designations.

- 1. In the R-8.4, R-9.6, R-12, and R-15 zoning designations, tree retention is required for the following development proposals:
  - a. An addition or remodel to an existing single family dwelling that will result in the addition of more than 500 square feet of gross floor area on a lot with a net lot area of 6,000 square feet or more;
  - b. A new single family dwelling on a lot with a net lot area of 6,000 square feet or more;
  - c. A subdivision or short subdivision.
- 2. Retention requirement. Development proposals specified under subsection "1." above, shall retain trees as follows:
  - a. A minimum of thirty percent (30%) of trees with a diameter of ten (10) inches or greater, or that otherwise meet the definition of large tree, shall be retained over a rolling five year period.
  - b. In addition to the retention required in subsection "a." above, the development proposal shall be designed to further minimize the removal of large trees and maximize onsite tree retention as follows:
    - i. Site improvements, including but not limited to, new single family homes, additions to a single family home, appurtenances, accessory structures, utilities, and driveways shall be designed and located to minimize tree removal during and following construction.
    - ii. The following trees shall be prioritized for retention:
      - (1) Exceptional trees;
      - (2) Trees with a diameter of more than 24 inches;
      - (3) Trees that have a greater likelihood of longevity; and,
      - (4) Trees that are part of a healthy grove
    - <u>iii.</u> Tree shall not be removed outside the area of land disturbance except where necessary to install site improvements (e.g. driveways, utilities, etc.).
    - iv. Tree removal for the purposes of site landscaping should be limited to
       those trees that will pose a future safety hazard to existing or proposed site
       improvements.

- c. Provide tree replacement pursuant to MICC 19.10.070.
- 3. Retention of exceptional trees. Development proposals specified under subsection "1."

  above, shall retain exceptional trees with a diameter of 24 inches or more. Exceptional trees with a diameter of 24 inches or more that are retained shall be credited towards compliance with the retention requirements of subsection "2." above. Removal of exceptional trees with a diameter of 24 inches or more, shall be limited to the following circumstances:
  - a. Retention of an exceptional tree(s) with a diameter of 24 inches or more will result in an unavoidable hazardous situation; or,
  - b. Retention of an exceptional tree(s) with a diameter of 24 inches or more will limit the constructable gross floor area to less than 85% of the maximum gross floor area allowed under Chapter 19.02 MICC; or,
  - c. Retention of an exceptional tree(s) with a diameter of 24 inches or more will prevent creation of a residential lot through a subdivision or short subdivision that is otherwise allowed by Title 19 MICC.
- 4. Calculation of rolling five year period. For the purposes of this section, the rolling five year period begins five years prior to the date of application for a development approval that is subject to tree retention.
- 5. Compliance required. Development proposals on lots that have removed more than 70% of large trees within the rolling five year period, such that the 30% tree retention requirement under subsection "2." above cannot be met, shall not receive approval unless and until compliance has been achieved. For example, a lot that has removed all of the trees in year "one", may not receive a preliminary subdivision approval in year "four". However, the preliminary subdivision approval may be granted in year "six", such that the rolling five year period does not include the tree removal in year "one".
- B. Commercial or multifamily zoning designations Tree removal.
  - 1. In the P, B, C-0, PBZ, TC, MF-2, MF-2L, and MF-3 zoning designations a tree permit is required and will be granted if it meets any of the following criteria:
    - a. It is necessary for public safety, removal of hazardous trees, or removal of diseased or dead trees;
    - b. It is necessary to enable construction work on the property to proceed and the
       owner has used reasonable best efforts to design and locate any improvements and
       perform the construction work in a manner consistent with the purposes set forth in
       MICC 19.10.005;
    - c. It is necessary to enable any person to satisfy the terms and conditions of any covenant, condition, view easement or other easement, or other restriction encumbering the lot that was recorded on or before July 31, 2001; and subject to MICC 19.10.090(B);
    - d. It is part of the city's forest management program or regular tree maintenance program and the city is the applicant;
    - e. It is desirable for the enhancement of the ecosystem or slope stability based upon professional reports in form and content acceptable to the city arborist.

2. Design Commission review required in commercial zones. A tree permit for a development proposal, resulting in regulated improvements located in a commercial zone, that has previously received design commission approval, must first be reviewed, and approved by the city's design commission prior to permit issuance by the city.

### 19.10.070 Tree replacement.

<u>Trees that are cut pursuant to a tree permit shall be replaced as specified in subsections "A" and "B."</u> below, or a fee in lieu shall be paid as specified in subsection "C.".

A. Tree replacement ratio. Removed trees pursuant, shall have the following base replacement ratio:

<u>Diameter of removed tree</u>	Number of replacement trees required
Less than 10 inches	<u>1</u>
10 inches up to 24 inches	<u>2</u>
24 inches up to 36 inches	<u>3</u>
More than 36 inches and any exceptional tree(s)	<u>6</u>

### B. Replacement Trees.

- 1. Location. Replacement trees shall be located in the following order of priority from most important to least important:
  - a. On-site replacement adjacent to or within critical tree areas as defined in Chapter 19.16 MICC;
  - b. On-site replacement outside of critical tree areas adjacent to other retained trees making up a grove or stand of trees;
  - c. On-site replacement outside of critical tree areas; and,
  - d. Off-site in adjacent public right-of-way where explicitly authorized by the city.
- 2. Species. Replacement trees shall primarily be those species native to the Pacific Northwest. In making a determination regarding the species of replacement trees, the city arborist shall defer to the species selected by the property owner unless the city arborist determines that the species selected is unlikely to survive for a period of at least 10 years, represents a danger or nuisance, would threaten overhead or underground utilities or would fail to provide adequate protection to any critical tree area.

### 3. Size.

- a. Coniferous trees shall be at least 6 feet tall; and
- b. Deciduous trees shall be at least 1.5 inches in caliper.

The city arborist may authorize the planting of smaller-sized replacement trees if the applicant can demonstrate that smaller trees are more suited to the species, the site conditions, neighborhood character, and the purposes of this section, and that such replacement trees will be planted in sufficient quantities to meet the intent of this section. The city arborist shall not authorize the planting of shrubs or bushes in lieu of required replacement trees.

- 4. Reduction. The city arborist may reduce the number of replacement trees as follows, where other measures designed to mitigate the tree loss by restoring the tree canopy coverage and its associated benefits are considered to be effective and consistent with the purposes of this chapter. The city arborist may consider, but is not limited to, the following measures:
  - a. Replacement of hazardous, undesired, or short-lived trees with healthy new trees that have a greater chance of long-term survival;
  - b. Restoration of critical tree areas with native vegetation; and,
  - c. Protection of small trees to provide for successional stages of tree canopy.
- 5. Timing. Replacement trees shall be planted in the wet season (October 1 through April 1), following the applicable tree removal or, in the case of a development proposal, completion of the development work, provided the city arborist may authorize an extension to ensure optimal planting conditions for tree survival.
- <u>C. Fee-in-lieu</u>. If the city arborist determines there is insufficient area to replant on the site or within the adjacent public right-of-way, the city arborist may authorize payment of a fee-in-lieu provided:
  - 1. There is insufficient area on the lot or adjacent right-of-way for proposed on-site tree replacement to meet the tree replacement requirements of this chapter; or
  - 2. Tree replacement or management provided within public right-of-way or a city park in the vicinity will be of greater benefit to the community.
  - 3. Fees provided in lieu of on-site tree replacement shall be determined based upon:
    - a. The expected tree replacement cost including labor, materials, and maintenance for each replacement tree; and,
    - b. The most current Council of Tree and Landscaper Appraisers Guide for Plant Appraisal.
  - 4. Any fee in lieu is also optional for the applicant and requires an explicit written agreement.
- D. Maintenance of Replacement Trees. The applicant shall maintain all replacement trees in a healthy condition for a period of five years after planting. The applicant shall be obligated to replant any replacement tree that dies, becomes diseased, or is removed during this five-year time period.
- E. Private Utility Company. If the permit is granted to a private utility company and the property owner is unwilling to place any replacement trees on the owner's property, the private utility company shall pay to the city the amount necessary to purchase and plant replacement trees on public property necessary to mitigate the impact of the removed trees based upon arborist industry standards. Monies paid to the city for replacement trees shall be used for that purpose.

### 19.10.080 Tree protection standards.

A. To ensure long-term viability of trees identified for protection, permit plans and construction activities shall comply with the then-existing Best Management Practices (BMP) – Managing Trees During Construction, published by the International Society of Arboriculture, adopted by reference. The tree protection plan shall be prepared by a qualified arborist and the plan shall be reviewed for adequacy by the City arborist. All minimum required tree protection measures shall be shown on the development plan set and tree re-planting / restoration / protection plan.

- B. Alternative Methods. The city arborist may approve construction related activity or work within the tree protection barriers if the city arborist concludes:
  - 1. That such activity or work will not threaten the long term health of the retained tree(s); and,
  - 2. That such activity or work complies with the protective methods and best building practices established by the International Society of Arboriculture.

### 19.10.090 Application requirements.

The city shall establish and maintain a tree removal permit application form to allow property owners to request city review of tree removal for compliance with applicable city regulations. The application shall include at a minimum, the following:

## A. General Information.

- 1. The name, address, telephone number of the applicant, the name, address, telephone number of the property owner, and the street address of the property.
- 2. The proposed location, species, diameter, and number of trees proposed to be cut or public tree proposed to be pruned.
- 3. The proposed location and number of any required replacement trees.
- 4. A site plan reflecting the location of large trees and the relative location of structures, driveways, and buildings.
- 5. Additional information required by the City to confirm compliance with this Chapter or Chapter 19.07 MICC.
- B. Critical Tree Area. An application covering a tree located in a critical tree area, as defined in Chapter 19.16 MICC, shall include a proposed time schedule for the cutting, land restoration, implementation of erosion control and other measures that will be taken in order to prevent damage to the critical tree area.
- C. Development plan set. An application for a development proposal that requires tree retention, and that will result in the removal of one or more trees and as a result of construction work, shall include the following:
  - 1. Detailed site plan. The site plan shall include the following information at a minimum:
    - a. Location of all proposed improvements, including building footprint, access, utilities, applicable setbacks, buffers, and required landscaped areas clearly identified. If a short plat or subdivision is being proposed and the location of all proposed improvements cannot be established, a phased tree retention plan review is required as described below;
    - b. Accurate location of large trees on the subject property (surveyed locations may be required). The site plan must also include the trunk location and critical root zone of large trees that are on adjacent property with driplines extending over the subject property line;
    - c. Trees labeled corresponding to the tree inventory numbering system;
    - d. Location of tree protection measures;

e. Indicate limits of disturbance (LOD) drawn to scale around all trees potentially impacted by site disturbances resulting from grading, demolition, or construction activities (including approximate LOD of off-site trees with overhanging driplines); f. Proposed tree status (trees to be removed or retained) noted by an 'X' or by ghosting out;

g. Proposed locations of any required replacement trees.

- 2. A Tree Retention Plan and Arborist Report. The tree retention plan shall contain the following information:
  - a. A tree inventory containing the following:

i. A numbering system of all existing large trees on the subject property (with corresponding tags on trees); the inventory shall also include large trees on adjacent property with driplines or critical root zones extending into the development proposal site;

- ii. Size (diameter);
- iii. Proposed tree status (retained or removed);
- iv. Tree type or species;
- v. Brief general health or condition rating of these trees (i.e. poor, fair, good, etc.)
- b. An arborist report, prepared by a qualified arborist, containing the following:
  - i. A complete description of each tree's diameter, species, critical root zone, limits of allowable disturbance, health, condition, and viability;
  - ii. A description of the method(s) used to determine the limits of allowable disturbance (i.e., critical root zone, root plate diameter, or a case-by-case basis description for individual trees);
  - iii. Any special instructions specifically outlining any work proposed within the limits of the disturbance protection area (i.e., hand-digging, air spade, tunneling, root pruning, any grade changes, clearing, monitoring, and aftercare);
  - iv. For trees not viable for retention, a description of the reason(s) for removal based on poor health, high risk of failure due to structure, defects, unavoidable isolation (windfirmness), or unsuitability of species, etc., and for which no reasonable alternative action is possible must be given (pruning, cabling, etc.);
  - v. Describe the impact of necessary tree removal to the remaining trees, including those in a grove or on adjacent properties;
  - vi. For development applications, a discussion of timing and installation of tree protection measures. Such measures must include fencing and be in accordance with the tree protection standards as outlined in MICC 19.10; and vii. The suggested location and species of supplemental trees to be used when required. The report shall include planting and maintenance specifications to ensure long term survival.
- 3. Additional Information. The city arborist or code official may require additional documentation, plans, or information as needed to ensure compliance with applicable city regulations.
- E. Peer review and conflict of interest.

- 1. The city may require peer review of the tree permit application by a qualified arborist to verify the adequacy of the information and analysis. The applicant shall bear the cost of the peer review.
- 2. The code official may require the applicant retain a replacement qualified arborist or may require a peer review where the code official believes a conflict of interest exists. For example, if an otherwise qualified arborist is employed by a tree removal company and prepares the arborist report for a development proposal, a replacement qualified arborist or a peer review may be required.

## 19.10.100 Trees on public property.

An application for a tree permit to cut a tree on public property or a request to have the city prune a public tree located on a city street shall be reviewed by the city arborist based upon the following conditions and criteria:

- A. By the city. An annual tree permit will be issued to the city to cut any public trees necessary for public safety, removal of hazardous trees, removal of diseased or dead trees, as part of the city's forest management program or regular tree maintenance program or for construction work on public property.
- B. By private property owners in city street. A private property owner may apply for a tree permit to cut or prune a public tree located on any city street if the owner demonstrates in the following order that all of the criteria are satisfied:
  - 1. The owner establishes that the tree is located on a city street;
  - 2. The city arborist determines that the proposed pruning or cutting can be performed without adversely affecting any critical tree areas;
  - 3. Tree cutting. The city arborist determines that proposed tree removal is:
    - i. Necessary for access to private property;
    - <u>ii. Necessary for installation of required public improvements (e.g. sidewalk, public utilities, etc);</u>
  - 4. Tree pruning. The city arborist determines that proposed tree pruning is:
    - i. Required to resolve a possible hazard to public or private health or safety; or, ii. Requested by a valid petition executed by at least 60 percent of the property owners
    - located within a 300-foot radius of the subject tree in favor of the proposed pruning of the tree; and
  - 5. Additional information prepared by a qualified arborist, if required by the city arborist, is provided to ensure the long term health and viability of trees that will remain following pruning or removal;
  - 6. In the case of tree cutting, the private property owner provides tree replacement consistent with MICC 19.10.070;
  - 7. The owner pays a fee to cover all costs associated with reviewing the pruning or cutting request;
  - 8. The pruning or cutting is performed at the sole cost and expense of the private property owner; and,

9. Tree topping is prohibited.

C. Pruning or cutting of trees within a public park by a private property owner is prohibited.

## 19.10.110 Seasonal development limitations.

No cutting of trees located in geologic hazard areas or protected slope areas is allowed between October 1 and April 1 unless: (i) a tree permit with explicit authorization for removal between October 1 and April 1 has been granted; or (ii) removal is required due to an emergency situation involving immediate danger to life or property. The city arborist may authorize tree removal between October 1 and April 1 if the city arborist determines that such environmentally critical areas will not be adversely impacted by the proposed cutting and the applicant demonstrates compelling justification based on a geotechnical evaluation of the site. The city arborist may require hydrology, soils and storm water studies, erosion control measures, restoration plans, and/or an indemnification/release agreement.

19.10.120 Rounding.

When the retention or replacement calculations results in a fraction, the fraction shall be rounded to the nearest whole number as follows:

A. Fractions of 0.50 or above shall be rounded up to the closest whole number; and

B. Fractions below 0.50 shall be rounded down to the closest whole number.

# 19.10.130 Bald eagle and other federal and state requirements.

In addition to any requirement of this chapter, persons must comply with all applicable federal and state laws, rules and regulations including without limitation the Endangered Species Act, the Bald Eagle Protection Act and the Migratory Bird Treaty Act, as now existing or hereinafter adopted or amended.

### 19.10.140 Nuisance abatement.

A. In addition to the requirements of this Chapter 19.10 MICC, trees and vegetation which meet the definition of a nuisance shall be subject to the provisions of Chapter 8.24 MICC, Nuisance Control Code.

B. In addition to the provisions of Chapter 8.24 MICC, Nuisance Control Code, the following requirements shall apply to trees and vegetation:

- 1. Branches over roads shall be trimmed to a minimum of 12 feet above the road surface. (see Figure 1).
- 2. Branches over sidewalks shall be trimmed to a minimum of eight feet above the sidewalk and one foot behind the sidewalk (see Figure 1).

3. Street trees and other vegetation will be spaced according to the following spacing requirements to facilitate the safe flow of traffic (see Figure 2):

- a. No tree plantings are allowed within a 30-foot sight triangle at any street intersection.
- 43 44

b. Shrubs shall not exceed 36 inches in height above the street level within this triangle.

c. Ten-foot minimum spacing shall be observed for small trees.

d. Hedges are not allowed between the sidewalk and the curb, and must be planted at least five feet behind the sidewalk.

e. Hedges must be trimmed at least three feet behind the sidewalk.

<u>f. Plantings of trees, shrubs or hedges are not allowed between the street/road edge and a ditch.</u>





Figure 1



#### MOTES:

- 1. TREES SHALL GENERALLY BE PLANTED BACK OF THE SIDEWALK. PLANTING STRIPS WILL BE APPROVED BILLY AS PART OF A LANDSCAPING PLAN IN WHICH PLANT MAINTENANCE, LANDSCAPING PLAN IN COMPATIBILITY WITH UTILITIES, AND TRAFFIC SAFETY ARE DULY CONSIDERED.
- 2. IF PLANTING STRIPS ARE APPROVED.
  - A. MIN. DISTANCE FROM CENTER OF ANY TREE TO NEAREST EDGE OF VERTICAL CURB SHALL BE 4 FEET.
  - B. TREES SHALL BE STAKED ON A MANNER NOT TO DESTRUCT SIDEWALK TRAFFIC.
  - C. IN CASE OF BLOCK-DUTS, NON CLEAR SIDEWALK WIDTH SHALL BE 5 FEET IN RESIDENTIAL OR 8 FEET IN BUSINESS DISTRICTS.
- 3. ON BUS ROUTES, PLANS SHALL BE COORDINATED WITH METRO SERVICE PLANNING.




Figure 2

2 3 4

5

1

19.10.150 Appeals.

Any person or persons aggrieved by any action or decision of city staff made pursuant to any section of this chapter, may appeal such action or decision in accordance with the appeal procedure set forth in Chapter 19.15 MICC.

### **19.10.160** Enforcement.

A. Violation. It is a violation of this chapter for any person to fail to comply with the requirements of this chapter.

### B. Civil Penalty and Remediation.

- 1. Civil Penalty. The penalty for violating this chapter shall be a fine equal to up to three times the value of the damaged or cut tree or removed vegetative cover, plus the cost of reasonable remediation. Trees and other vegetation shall be appraised according to the method specified by the Council of Landscape and Tree Appraisers, most current edition.
- 2. Remediation. Remediation for tree removed in violation of this chapter shall include, but is not limited to, the following:
  - a. Removal of the remaining plant parts or debris;
  - b. Preparation of a re-planting plan in a form approved by the code official for replanting the area where trees were removed in violation of this chapter;
  - c. Payment of the costs to review, approve, and administer the remediation process; d. Installation of the required re-plantings as reflected on the re-planting plan; and,
  - e. Maintenance of the required re-plantings for a period of five years.

C. Tree retention enforcement. Trees identified for retention through the approval of development proposal that are subsequently removed, or are damaged to the extent that removal is required, with prior written approval by the City arborist, whether the removal or damage is intentional or unintentional, shall result in a civil penalty pursuant to section "B." above, in addition to required replanting and remediation. The code official may waive the civil penalty if the code official determines that appropriate tree protection standards were in place and maintained and natural disaster or events entirely outside the knowledge and control of the property owner, resulted in the tree loss.

### 19.10.010 Purpose.

These regulations are adopted to promote the public health, safety and general welfare of the citizens of Mercer Island, including minimizing erosion, siltation and water pollution in Lake Washington, surface water and ground water runoff, risks of slides, and the need for additional storm drainage facilities; preserving trees for the reduction of noise, wind protection, slope stabilization, animal habitat, and reduction in air pollution; removing diseased or hazardous trees; implementing the city's comprehensive plan; designating and preserving historical trees; and providing for the delivery of reliable utility service, reasonable development of property and reasonable preservation or enhancement of property views.

## 19.10.020 Permit requirements.

approximate approximate

A. No Permit Required. Except as otherwise provided in subsection B of this section, no tree permit is required for an owner or an owner's agent to cut or prune trees located on the owner's property as follows:

- 1. Outside Critical Tree Area. No tree permit is required to cut any tree located outside a critical tree area:
- 2. Pruning. No tree permit is required to perform pruning of any tree; and
- 3. Size of Tree. No tree permit is required to cut any small tree.
- B. Permit Required. A tree permit is required to cut a tree as follows:
  - 1. Construction Work. A tree permit is required to cut any large tree as a result of construction work;
  - 2. Landmark Tree/Grove. A tree permit is required to cut a landmark tree or any tree located in a landmark grove;
  - 3. Critical Tree Area. A tree permit is required to cut any large tree located in a critical tree area;
  - 4. Commercial Zone. A tree permit is required to cut any large tree located in a commercial zone;
  - 5. Emergency. A tree on private property may be cut without a tree permit in an emergency situation involving immediate danger to life or property so long as the city arborist is notified within seven days of the tree having been cut, is provided such additional information as the city arborist requests in order to verify the emergency, and a tree permit is obtained within 20 days following the cutting of the tree if a tree permit is required under this section;
  - 6. Public Tree.
    - a. By the City. The city is obligated to comply with the permit requirements as set forth in this chapter;
    - b. By Private Property Owners. No private property owner may cut or prune a public tree. A private property owner can request the city to prune a tree located on any city street subject to the conditions set forth in MICC 19.10.040(A)(2);
  - 7. Private Utility Company. A tree permit is required for a private utility company to cut any tree.
- 19.10.030 Seasonal development limitations.

No cutting of trees located in geologic hazard areas or protected slope areas is allowed between October 1 and April 1 unless: (i) an administrative waiver has been granted; or (ii) it is required due to an emergency situation involving immediate danger to life or property. The city arborist may grant an administrative waiver to this seasonal development limitation if the city arborist determines that such environmentally sensitive areas will not be adversely impacted by the proposed cutting and the applicant demonstrates compelling justification by a geotechnical evaluation of the site. The city arborist may require hydrology, soils and storm water retention studies, erosion control measures, restoration plans, and/or an indemnification/release agreement.

### 19.10.040 Criteria.

- A. Trees on Public Property. An application for a tree permit to cut a tree on public property or a request to have the city prune a public tree located on a city street shall be reviewed by the city arborist based upon the following conditions and criteria:
- 1. By the City. An annual tree permit will be issued to the city to cut any public trees necessary for public safety, removal of hazardous trees, removal of diseased or dead trees, as part of the city's forest management program or regular tree maintenance program or for construction work on public property.
- 2. By Private Property Owners. A private property owner may request the pruning of a public tree located on any city street if the owner demonstrates in the following order that all of the criteria are satisfied:
  - a. The owner establishes that the tree is located on a city street;
  - b. The owner submits a valid petition executed by at least 60 percent of the property owners located within a 300 foot radius of the subject tree in favor of the proposed pruning of the tree;
  - c. The city arborist determines that the proposed pruning can be performed without adversely affecting any critical tree areas;
  - d. The owner pays a fee to cover all costs associated with reviewing the pruning request; and
- e. The pruning is performed by the city but at the sole cost and expense of the private property owner.

  B. Trees on Private Property. When a tree permit is required to cut a tree on private property, the tree permit will be granted if it meets any of the following criteria:
- 1. It is necessary for public safety, removal of hazardous trees, or removal of diseased or dead trees;
- 2. It is necessary to enable construction work on the property to proceed and the owner has used reasonable best efforts to design and locate any improvements and perform the construction work in a manner consistent with the purposes set forth in MICC 19.10.010;

3. It is necessary to enable any person to satisfy the terms and conditions of any covenant, condition, view easement or other easement, or other restriction encumbering the lot that was recorded on or before July 31, 2001; and subject to MICC 19.10.080(A)(2);

4. It is part of the city's forest management program or regular tree maintenance program and the city is the applicant;

5. The permit seeks to cut one of the following common, short-lived "weedy" tree species: Alder, Bitter Cherry, or Black Cottonwood; or

6. It is desirable for the enhancement of the ecosystem or slope stability based upon professional reports in form and content acceptable to the city arborist.

C. Trees Cut/Pruned by Private Utility Companies. A tree permit will be issued to private utility companies to cut trees located on public or private property if necessary for public safety, removal of hazardous trees, removal of diseased or dead trees, as part of any private utility tree maintenance program approved by the city, or for construction work. Regardless of whether or not a permit is required, all cutting or pruning of trees by private utility companies shall be performed under the supervision of a certified arborist and at the sole cost and expense of the utility company.

### 19.10.050 Commission review required in commercial zones.

A tree permit covering regulated improvements located in a commercial zone, that have previously received design commission approval, must first be reviewed and approved by the city's design commission prior to permit issuance by the city.

## 19.10.060 Tree replacement.

Any trees that are cut pursuant to a tree permit shall be replaced on the subject property as specified in this section.

A. Private Utility Company. If the permit is granted to a private utility company and the property owner is unwilling to place any replacement trees on the owner's property, the private utility company shall pay to the city the amount necessary to purchase and plant replacement trees on public property necessary to mitigate the impact of the removed trees based upon arborist industry standards. Monies paid to the city for replacement trees shall be used for that purpose.

B. Species. In making a determination regarding the species of replacement trees, the city arborist shall defer to the species selected by the property owner unless the city arborist determines that the species selected is unlikely to survive for a period of at least 10 years, represents a danger or nuisance, would threaten overhead or underground utilities or would fail to provide adequate protection to any critical tree area.

C. Size. All replacement trees shall be at least six feet tall, unless a smaller size tree or shrub is approved by the city arborist.

- D. Replacement Trees Number. the In making a determination regarding the number of replacement trees required, the city arborist shall apply a replacement ratio based on a sliding scale of 0:1 up to 4:1, depending upon the criteria in the following priority order:
- 1. Percentage of slope, slope stability, topography and general soil conditions;
- 2. Trunk size and canopy of tree to be cut and trunk size and canopy of replacement tree;
- 3. Size and shape of lot and area available to be replanted; and
- 4. Proximity to any critical tree area and/or the existence and retention of vegetative cover in any critical tree area.
- E. Maintenance of Replacement Trees. The applicant shall maintain all replacement trees in a healthy condition for a period of two years after planting. The applicant shall be obligated to replant any replacement tree that dies, becomes diseased or is removed during this two-year time period.

## 19.10.070 Bald eagle and other federal and state requirements.

In addition to any requirement of this chapter, persons must comply with all applicable federal and state laws, rules and regulations including without limitation the Endangered Species Act, the Bald Eagle Protection Act and the Migratory Bird Treaty Act, as now existing or hereinafter adopted or amended.

### 19.10.080 Permit applications.

A. Form. An application for a tree permit shall be submitted on a form provided by the city and shall include the following information:

### 1. General Information.

- a. The applicant shall give the name, address and telephone number of the applicant and owner of the property and the street address.
- b. The applicant must provide information on the proposed location, species, diameter and number of trees proposed to be cut or public tree proposed to be pruned.
- c. The applicant must agree to pay all costs of cutting, pruning, removing debris, cleaning, purchasing and planting replacement trees and any traffic control needed.
- 2. Critical Tree Area. An application covering a tree located in a critical tree area shall include a proposed time schedule for the cutting, land restoration, implementation of erosion control and other measures that will be taken in order to prevent damage to the critical tree area.

3. Construction Work. An application covering a tree to be cut as a result of construction work shall include the following:

a. Plot Plan. Two prints of the plot plan at a scale of one inch equals 10 feet (1'' = 10') or larger. The scale and north indicator shall be given on the plan. The plot plan shall:

i. Indicate topography by contours at a minimum of five-foot intervals, and the grading by dashed contour lines for existing grades and by solid contour lines for existing grades to be changed. The entire area to be cut and/or filled shall be indicated, and temporary storage of any excavated or fill material also indicated;

ii. Indicate the location of existing and proposed improvements including, but not limited to, structures, driveways, ponds, the location of building (zoning) setbacks and grade changes; and

iii. Indicate the location, diameter and/or size, and species of all large trees. Trees proposed to be cut shall be identified and differentiated from those trees not being cut. For a permit involving any critical tree area, the applicant shall also identify vegetative cover that will be retained or removed.

b. Restoration/Protection Plan. An applicant shall provide a plan for protecting trees that are not intended to be cut, a plan for conducting all construction work in accordance with best construction practices and a plan for erosion control and restoration of land during and immediately following the construction period.

4. Public Trees. An application for a permit by a private utility company to cut a public tree pursuant to MICC 19.10.040(C) or by a private property owner to prune a public tree on any city street pursuant to MICC 19.10.040 (A)(2), shall include all such information as the city arborist may require in order to verify that all conditions of those sections have been satisfied. If there is a dispute as to whether a tree is located on public property or private property, the city arborist may require a survey, at the applicant's expense, that is not more than one year old indicating the boundaries of the private property and the public property.

B. City Review. The city arborist shall complete a review and make a decision within 30 days from the date a complete application is submitted unless an extension, not to exceed 20 days, is authorized by the city manager or designee.

C. Permit Expiration. Any permit granted hereunder shall expire one year from the date of issuance. Upon a showing of good cause, a permit may be extended for one year. Any material change in plans or information from that presented with the permit application that occurs prior to the cutting requires submittal of an amended application for review and approval by the city arborist. The permit may be suspended or revoked by the city arborist because of incorrect material information supplied or any violation of the provisions of this chapter.

### 19.10.090 Nuisance abatement.


A. Trees and vegetation which meet the definition of a nuisance shall be subject to the provisions of Chapter 8.24 MICC, Nuisance Control Code.

B. In addition to the provisions of Chapter 8.24 MICC, Nuisance Control Code, the following requirements shall apply to trees and vegetation:

- 1. Branches over roads shall be trimmed to a minimum of 12 feet above the road surface. (see Figure 1).
- 2. Branches over sidewalks shall be trimmed to a minimum of eight feet above the sidewalk and one foot behind the sidewalk (see Figure 1).
- 3. Street trees and other vegetation will be spaced according to the following spacing requirements to facilitate the safe flow of traffic (see Figure 2):
  - a. No tree plantings are allowed within a 30 foot sight triangle at any street intersection.
  - b. Shrubs shall not exceed 36 inches in height above the street level within this triangle.
  - c. Ten-foot minimum spacing shall be observed for small trees.
  - d. Hedges are not allowed between the sidewalk and the curb, and must be planted at least five feet behind the sidewalk.
  - e. Hedges must be trimmed at least three feet behind the sidewalk.
  - f. Plantings of trees, shrubs or hedges are not allowed between the street/road edge and a ditch.

LOWEST BRANCHES
7' ABOVE CURB OR 7'6"
ABOVE SHOULDER WHERE
THERE IS NO CURB
(MINIMUM)

Figure 1



### NOTES

- 1. TREES SHALL GENERALLY BE PLANTED BACK OF THE SIDEWALK. PLANTING STRIPS WILL BE APPROVED GNLY AS PART OF A LANDSCAPING PLAN IN WHICH PLANT MAINTENANCE, LANDSCAPING PLAN IN COMPATIBILITY WITH UTILITIES, AND TRAFFIC SAFETY ARE DULY CONSIDERED.
- 2. IF PLANTING STRIPS ARE APPROVED:
  - A. MIN. DISTANCE FROM CENTER OF ANY TREE TO NEAREST EDGE OF VERTICAL CURB SHALL BE 4 FEET.
  - B. TREES SHALL BE STAKED IN A MANNER NOT TO DESTRUCT SIDEWALK TRAFFIC.
  - C. IN CASE OF BLOCK-DUTS, NOL CLEAR SIDEWALK WIDTH SHALL BE 5 FEET IN RESIDENTIAL OR 8 FEET IN BUSINESS DISTRICTS.
- 3. ON BUS ROUTES, PLANS SHALL BE COORDINATED WITH METRO SERVICE PLANNING.




Figure 2

1

19.10.100 Appeals.

Any person or persons aggrieved by any action or decision of city staff made pursuant to any section of this chapter, may appeal such action or decision to the planning commission in accordance with the appeal procedure set forth in MICC 19.15.020(J).

### 19.10.110 Fees.

Fees shall be set forth in a schedule adopted by the city council by resolution with any modifications, which will be made from time to time by the city council. Fees shall be based on the time required to review and inspect applications subject to the provisions of this chapter.

### 19.10.120 Enforcement.

A. Violation. It is a violation of this chapter for any person to fail to comply with the requirements of this chapter.

B. Civil Penalty. The penalty for violating this chapter shall be a fine equal to up to three times the value of the damaged or cut tree or removed vegetative cover, plus the cost of reasonable remediation. Trees and other vegetation shall be appraised according to the method specified by the Council of Landscape and Tree Appraisers, most current edition. Reasonable remediation is the cost to develop a plan of remediation and remove the remaining plant parts or debris, the cost to clean up the area, the cost to replant the area, and the cost to administer the remediation process.

## 19.10.130 Best pruning practices.

The city arborist shall prepare and distribute educational materials describing the best practices, policies, techniques, methods and procedures for pruning trees.

### 19.10.140 Landmark trees.

A. Designation of Landmark Trees and Landmark Groves.

- 1. The city shall maintain a register of landmark trees and landmark groves.
- 2. A property owner may propose to the city that a tree or grove of trees located on his or her private property be designated as a landmark tree or landmark grove. Any city resident may propose to the city that a tree or grove of trees located on public property be designated as a landmark tree or landmark grove. No tree or grove of trees may be designated without the approval of the property owner(s) on which the tree or grove, or any portion of the tree's branches or canopy, is located. Once such approval is given, however, it may not subsequently be withdrawn by the property owner or by a subsequent property owner.

- 3. Upon receipt of a proposed designation and the approval of the property owner, the city arborist shall determine whether the tree or grove satisfies the definition of landmark tree or landmark grove.
- 4. If the city arborist approves the proposed designation, it shall be memorialized in a covenant signed by the city and the property owner(s) and in form acceptable to the city attorney. The covenant shall require that the tree(s) or grove be maintained in a manner that is consistent with the provisions of this section. The covenant shall be recorded by the county auditor. The city shall pay recording fees. The covenant and designation shall be effective from the date of recording until such time as a tree permit has been issued for the cutting of the tree or grove of trees.
- 5. Upon request of a property owner, the city arborist shall provide reasonable advice and consultation on maintenance of any landmark tree or landmark grove without charge to the property owner.

### B. Tree Permit Requirements.

- 1. A tree permit to cut a landmark tree or a tree that is in a landmark grove as a result of construction work will only be granted if the applicant has used reasonable best efforts to design and locate the project so as to avoid having to cut the landmark tree or any trees in the landmark grove.
- 2. A tree permit to cut a landmark tree or a tree in a landmark grove other than as a result of construction work will only be granted if the applicant demonstrates that the tree removal is necessary for safety, removal of hazardous trees, removal of diseased or dead branches or trees, or if retention of the tree or grove will have a material, adverse and unavoidable impact on the use of the property the use of the property.

...

# Chapter 19.15 ADMINISTRATION

### 19.15.010 General procedures.

- D. Actions. There are four categories of actions or permits that are reviewed under the provisions of the development code.
  - 1. Ministerial Actions. Ministerial actions are based on clear, objective and nondiscretionary standards or standards that require the application of professional expertise on technical issues.
  - 2. Administrative Actions. Administrative actions are based on objective and subjective standards that require the exercise of limited discretion about nontechnical issues.
  - 3. Discretionary Actions. Discretionary actions are based on standards that require substantial discretion and may be actions of broad public interest. Discretionary actions are only taken after an open record hearing.
  - 4. Legislative Actions. Legislative actions involve the creation, amendment or implementation of policy or law by ordinance. In contrast to the other types of actions, legislative actions apply to large geographic areas and are of interest to many property owners and citizens. Legislative actions are only taken after an open record hearing.
- E. Summary of Actions and Authorities. The following is a nonexclusive list of the actions that the city may take under the development code, the criteria upon which those decisions are to be based, and which boards, commissions, elected officials, or city staff have authority to make the decisions and to hear appeals of those decisions.

	2		APPEAL
ACTION	DECISION AUTHORITY	CRITERIA	AUTHORITY
Ministerial Actions			
Tree Removal Permit	Code official	Chapter 19.10 MICC	Hearing  examiner <sup>1</sup>
Right-of-Way Permit	City engineer	Chapter 19.09 MICC	Hearing examiner
Home Business Permit	Code official	MICC <u>19.02.010</u>	Hearing examiner
Special Needs Group Housing Safety  Determination	Police chief	MICC <u>19.06.080(</u> A)	Hearing examiner

ACTION	DECISION AUTHORITY	CRITERIA	APPEAL AUTHORITY
Lot Line Revision	Code official	Chapter <u>19.08</u> MICC	Hearing examiner
Design Review – Minor Exterior	Code official	MICC <u>19.15.040</u> , Chapters <u>19.11</u>	Design
Modification Outside Town Center		and <u>19.12</u> MICC	commission
Design Review – Minor Exterior	Code official	Chapters <u>19.11</u> and <u>19.12</u> MICC,	Design
Modification in Town Center with a		MICC <u>19.15.040</u>	commission
Construction Valuation (as defined by MICC			
17.14.010) Less Than \$100,000			*
Design Review – Minor Exterior	Design commission	Chapters <u>19.11</u> and <u>19.12</u> MICC,	Hearing examiner
Modification in Town Center with a		MICC <u>19.15.040</u>	41
Construction Valuation (as defined by MICC			
17.14.010) \$100,000 or Greater		and the second s	
Final Short Plat Approval	Code official	Chapter <u>19.08</u> MICC	Superior court
Seasonal Development Limitation Waiver	Building official or	MICC <u>19.10.030</u> , <u>19.07.060</u> (D)(4)	Hearing examiner
	city arborist		
Shoreline Exemption	Code official	MICC <u>19.07.110</u> and	Hearing
		19.15.020(G)(6)(c)(i)	examiner24
Major Single-Family Dwelling Building	Code official	Chapter 19.02 MICC but not MICC	Hearing Examiner
Permit		Title 15 or 17	
Administrative Actions			
Accessory Dwelling Unit Permit	Code official	MICC 19.02.030	Hearing examiner
Preliminary Short Plat	Code official	Chapter 19.08 MICC	Hearing examiner
Deviation	Code official	MICC 19.15.020(G), 19.01.070,	Hearing examiner
		19.02.050(F), 19.02.020(C)(4) and	
		<del>(D)(3)</del>	
	Code official	Chapter 19.07 MICC	Hearing Examiner

ACTION	DECISION AUTHORITY	CRITERIA	APPEAL AUTHORITY
Shoreline – Substantial Development Permit	Code official	MICC <u>19.07.110</u> and	Shoreline
		<u>19.15.020</u> (G)(6)	hearings board
SEPA Threshold Determination	Code official	MICC <u>19.07.120</u>	Hearing Examiner
Short Plat Alteration and Vacations	Code official	MICC <u>19.08.010</u> (G)	Hearing examiner
Long Plat Alteration and Vacations	City council via	MICC <u>19.08.010</u> (F)	Superior court
Temporary Encampment	Code official	MICC <u>19.06.090</u>	Superior court
Wireless Communications Facility	Code official	MICC <u>19.06.040</u>	Hearing examiner
Wireless Communications Facility Height Variance	Code official	MICC <u>19.01.070</u> , <u>19.06.040</u> (H) and <u>19.15.020</u> (G)	Hearing examiner
Minimum Parking Requirement Variances for MF, PBZ, C-O, B and P Zones	Code official via design commission and city engineer	MICC <u>19.01.070</u> , <u>19.03.020(B)(4)</u> , <u>19.04.040(B)(9)</u> , <u>19.05.020(B)(9)</u> and <u>19.15.020(G)</u>	Hearing examiner
Development Code Interpretations	Code official	MICC <u>19.15.020</u> (L)	Hearing Examiner⁵
Discretionary Actions			
Conditional Use Permit	Hearing examiner	MICC <u>19.11.150(B)</u> , <u>19.15.020(G)</u>	Superior Court
Reclassification (Rezone)	City council via	MICC <u>19.15.020</u> (G)	Superior court
Formal Design Review – Major New Construction	Design commission	MICC <u>19.15.040</u> , Chapters <u>19.11</u> and <u>19.12</u> MICC	Hearing examiner
Preliminary Long Plat Approval	City council via	Chapter 19.08 MICC	Superior court
Final Long Plat Approval	City council via code	Chapter 19.08 MICC	Superior court
Variance	Hearing examiner	MICC 19.15.020(G) , 19.01.070	Superior court

			APPEAL
ACTION	DECISION AUTHORITY	CRITERIA	AUTHORITY
Variance from Short Plat Acreage Limitation	Code official	MICC <u>19.08.020</u>	Hearing examiner
Critical Areas Reasonable Use Exception	Hearing examiner	MICC <u>19.07.030</u> (B)	Superior court
Street Vacation	City council via	MICC <u>19.09.070</u>	Superior court
	planning		
	commission32		
Shoreline Conditional Use Permit	Code official and	MICC <u>19.15.020(</u> G)(6)	State Shorelines
	Department of		Hearings Board
	Ecology43		
Shoreline Variance	Code official and	MICC <u>19.15.020(</u> G)(6)	State Shorelines
*	Department of		Hearings Board
	Ecology <sup>33</sup>		
Impervious Surface Variance	Hearing examiner	MICC 19.02.05 <del>2</del> 0(D)(4)	Superior court
Legislative Actions			
Code Amendment	City council via	MICC <u>19.15.020(</u> G)	Growth
	planning		management
	commission <sup>32</sup>		hearings board
Comprehensive Plan Amendment	City council via	MICC <u>19.15.020(</u> G)	Growth
	planning commission <sup>2</sup>		management
			hearings board

<sup>&</sup>lt;sup>1</sup> Tree removal associated with a development proposal and authorized through the issuance of a tree removal permit, shall not commence until the later of the end of the appeal period associated with the tree removal permit, or a decision is issued on an administrative appeal of the tree removal permit.

Final rulings granting or denying an exemption under MICC 19.15.020(G)(6) are not appealable to the shoreline hearings board (SHB No. 98-60).

<sup>&</sup>lt;sup>22</sup>The original action is by the planning commission or hearing examiner which holds a public hearing and makes recommendations to the city council which holds a public meeting and makes the final decision.

			APPEAL
ACTION	DECISION AUTHORITY	CRITERIA	AUTHORITY

Must be approved by the city of Mercer Island prior to review by DOE per WAC 173-27-200 and RCW 90.58.140(10).

The development code interpretation may be appealed as applied to a project review as part of an appeal of the land use action.

### 19.15.020 Permit review procedures.

The following are general requirements for processing a permit application under the development code. Additional or alternative requirements may exist for actions under specific code sections (see MICC 19.07.080, 19.07.110, and 19.08.020).

- A. Preapplication. Applicants for development permits are encouraged to participate in informal meetings with city staff and property owners in the neighborhood of the project site. Meetings with the staff provide an opportunity to discuss the proposal in concept terms, identify the applicable city requirements and the project review process. Meetings or correspondence with the neighborhood serve the purpose of informing the neighborhood of the project proposal prior to the formal notice provided by the city.
- B. Application.
  - 1. All applications for permits or actions by the city shall be submitted on forms provided by the development services group. An application shall contain all information deemed necessary by the code official to determine if the proposed permit or action will comply with the requirements of the applicable development regulations. The applicant for a development proposal shall have the burden of demonstrating that the proposed development complies with the applicable regulations and decision criteria.
  - 2. All applications for permits or actions by the city shall be accompanied by a filing fee in an amount established by city ordinance.
- C. Determination of Completeness.
  - 1. The city will not accept an incomplete application. An application is complete only when all information required on the application form and all submittal items required by code have been provided to the satisfaction of the code official.
  - 2. Within 28 days after receiving a development permit application, the city shall mail or provide in person a written determination to the applicant, stating either that the application is complete or that the application is incomplete and what is necessary to make the application

complete. An application shall be deemed complete if the city does not provide a written determination to the applicant stating that the application is incomplete.

- 3. Within 14 days after an applicant has submitted all additional information identified as being necessary for a complete application, the city shall notify the applicant whether the application is complete or what additional information is necessary.
- 4. If the applicant fails to provide the required information within 90 days of the determination of incompleteness, the application shall lapse. The applicant may request a refund of the application fee minus the city's cost of determining the completeness of the application.
- D. Notice of Application.
  - 1. Within 14 days of the determination of completeness, the city shall issue a notice of application for all administrative, discretionary, and legislative actions listed in MICC 19.15.010(E) and major single-family dwelling building permits.
  - 2. The notice of application shall include the following information:
    - a. The dates of the application, the determination of completeness, and the notice of application;
    - b. The name of the applicant;
    - c. The location and description of the project;
    - d. The requested actions and/or required studies;
    - e. The date, time, and place of the open record hearing, if one has been scheduled;
    - f. Identification of environmental documents, if any;
    - g. A statement of the public comment period, which shall be not less than 30 days following the date of notice of application; and a statement of the rights of individuals to comment on the application, receive notice and participate in any hearings, request a copy of the decision once made and any appeal rights. The City shall accept public comments at any time prior to the closing of the record of an open record predecision hearing, if any, or if no open record predecision hearing is provided, prior to the decision on the project permit;
    - h. The city staff contact and contact information;
    - i. The identification of other permits not included in the application to the extent known by the city;

- j. A description of those development regulations used in determining consistency of the project with the city's comprehensive plan;
- k. A link to a website where additional information about the project can be found; and
- I. Any other information that the city determines appropriate.
- 3. Open Record Hearing. If an open record hearing is required on the permit, the city shall:
  - a. Provide the notice of application at least 30 days prior to the hearing; and
  - b. Issue any threshold determination required under MICC 19.07.110 at least 30 days prior to the hearing.
- 4. Notice shall be provided in the bi-weekly DSG bulletin, posted at City Hall and made available to the general public upon request.
- 5. All comments received on the notice of application must be received by the development services group by 5 pm on the last day of the comment period.
- 6. Except for a determination of significance, the city shall not issue a threshold determination under MICC 19.07.110 or issue a decision on an application until the expiration of the public comment period on the notice of application.
- 7. A notice of application is not required for the following actions; provided, the action is either categorically exempt from SEPA or an environmental review of the action in accordance with SEPA has been completed:
  - a. Building permit other than a major single-family dwelling building permit;
  - b. Lot line revision;
  - c. Right-of-way permit;
  - d. Storm drainage permit;
  - e. Home occupation permit;
  - f. Design review minor new construction;
  - g. Final plat approval;
  - h. Shoreline exemption permit; and

i. Seasonal development limitation waiver; and,

### k. Tree removal permit-

- E. Public Notice and Information Availability.
  - 1. In addition to the notice of application, a public notice is required for all administrative, discretionary, and legislative actions listed in MICC 19.15.010(E) and major single-family dwelling building permits.
  - 2. Public notice shall be provided at least 30 days prior to any required open record hearing. If no such hearing is required, public notice shall be provided 14 days prior to the decision on the application.
  - 3. The public notice shall include the following:
    - a. A general description of the proposed project and the action to be taken by the city;
    - b. A nonlegal description of the property, vicinity map or sketch;
    - c. The time, date and location of any required open record hearing;
    - d. A contact name and number where additional information may be obtained;
    - e. A statement that only those persons who submit written comments or testify at the open record hearing will be parties of record; and only parties of record will receive a notice of the decision and have the right to appeal;
    - f. A description of the deadline for submitting public comments;
    - g. A link to a website where additional information about the project can be found.
  - 4. Public notice shall be provided in the following manner:
    - a. Administrative and Discretionary Actions and Major Single-Family Dwelling Building Permits. Notice shall be mailed to parties of record, all property owners within 300 feet of the property and posted on the site in a location that is visible to the public right-of-way.
      - i. Long Subdivisions. Additional notice for long subdivisions shall be provided as follows:

(A) Public notice of an application for a long subdivision shall also be published at least 30 days prior to the open record hearing on the application in a newspaper of general circulation within the city.

(B) If the owner of a proposed long subdivision owns land contiguous to the proposed long subdivision, that contiguous land shall be treated as part of the long subdivision for notice purposes, and notice of the application shall be given to all owners of lots located within 300 feet of the proposed long subdivision and the applicant's contiguous land.

(C) The city shall provide written notice to the Department of Transportation of an application for a long subdivision or short subdivision that is located adjacent to the right-of-way of a state highway. The notice shall include a legal description of the long subdivision or short subdivision and a location map.

- b. Legislative Action. Notice shall be published in a newspaper of general circulation within the city.
- 5. Every complete development permit application for which notice is to be provided under subsection (D)(1) of this section together with all information provided by the applicant for consideration by the decision authority shall be posted by the city to a website accessible without charge to the public. Information shall be posted at the time the city issues the notice of application under subsection (D)(1) of this section and shall be updated as needed and in any event within seven days after additional information is received from the applicant. The provisions of this subsection (E)(5) shall only apply to development permit applications filed on or after May 29, 2017.

#### F. Open Record Hearing.

- 1. Only one open record hearing shall be required prior to action on all discretionary and legislative actions except design review and street vacations.
- 2. Open record hearings shall be conducted in accordance with the hearing body's rules of procedures. In conducting an open record hearing, the hearing body's chair shall, in general, observe the following sequence:
  - a. Staff presentation, including the submittal of any additional information or correspondence. Members of the hearing body may ask questions of staff.
  - b. Applicant and/or applicant representative's presentation. Members of the hearing body may ask questions of the applicant.
  - c. Testimony by the public. Questions directed to the staff, the applicant or members of the hearing body shall be posed by the chairperson at his/her discretion.
  - d. Rebuttal, response or clarifying statements by the applicant and/or the staff.

- e. The public comment portion of the hearing is closed and the hearing body shall deliberate on the action before it.
- 3. Following the hearing procedure described above, the hearing body shall:
  - a. Approve;
  - b. Conditionally approve;
  - c. Continue the hearing; or
  - d. Deny the application.
- G. Decision Criteria. Decisions shall be based on the criteria specified in the Mercer Island City Code for the specific action. An applicant for a development proposal shall have the burden of demonstrating that the proposed development complies with the applicable regulations and decision criteria. A reference to the code sections that set out the criteria and standards for decisions appears in MICC 19.15.010(E). For those actions that do not otherwise have criteria specified in other sections of the code, the following are the required criteria for decision:
  - 1. Comprehensive Plan Amendment.
    - a. The amendment is consistent with the Growth Management Act, the county-wide planning policies, and the other provisions of the comprehensive plan and city policies; and:
      - i. There exists obvious technical error in the information contained in the comprehensive plan; or
      - ii. The amendment addresses changing circumstances of the city as a whole.
      - b. If the amendment is directed at a specific property, the following additional findings shall be determined:
      - i. The amendment is compatible with the adjacent land use and development pattern;
      - ii. The property is suitable for development in conformance with the standards under the potential zoning; and
      - iii. The amendment will benefit the community as a whole and will not adversely affect community facilities or the public health, safety, and general welfare.
  - 2. Reclassification of Property (Rezones).

- a. The proposed reclassification is consistent with the policies and provisions of the Mercer Island comprehensive plan;
- b. The proposed reclassification is consistent with the purpose of the Mercer Island development code as set forth in MICC 19.01.010;
- c. The proposed reclassification is an extension of an existing zone, or a logical transition between zones;
- d. The proposed reclassification does not constitute a "spot" zone;
- e. The proposed reclassification is compatible with surrounding zones and land uses; and
- f. The proposed reclassification does not adversely affect public health, safety and welfare.
- 3. Conditional Use Permit.
  - a. The permit is consistent with the regulations applicable to the zone in which the lot is located;
  - b. The proposed use is determined to be acceptable in terms of size and location of site, nature of the proposed uses, character of surrounding development, traffic capacities of adjacent streets, environmental factors, size of proposed buildings, and density;
  - c. The use is consistent with policies and provisions of the comprehensive plan; and
  - d. Conditions shall be attached to the permit assuring that the use is compatible with other existing and potential uses within the same general area and that the use shall not constitute a nuisance.
- 4. Variances. An applicant or property owner may request a variance from any numeric standard, except for the standards contained within Chapter 19.07 MICC. A variance shall be granted by the city only if the applicant can meet all criteria in (a.) through (h.). A variance for increased lot coverage for a regulated improvement pursuant to subsection (i.) shall be granted by the city only if the applicant can meet criteria (a.) through (i.):
  - a. The strict enforcement of the provisions of Title 19 MICC will create an unnecessary hardship to the property owner. For the purposes of this criterion, in the R-8.4, R-9.6, R-12, and R-15 zoning designations, an "unnecessary hardship" is limited to those circumstances where the adopted standards of Title 19 MICC prevent the construction of a single family dwelling on a legally created, residentially zoned lot;

b. The variance is the minimum necessary to grant relief to the property owner;

<u>ca</u>. No use variance shall be allowed;

- db. There are special circumstances applicable to the particular lot such as the size, shape, topography, or location of the lot; the trees, groundcover, or other physical conditions of the lot and its surroundings; or factors necessary for the successful installation of a solar energy system such as a particular orientation of a building for the purposes of providing solar access;
- <u>ee</u>. The granting of the variance will not be materially detrimental to the public welfare or injurious to the property or improvements in the vicinity and zone in which the property is situated;
- df. The granting of the variance will not alter the character of the neighborhood, nor impair the appropriate use or development of adjacent property; and
- eg. The variance is consistent with the policies and provisions of the comprehensive plan and the development code.
- h. The basis for requesting the variance is not the direct result of a past action by the current or prior property owner.
- i. Public and private schools, religious institutions, private clubs and public facilities in single-family zones with slopes of less than 15 percent may request a variance to increase the impervious surface to a maximum 60 percent impervious surface and such variance application will be granted if the hearing examiner determines that the applicant has demonstrated that the following criteria are satisfied:
  - i. There will be no net loss of permeable surface from the existing permeable surface. No net loss will be determined by the code official and may be achieved by off-site mitigation and/or by reconstructing existing parking areas to allow stormwater penetration. This replacement will be an exception to subsection (D)(2)(b) of this section prohibiting parking areas from being considered as permeable surfaces;
  - ii. All stormwater discharged shall be mitigated consistent with the most recent Washington State Department of Ecology Stormwater Management Manual for Western Washington, including attenuation of flow and duration. Mitigation will be required for any and all new and replaced impervious surfaces. In designing such mitigation, the use of a continuous simulation hydrologic model such as KCRTS or WWHM shall be required; event based models will not be allowed. In addition, mitigation designs shall utilize flow control best management practices

(BMPs) and low impact development (LID) techniques to infiltrate, disperse and retain stormwater on site to mitigate the increased volume, flow and pollutant loading to the maximum extent feasible;

iii. The director must approve a storm drainage report submitted by the applicant and prepared by a licensed civil engineer assuring the city that city infrastructure, in concert with the project design, is adequate to accommodate storm drainage from the project site, or identifying appropriate improvements to public and/or private infrastructure to assure this condition is met, at the applicant's expense; and,

iv. The variance may not be used with other provisions to exceed this maximum 60 percent impervious surface coverage.

- 5. <u>Setback Deviation</u>. A setback deviation shall be granted by the city only if the applicant demonstrates all of the following:
  - a. Setback deviation criteria. Setback deviations shall be subject to the following criteria:
    - ia. No use deviation shall be allowed;
    - bii. The granting of the deviation will not be materially detrimental to the public welfare or injurious to the property or improvements in the vicinity and zone in which the property is situated;
    - **<u>eiii.</u>** The granting of the deviation will not alter the character of the neighborhood, nor impair the appropriate use or development of adjacent property; and
    - <u>div</u>. The deviation is consistent with the policies and provisions of the comprehensive plan and the development code.
    - v. The basis for requesting the deviation is not the direct result of a past action by the current or prior property owner.
    - vi. The setback deviation is associated with the approval of development of a single lot or subdivision that is constrained by critical areas or critical area buffers.
    - vii. The building pad resulting from the proposed deviation will result in less impact to critical areas or critical areas buffers.
    - viii. Yard setbacks shall not be reduced below the following minimums:

(A) . Front and rear setbacks may not be reduced to less than 10 feet each;

(B) . Side setbacks may not be reduced to less than five feet.

- J. Administrative Appeals.
  - 1. Any party of record on a decision that may be administratively appealed may file a letter of appeal on the decision. Administrative appeals shall be filed with the city clerk within 14 days after the notice of decision, if a notice of decision is required, or after the effective date of the decision subject to appeal if no notice of decision is required. The term "party of record," for the purposes of this chapter, shall mean any of the following:
    - a. The applicant and/or property owner;
    - b. Any person who testified at the open record public hearing on the application;
    - c. Any person who individually submits written comments concerning the application for the open record public hearing, or to the code official prior to a decision on the project permit if there is no open record public hearing. Persons who have only signed petitions are not parties of record;
    - d. The city of Mercer Island.
- 2. Appeals shall include the following information:
  - a. The decision being appealed;
  - b. The development code interpretation, if any, associated with the proposed appeal;
  - c. The name and address of the appellant and his/her interest in the matter;
  - de. The specific reasons why the appellant believes the decision to be wrong. The burden of proof is on the appellant to demonstrate that there has been substantial error, or the proceedings were materially affected by irregularities in procedure, or the decision was unsupported by evidence in the record, or that the decision is in conflict with the standards for review of the particular action;
  - ed. The desired outcome or changes to the decision; and
  - fe. The appeals fee, if required.

K. Expiration of Approvals.

- 1. General. Except for long and short subdivisions, building permits or unless as otherwise conditioned in the approval process, permits shall expire one year from the date of notice of decision if the activity approved by the permit is not exercised. Responsibility for knowledge of the expiration date shall be with the applicant.
- 2. Long and short subdivision.
  - a. Once the preliminary plat for a long subdivision has been approved by the city, the applicant has five years to submit a final plat meeting all requirements of this chapter to the city council for approval.
  - b. Once the preliminary plat for a short subdivision has been approved by the city, the applicant has one year to submit a final plat meeting all requirements of this chapter. A plat that has not been recorded within one year after its preliminary approval shall expire, becoming null and void. The city may grant a single one-year extension, if the applicant submits the request in writing before the expiration of the preliminary approval.
  - c. In order to renew an expired preliminary plat, a new application must be submitted.
- 3. Responsibility for knowledge of the expiration date shall be with the applicant.
- L. Code Interpretations.
  - 1. Upon request formal application or as determined necessary, the code official shall may issue a written interpretation of interpret the meaning or application of provisions of the development code. In issuing the interpretation, the code official shall consider the following:
    - a. The plain language of the code section in question;
    - b. Purpose and intent statement of the chapters in question;
    - c. Legislative intent of the City Council provided with the adoption of the code sections in question;
    - d. Policy direction provided by the Mercer Island Comprehensive Plan;
    - e. Relevant judicial decisions;
    - <u>f. Consistency with other regulatory requirements governing the same or similar situation;</u>
    - g. The expected result or effect of the interpretation; and,
    - h. Previous implementation of the regulatory requirements governing the situation.
  - 2. The code official may also bring any issue of interpretation before the planning commission for determination. Anyone in disagreement with an interpretation by the code official may also request a review appeal of the code official's interpretation by to the planning commission hearing examiner.

Chapter 19.16 **DEFINITIONS** 

Accessory Buildings: A separate building or a portion of the main building, the use of which is related to and supports that of the main building on the same lot.

- 1. Attached Accessory Building: An accessory building that shares a portion of one of its walls with the main building, is separated from the main building by less than five feet, or is attached to the main building by a structure other than a fence.
- 2. Detached Accessory Building: An accessory building that does not share a portion of any of its walls with the main building and is separated from the main building by more than five feet and is not attached to the main building by a structure other than a fence or a pedestrian walkway. For example, detached accessory buildings may include, but are not limited to, garages, cabanas, guest rooms, and other similar buildings.

Accessory Structure: A separate structure that is not an accessory building, but is accessory and subordinate or incidental to the main building on the same lot including, but not limited to, the following: decks, porches, fences, trellises, and similar structures.

"Applicant" means a property owner or a public agency or private utility or any person or entity designated or named in writing by the property or easement owner to be the applicant, in an application for a development permit, land use application, or other city approval.

Average Building Elevation: The reference point on the surface topography of a lot from which building height is measured. The Eelevation in the R-8.4, R-9.6, R-12, and R-15 zoning designations is established by averaging the elevation at existing grade or finished grade, whichever is lower. The elevation in the P zoning designation is established by averaging the elevation at existing grade. The elevation points to be

averaged shall be located at the center of all exterior walls of the completed building; provided:

1. Roof overhangs and eaves, chimneys and fireplaces, unenclosed projecting wall elements (columns and fin walls), unenclosed and unroofed stairs, and porches, decks and terraces may project outside exterior walls and are not to be considered as walls.

37 38

2. If the building is circular in shape, four points, 90 degrees apart, at the exterior walls, shall be used to calculate the average building elevation.

40 41

42

43

44

39

3. For Properties within the Town Center: If a new sidewalk is to be installed as the result of a new development, the midpoint elevation for those walls adjacent to the new sidewalk shall be measured from the new sidewalk elevation, rather than existing grade prior to development activity. The city engineer shall determine the final elevation of the sidewalk.

Average Building Elevation = (Weighted Sum of the Mid-point Elevations) ÷ (Total Length of Wall Segments) Weighted Sum of the Mid-point Elevations = The sum of: ((Mid-point Where: Elevation of Each Individual Wall Segment) x (Length of Each Individual Wall Segment)) For example for a house with 10 wall segments: (Axa) + (Bxb) + (Cxc) + (Dxd) + (Exe) + (Fxf) + (Gxg) + (Hxh) + (Ixi) + (Jxj)a+b+c+d+e+f+g+h+i+jWhere: A, B, C, D... = The existing or finished ground elevation, whichever is lower, at midpoint of wall segment. And: a, b, c, d... = The length of wall segment measured on outside of wall. Average Building Elevation = (Mid-point Elevation of Individual Wall Segment) x (Length of Individual Wall Segment) ÷ (Total Length of Wall Segments) Construction Work: Any construction or reconstruction creating more than 500 square feet of new gross floor area or impervious surface. Trees are considered cut as a result of construction work if done during the construction work, two-five years prior to commencement of the work or two-five years following completion of the work. For these purposes, commencement of the work shall be the date the initial permit for the work is issued by the city, and completion of the work shall be the date the city finals a building permit. Development proposal: The application for a permit or other approval from the City of Mercer Island relative to the use or development of land. ... Development proposal site: The boundaries of the lot or lots for which an applicant has or should have applied for approval from the City of Mercer Island to carry out a development proposal. <u>Driveway: The vehicular access on to a lot containing one single family dwelling, or the required</u> vehicular access to, or through, an area designed for parking. 43 44 •••

...

Feasible (SMP): An action that is required to achieve project approval, such as a design requirement, development project condition, mitigation, or preservation requirement, and that meets all of the following conditions:

(1)1. ‡The action can be accomplished with technologies and methods that have been used in the past in similar circumstances, or studies or tests have demonstrated in similar circumstances that such approaches are currently available and likely to achieve the intended results; (2)

2. ‡The action provides a reasonable likelihood of achieving its intended purpose; and

3. (3) ‡The action does not physically preclude achieving the project's primary intended legal use. In cases where these guidelines require certain actions unless they are infeasible, the burden of proving infeasibility is on the applicant. In determining an action's infeasibility, the reviewing agency may weigh the action's relative public costs and public benefits, considered in the short- and long-term time frames.

Floor: The continuous, supporting surface extending horizontally through a building or structure that serves as the level base of a room upon which a person stands or travels.

Formal design review: Design review conducted by the Design Commission.

Gross Floor Area: The total square footage of floor area bounded by the exterior faces of the building.

- 1. The gross floor area of a single-family dwelling shall include:
  - a. The main building, including but not limited to attached accessory buildings.
    - b. All garages and covered parking areas, and detached accessory buildings with a gross floor area over 120 square feet.
    - c. That portion of a basement which projects above <u>the lower of</u> existing grade <u>or finished grade</u> as defined and calculated in Appendix B of this development code. <u>d. Stair cases.</u>
  - e. Decks that are attached to the second or third story of a single family dwelling and are covered by a roof. For the purposes of calculating the gross floor area of covered decks, the entire deck area covered by the roof shall be accounted for as floor area, provided an 18" eave extending beyond the edge of the deck shall not be included in the gross floor area.
  - f. Space under stairways or stairwells that is used, for example, as a closet or storage space if that space meets the definition of "Floor".
- 2. The gross floor area of a single family dwelling does not include:
  - a. Second- or third-story uncovered decks, or uncovered rooftop decks.
- <u>32</u>. In the Town Center, gross floor area is the area included within the surrounding exterior finish wall surface of a building, excluding courtyards and parking surfaces.

...

Tree, Exceptional: A tree or group of trees that because of its unique historical, ecological, or aesthetic value constitutes an important community resource. An exceptional tree is a tree that is rare or exceptional by virtue of its size, species, condition, cultural / historic importance, age, and / or contribution as part of a tree grove. Trees with a diameter of more than 36 inches, or with a diameter that is equal to or greater than the diameter listed in the Exceptional Tree Table are considered exceptional trees:

**Exceptional Tree Table** 

<u>Species</u>	Threshold Diameter
Native Species	
Oregon ASH – Fraxinus latifolia	<u>2 ft</u>
Quaking ASPEN – Populus tremuloides	<u>1 ft</u>
Paper BIRCH – Betula papyrifera	<u>1 ft 8 in</u>
CASCARA – Rhamnus purshiana	<u>8 in</u>
Western Red CEDAR – Thuja plicata	<u>2 ft 6 in</u>
Pacific CRABAPPLE – Malus fusca	<u>1 ft</u>
Pacific DOGWOOD – Cornus nuttallii	<u>6 in</u>
Douglas FIR – Pseudotsuga menziesii	<u>2'6 in</u>
Grand FIR – Abies grandis	<u>2 ft</u>
Black HAWTHORN – Crataegus douglasii	<u>6 in</u>
Western HEMLOCK – Tsuga heterophylla	<u>2 ft</u>
MADRONA – Arbutus menziesii	<u>6 in</u>
Bigleaf MAPLE – Acer macrophyllum	<u>2 ft 6 in</u>
Dwarf or Rocky Mountain MAPLE – Acer glabrum var.	<u>6 in</u>
<u>Douglasii</u>	
<u>Vine MAPLE – Acer circinatum</u>	<u>8 in</u>
Oregon White or Garry OAK – Quercus garryana	<u>6 in</u>
<u>Lodgepole PINE – Pinus contorta</u>	<u>6 in</u>
Shore PINE — Pinus contorta 'contorta'	<u>1 ft</u>
Western White PINE – Pinus monticola	<u>2 ft</u>
Western SERVICEBERRY – Amelanchier alnifolia	<u>6 in</u>
Sitka SPRUCE – Picea sitchensis	<u>6 in</u>
WILLOW (All native species) – Salix sp. (Geyeriana ver	<u>8 in</u>
meleina, eriocephala ssp. mackenzieana, Hookeriana, Piperi,	
Scouleriana, sitchensis)	
<u>Pacific YEW – Taxus brevifolia</u>	<u>6 in</u>
Non-native Species	
Orchard (Common) APPLE – Malus sp.	<u>1 ft 8 in</u>
European ASH – Fraxinus excelsior	<u>1 ft 10 in</u>
<u>Green ASH – Fraxinus pennsylvanica</u>	<u>2 ft 6 in</u>
Raywood ASH – Fraxinus oxycarpa	<u>2 ft</u>
European BEECH – Fagus sylvatica	2 ft 6 in

3

<u>Tree, Grove: A grove means a group of 8 or more trees each 10 inches or more in diameter that form a continuous canopy. Trees that are part of a grove shall also be considered exceptional trees, unless they also meet the definition of a hazardous tree.</u>

•••

<u>large (Regulated)</u>: Any <u>conifer-tree that is six feet tall with a diameter of 10 inches or more, and any tree that meets the definition of an exceptional tree.</u> <u>or any deciduous tree with a diameter of more than six inches.</u>

Small-Tree, Small: Any conifer-tree that is less than six feet tall with a diameter of less than 10 inches or any deciduous tree with a diameter of six inches or less. Small trees do not include any tree that meets the definition of an exceptional tree.

Hazardous-Tree, Hazardous: Any tree that receives an 11 or 12 rating under the International Society of Arboricultural rating method set forth in Hazard Tree Analysis for Urban Areas (copies of this manual are available form from the city arborist) and may also mean any tree that receives a 9 or 10 rating, at the discretion of the city arborist.

23 |

Hardscape: The solid, hard, elements or structures that are incorporated into landscaping. The hardscape includes, but is not limited to, structures other than buildings, paved areas other than driving surfaces, stairs, walkways, decks, patios, and similar constructed elements. The hardscape within landscaping is usually made up of materials that include, but are not limited to wood, stone, concrete, gravel, and permeable pavements or pavers, and similar materials. Hardscape does not include solid, hard elements or structures that are covered by a minimum of two feet of soil intended for softscape (for example, a septic tank covered with at least two feet of soil and planted shrubs is not hardscape). Hardscape areas do not include driving surfaces or buildings.

...

<u>Landscaping: The arrangement and planting of softscape elements (e.g. trees, grass, shrubs and flowers)</u>, and the installation of hardscape elements (e.g. placement of fountains, patios, street furniture and ornamental concrete or stonework).

40 ...

41 42

Lot, Large: A lot that contains sufficient area, and is of sufficient dimension, to be subdivided. Large lots shall contain a minimum net lot area as follows:

- 1. R-8.4: 16,800 square feet.
- 2. R-9.6: 19,200 square feet.

3. R-12: 24,000 square feet.

4. R-15: 30,000 square feet.

Lot area: The area contained within the established boundaries of a lot. The lot area includes, but is not limited to, areas encumbered by critical areas, shorelines, and public or private easements.

Lot area, net: The area contained within the established boundaries of a lot, less any area used for public or private vehicular access easements, excluding that portion of the easement used for a driveway access to the encumbered lot.

For example, the net lot area of a lot encumbered by a private vehicle access easement with an area of 1,000 square feet and of which, 400 square feet of the vehicle access easement is used for a driveway to a home on the encumbered lot, is the area within the established boundaries of the lot less 600 square feet.

Lot coverage, maximum: The maximum area of a residentially zoned lot that may be covered by a combination of buildings and vehicular driving surfaces.

<u>...</u>

Reasonable Best Efforts: In cases where the code requires "reasonable best efforts" to comply with standards, the burden of proving that reasonable best efforts have been taken, and compliance is infeasible, is on the applicant. In determining whether reasonable best efforts have been taken the Code Official may weigh the applicant's actions to comply with the applicable standard and the action's relative costs to the applicant and public benefits, considered in the short- and long-term time frames. The Code Official may also evaluate whether an applicant's prior actions have contributed to the applicant's inability to comply with the applicable standard.

Qualified Arborist: means an individual with relevant education and training in arboriculture or urban forestry, having the International Society of Arboriculture (ISA) Tree Risk Assessment Qualification and one (1) of the following credentials:

- 1. ISA Certified Arborist;
- 2. ISA Certified Arborist Municipal Specialist;
- 3. ISA Board Certified Master Arborist;
- 4. American Society of Consulting Arborists (ASCA) registered Consulting Arborist;
- 5. Society of American Foresters (SAF) Certified Forester for Forest Management Plans;

For tree retention reviews associated with a development proposal, a qualified arborist must have, in addition to the above credentials, a minimum of three (3) years' experience working directly with the

protection of trees during construction and have experience with the likelihood of tree survival after construction. A qualified arborist must also be able to prescribe appropriate measures for the preservation of trees during land development. Any provision in Title 19 of the Mercer Island City Code referring to using an arborist shall be interpreted to require using a Qualified Arborist.

•••

Softscape: The living or unhardened elements that are incorporated into landscaping. The softscape generally includes plants, flower beds, tree retention areas, uncovered dirt, compost or mulched areas, wetlands, and wetland or watercourse buffers.

Street: An improved or unimproved public or private right-of-way or easement which affords or could be capable of affording vehicular access to property.

- 1. Collector Arterial: A street designed to collect and distribute traffic from major arterials to the local access streets. The collector arterial is similar to a local access street except for stop and yield privileges over a local access street and restrictions for on street parking.
- 2. Local Access Street: A street designated for direct access to properties, and which is tributary to the arterial system.
- 3. Major Arterial Street: A street designed to collect and distribute large volumes of traffic from the freeway, Town Center and less important arterial streets. This type of arterial normally is designed to expedite through traffic.
- 4. Second Arterial Street: A street designed to collect and distribute traffic from the freeway or major arterials and less important streets.
- 6. Driveways are not streets.

## 6 7 8 9 10 11

12 13

# **APPENDIX B BASEMENT FLOOR AREA CALCULATION**

The Mercer Island Development Code excludes that portion of the basement floor area from the Gross Floor Area which is below the existing or finished grade, whichever is lower. That portion of the basement which will be excluded is calculated as shown.

Portion of Excluded Basement Floor Area =

Total Basement Area x

 $\Sigma$ (Wall Segment Coverage x Wall Segment Length)


Total of all Wall Segment lengths

Where the terms are defined as follows:

TOTAL BASEMENT AREA is the total amount of all basement floor area.

WALL SEGMENT COVERAGE is the portion of an exterior wall below existing or finished grade, whichever is lower. It is expressed as a percentage. (Refer to example.)

WALL SEGMENT LENGTH is the horizontal length of each exterior wall in feet.



14

15

16

17 18

19

20

21

22

## EXAMPLE OF BASEMENT FLOOR AREA CALCULATION

This example illustrates how a portion of the basement floor area may be excluded from the Gross Floor Area. In order to complete this example, the following information is needed.


- A. A topographic map of the existing grades and the proposed finished grades.
- B. Building plans showing dimensions of all exterior wall segments and floor areas.
- C. Building elevations showing the location of existing grades and proposed finished in relation to basement level.


Step One

Determine the number and lengths of the Wall Segments.

## Step Two

Determine the Wall Segment Coverage (in %) for each Wall Segment. In most cases this will be readily apparent, for example a downhill elevation which is entirely above existing grade or will be entirely above finished grade. In other cases where the existing or finished grade contours are complex, an averaging system shall be used. (Refer to illustration.)





## Step Three

Multiply each Wall Segment Length by the percentage of each Wall Segment Coverage and add these results together. Divide that number by the sum of all Wall Segment Lengths. This calculation will result in a percentage of basement wall which is below grade. (This calculation is most easily completed by compiling a table of the information as illustrated below.)

# Table of Wall Lengths and Coverage

Wall Segment	Length x	Coverage =	Result
Α	25×	56%	14×%
В	10×	0%	0×%
С	8×	0%	0×%
D	25×	0%	0×%

1 Step Four

Multiply the Total Basement Floor Area by the above percentage to determine the Excluded Basement Floor

Area.

2

3

4 5 6 Portion of Excluded Basement Floor Area =

$$(25 \times x 56\% + 10 \times x 0\% \dots 25 \times x 60\% + 48 \times x 100\%)$$

162×

=1,400 Sq. Ft. x 47.53%

=665.42 Sq. Ft. Excluded from the Gross Floor Area

# APPENDIX G CALCULATING AVERAGE BUILDING ELEVATION (ABE)

# CITY OF MERCER ISLAND

9611 S. E. 36th Street, Mercer (sland, Washington 98040 206.236.5300

# CALCULATING AVERAGE BUILDING ELEVATION (ABE)

NOTE:
INCOMPLETU
AVERACE
BUILDING
ELEVATION
INFORMATION
COULD
SUBSTANTIALLY
DULAY THE
PROCESSING OF
YOUR
APPLICATION

No part of a structure may exceed 30 feet in height above the "Average Building Elevation" to the top of the structure, except that on the downhill side of a sloping lot the structure shall not extend to a height greater than 35 feet measured from existing grade to the top plate of the roof; provided the roof ridge does not exceed 30 feet in height above the "Average Building Elevation."

ABE is definded as: The elevation established by averaging the elevation of the existing grade, prior to any development activity, at the center of all extentor walls of a building or structure.


### AVERAGE BUILDING ELEVATION FORMULA

= (Midpoint Elevations) x (Length of Wall Segments) (Total Length of Wall Segments)

-OR-

$$\frac{(Axa)+(Bxb)+(Cxc)+(Dxd)+(Bxe)+(Dxd)+(Exe)+(Fxf)+(Gxg)+(Hxb)}{a+b+c+d+e+f+g+b}$$

WHERE: A,B,C,D... = Existing Ground Elevation at Midpoint of Wall Segment AND: a,b,c,d... - Length of Wall Segment Measured on Outside of Wall



NOTE: This example is not to scale. Site plans submitted to the building department must be to scale.

#### CALCULATION:

 $\frac{(105.9)(30) + (104.7)(9) + (103.7)(17) + (102.2)(25) + (101.6)(13) + (101.7)(6) + (102.2)(34) + (104.5)(40)}{30 + 9 + 17 + 25 + 13 + 6 + 34 + 40} = \frac{(105.9)(30) + (104.7)(9) + (104.5)(40)}{30 + 9 + 17 + 25 + 13 + 6 + 34 + 40}$ 

 $\frac{18023}{174} = 103.6' = Average Building Elevation (ABE)$ 

# BEFORE SUBMITTING YOUR CONSTRUCTION DRAWINGS, CHECK TO SEE THAT YOU HAVE PROVIDED THE INFORMATION BELOW.

☐ The site plan and the elevation drawings must be drawn to scale, for example 1"=20", and based on a survey.
☐ Clearly show existing topography on your site plan. Topography should be shown in 2' increments.
☐ Submit (with the site plan) your average building elevation calculations using the formula provided on the front side of this page.
Indicate on an elevation drawing where the average building elevation strikes the building and the proposed ridge elevation (see below for example).
$\square$ Indicate on the site plan the elevation of the finished floor or garage slab.
☐ Indicate the elevation and location of a fixed point (benchmark) within the ADJACENT RIGHT-OF-WAY or other point approved by the Building Official. The benchmark elevation and location must be provided and cannot be a part of the proposed structure. Note: Benchmark must be established, verified by a licensed surveyor and remain during construction so height can be verified when completed.
Sections of the structure that are below the existing grade and do not have a wall that extends above the existing grade, are not used in the ABE calculation.
For additions, you must provide an average building elevation calculation for the entire structure.

# CROSS-SECTION REPRESENTATION OF ABE

