





Elevation, true location and other topographic information shown herein have been acquired by electronic distance measurement from one survey control station. With the exception of contour lines, the purpose of which is to show the general configuration of the ground and the flow of water therefrom, topographic information located by this method can normally be expected to be accurate within 1 foot horizontally and within 0.3 of a foot vertically. However, there is always the possibility of a few errors in the field measurements or in the office plotting of the topographic information unless each point is located and the elevation is determined from 2 different survey control stations. It would be advisable to make a preliminary location of any proposed improvements on the ground before final plans and contracts are made in order to verify the accuracy of the topographic information in relation to the proposed construction.

TOPOGRAPHIC SURVEY OF A PORTION OF  
LOTS 112, BLOCK 17, EAST SEATTLE

RECEIVED

MAR 16 1989

DEPARTMENT OF  
COMMUNITY DEVELOPMENT



PRELIMINARY PRINT

ADDED PROPOSED SHORT PLAT  
M.W. MARSHALL, P.L.  
FORMERLY  
JONES, BASSI & ASSOC.  
PROFESSIONAL LAND SURVEYORS  
1001 2<sup>ND</sup> AVE. S.E. - SUITE 2000 - SEASIDE BLDG. - SEATTLE, WASH. 98104  
DWN M.W.M. SCALE 1"=40'

EX. 2