ZTR19-002: Public Institution Code Amendment 1 October 2, 2019 2 3 4 "Normal Text" is existing code language 5 "Strikethrough Text" is existing code language that will be deleted 6 "Underline Text" is new code language that will be added 7 "..." indicates that existing code language is omitted and will not be amended 8 9 19.05.010 Public institution - Pl. 10 A. Uses Permitted. 11 1. Government services. 12 2. Public schools under the administration of Mercer Island School District No. 400 subject to the 13 requirements in subsection F of this section. Subsections B, C and E of this section do not apply to public 14 schools. Uses other than public schools located on land owned by the Mercer Island School District shall 15 comply with applicable provisions of Chapter 19.02 MICC. 16 3. Public park. 17 4. Transit facilities including transit stops and associated parking lots. 18 5. On-site hazardous waste treatment and storage facilities are allowed as accessory uses to a use 19 permitted in this zone. These facilities shall comply with the state siting criteria as set forth in Chapter 20 173-303 WAC. 21 6. Wireless communications facilities subject to the conditions set out in MICC 19.06.040. 22 B. Mercer Island I-90 Right-of-Way Added to Public Institution Zone. The entire area within the Mercer-Island I-90 right-of-way, including, but not limited to, the roadway, street overcrossings, lids, open space, 23 24 recreation areas, linear greenbelts and the park-and-ride lot area as approved by the city on November 14, 25 1983, and incorporated in the right-of-way plan approved by WSDOT on May 1, 1987, shall be part of the 26 public institution zone. All uses within the I-90 right-of-way shall be maintained as set forth in city-approved-27 I-90 related documents. 28 EB. Design Requirements. Any development within the public institution zone shall comply with the 29 applicable sections of Chapter 19.11 MICC, Town Center Development and Design Standards. 30 CP. Parking Requirements. All uses permitted in this zone shall comply with the parking requirements set out 31 in MICC 19.05.020. 32